10182-379 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Until Reregistration

Scimitar WP Greenhouse Insecticide in Water Soluble **Packets**

ZENECA Inc. 1800 Concord Pike Wilmington, DE 19897

This product is registered in accordance with FIFRA sec. 3(c)(5) provided that you:

- Make the labeling changes listed below before you release the product for shipment:
 - Add the phrase "EPA Registration No. 10182-379"
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Enclosure:

CONCURRENCES SYMBOL OFFICIAL FILE COPY EPA Form 1320-1A (1/90)

)

Ì

Printed on Recycled Paper

TUS GPO 1994-522-503/82085

SCIMITAR™ WP Greenhouse Insecticide in Water-Soluble Packs

Only for Sale to, Use, and Storage by Commercial Applicators and Greenhouse Personnel

For Use to Control Certain Insects On Ornamentals Grown in Greenhouses and Shadehouses

ACTIVE INGREDIENT:

EPA Reg. No. 10182-EPA Est. No. **Net Contents:**

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Back Panel for Statement of Practical Treatment and Precautionary Statements

ACCEPTES MAY 17 1995

)

Under the Federal Insecticitie Fungicide, and Rodenticitie Act as amended, for the penicide registered under 10/82-37 9 EPA Rog. No. 10/82-37 9 Made in U.S.A.
ZENECA Professional Products
ZENECA Inc.
Wilmington, DE 19897

STATEMENT OF PRACTICAL TREATMENT

IF SWALLO'NED: If victim is alert and not convulsing, rinse mouth out and give 200-300 ml (1 cup) of water to dilute material. Immediately contact local Poison Control Center. Vomiting should only be induced under the direction of a physician or Poison Control Center. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer more water. Immediately transport victim to an emergency facility.

IF IN EYES: Wash with plenty of water. Get medical attention if irritation persists.


IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably by mouth-to-mouth.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-F-A-S-T-M-E-D (327-8633).

)

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN OR INHALED. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. Do not get in eyes, on skin or clothing. Avoid breathing vapor or spray mist.

Skin exposure may also result in a sensation described as a tingling, itching, burning or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 to 30 hours, without damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

Personal Protective Equipment

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- · Waterproof gloves

)

)

- Shoes plus socks
- · Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardens to aquatic organisms in neighboring areas. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Notify State and/or Federal authorities and ZENECA Inc. immediately if you observe any adverse environmental effects due to the use of this product.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ZENECA or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold ZENECA and Seller harmless for any claims relating to such factors.


)

)

ZENECA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ZENECA, and Buyer and User assume the risk of any such use. ZENECA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall ZENECA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ZENECA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ZENECA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

ZENECA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of ZENECA.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protection equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- · Waterproof gloves
- Shoes plus socks
- · Protective eyewear

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container.

STORAGE: Mix as needed. Do not store diluted material. Do not store noar food or feed, In case of spill on floor or paved surfaces, sweep up. Follow PESTICIDE DISPOSAL instructions. Keep water-soluble packs in original foil package and store in cool-dry place. Do not store below 32°F. Handle carefully when stored at temperatures less than 50°F to avoid breakage of packs.

PESTIC.DE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: When all packs are used, dispose of foil package in a sanitary landfill, by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

MIXING: Do not allow packs to become wet before adding to the spray tank. Wear dry gloves when handling water-soluble packs. Minimize handling of packs since excessive handling may cause rupture. SCIMITAR™ WP insecticide is intended for dilution with water for application and may be used in all types of application equipment. Fill application tank with 1/2 volume of water and add water-soluble pack(s) of SCIMITAR WP and then fill to desired volume. Wait 2 minutes for pack(s) to dissolve. Close and shake or agitate before use in order to ensure proper suspension of the wettable powder. Shake or reagitate sprayer before use if application is interrupted. Make up only amount of application volume as required.

COMPATIBILITY: SCIMITAR WP has been found to be compatible with all commonly used fungicides, miticides, liquid fertilizers, and other insecticides. Check physical compatibility using the correct proportion of products in a small jar if local experience is unavailable.

)

)

APPLICATION: SCIMITAR WP insecticide mixes readily with water and may be used in all types of application equipment. Mix product with the required amount of water and apply as a dilute application to the point of runoff. When applying to hard-to-wet foliage such as holly, pine, or ivy, the addition of a spreader sticker may enhance knockdown and residual activity. If concentrate or mist-type application equipment is used, an equivalent amount of product should be used on the area treated as would be used in a dilute application. Phytotoxicity testing has been carried out on a wide range of ornamental plants under various environmental conditions, and no phytotoxicity has been observed. It is advised to pretreat a selection of ornamentals if local use experience is unavailable.

SCIMITAR WP may be used for applications to ornamentals grown in commercial greenhouses and shadehouses.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

DO NOT APPLY THIS PRODUCT TO EDIBLE CROPS OR PLANTS GROWN FOR FOOD/FEED.

DO NOT APPLY THIS PRODUCT TO PLANTS GROWN FOR FOOD/FEED.

GREENHOUSES AND SHADEHOUSES (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants and Groundcovers) Black vine weevil (adult) Boxelder bugs Budworms Cankerworms Cockroaches Crickets Cutworms Eastern Tent caterpillar Elm leaf beetles Forest tent caterpillar Gypsy moth larvae Japanese beetles (adults) June beetles (adults) Imported fire ants) Armyworms or 1 to 4 soluble packs/100 gals¹ or 1 to 4 soluble packs/100 gals¹ by 1 to 4 soluble packs/100 gals¹ pressure increases. Including Trees, Shrubs, Armyworms Azalea caterpillar and reapplications made as necessary to keep populations under control, using higher rates as pest pressure increases. Good spray coverage is necessary to provide the most effective level of control. Addition of spreader/sticker at recommended rates may enhance control of insects on certain species of ornamentals having hard-to-wet foliage. Apply at 7-day intervals if retreatment is necessary. Do not apply more than 0.36 lbs of active ingredient per acre per year. Do not apply to any plants grown for food or feed. NOTE: Certain cultivars may be	USE	PEST	AMOUNT OF SCIMITAR WP	REMARKS
Thrips Tip moth	ORNAMENTALS IN GREENHOUSES AND SHADEHOUSES (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants and	Ants (Including Imported fire ants) Armyworms Azalea caterpillar Aphids Bagworms² Black vine weevil (adult) Boxelder bugs Budworms California oakworm Cankerworms Cockroaches Crickets Cutworms Eastern Tent caterpillar Elm leaf beetles Fall webworm Flea beetles Forest tent caterpillar Gypsy moth larvae Japanese beetles (adults) June beetles (adults) Lace bugs Leaf-feeding caterpillars Leafhoppers I eafminers (adults) Leaf rollers Leaf skeletonizers Midges Mosquitoes Oleander moth larvae Pillbug Pine sawfly Pinetip moths Plant bugs Root weevil Sawfly Scale insects (crawlers) Spiders Spittlebugs Striped beetles	1.2 to 4.8 oz/ 100 gals or 1 to 4 soluble	Applications should be started prior to establishment of high pest population and reapplications made as necessary to keep populations under control, using higher rates as pest pressure increases. Good spray coverage is necessary to provide the most effective level of control. Addition of spreader/sticker at recommended rates may enhance control of insects on certain species of ornamentals having hard-to-wet foliage. Apply at 7-day intervals if retreatment is necessary. Do not apply more than 0.36 lbs of active ingredient per acre per year. Do not apply to any plants grown for food or feed. NOTE: Certain cultivars may be sensitive to the final solution. A small number of plants should be treated
Wasps ''.		Tip moth Tussock moth larvae		

Page 8 SCIMITAR WP Greenhouse Water-Soluble Packs Container SCIGHWSP.RSB - RS-012894B

USE	PEST	AMOUNT OF SCIMITAR WP	REMARKS
	Broadmite Brown softscale California redscale (crawler) ³ Clover mites Mealybugs Pineneediescale (crawler) ³ Spider mites Whiteflies	2.4 to 4.8 oz/ 100 gals or 2 to 4 soluble packets/100 gals	

One (1) water-soluble pack contains 1.2 oz (34 grams) SCIMITAR WP.

SCIMITAR™ is a trademark of a ZENECA Group Company.

Ĵ

¹For spot treatments, use 1 pack per 2-1/2 to 5 gallons of water.

²Bagworm: Apply when larvae begin to hatch. Spray larvae directly. Applications made when larvae are young will be most effective.

³Scalecrawlers/twig borers: Treat trunks, stems and twigs in addition to plant foliage.