PM23

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Andrew A. Davidson Zeneca Ag Products P.O. Box 15458 Wilmington, DE 19850-5458

FEB 6 1998

Dear Mr. Davidson:

Subject: Revised Labeling - Revised Product Name; Revised Water Holding Restrictions; General Revisions to Application Directions; Revised User Restriction for Quart Bottle (Reward LS) Reward Landscape and Aquatic Herbicide EPA Registration No. 10182-404 Your Submissions Dated September 8, September 18, and October 10, 1997

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) We now acknowledge the official product name for this product to be Reward Landscape and Aquatic Herbicide. Please use this product name in all future correspondences to the Agency concerning this product.
- 2) Make the following revisions to the master labeling:
  - a) Within the Environmental Hazards section, relocate the statement reading "Do not apply directly to water except as specified on this label" so that it appears after the For Aquatic Uses heading.
  - b) The proposed change in the water use restrictions table for spray tank applications and irrigation for food crops is not acceptable at this time. The Agency does not have adequate information to allow irrigation with water treated with diquat immediately after application through drip irrigation or in-furrow irrigation (or other types of irrigation that do not contact the plant). In order for the Agency to give further consideration to this amendment, either information must be provided to demonstrate that there is no potential for any users connected to the same irrigation systems to apply the

DK:305	-7546:45	3/PM23	C	ONCURRENCES		 
SYMBOL ►	7505C					
SURNAME +	D. KENNY	-				
DATE	2/6/98					

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

water to crops foliarly, or that diquat treated water would not result in over-tolerance residues if it was used foliarly with no holding period. Therefore, the following changes must be made to the proposed water holding restrictions table:

20f37

- i) Delete the word "Overhead" and the double asterisk from the title block for food crops so that it reads "Spray Tank Applications and Irrigation/Food Crops".
- ii) Delete the words "food crops" from the second footnote (denoted by the double asterisk) so that it begins "\*\*For preparing agricultural sprays for turf or ornamentals...".
- 3) Make the following revisions to the labeling for the quart bottle (bearing the alternate brand name Reward LS Landscape Herbicide):
  - a) Revise the front panel sale and use restriction to read "For use by individuals/firms licensed or registered by the State to apply pesticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the pest control regulatory agency of your State prior to use of this product."
  - b) We note that the proposed labeling for the quart bottle was submitted without the container label. Therefore, the proposed labeling for the directions booklet is accepted on the condition that, with the exception of comment #3(a) above, the container label appears as conditionally accepted by the Agency on January 15, 1997.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced labels, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure

)

Page 1 of 7 REWARD Landscape/Aquatic Container REW404C.RSD - 9/2/97

## REWARD<sup>®</sup> Landscape and Aquatic Herbicide

## TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL

DO NOT USE THIS PRODUCT FOR REFORMULATION

Contains 2 lbs. diquat cation per gal. as 3.73 lbs. salt per gal.

EPA Reg. No. 10182-404 EPA Est. No.

)

## KEEP OUT OF REACH OF CHILDREN

#### WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

#### SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Made in U.S.A. ZENECA Professional Products ZENECA Inc. Wilmington, DE 19850-5458

ACCEPTED with COMMENTS In EPA Lotter Daved FEB 6' 1998

Under the Federal Insecticide, Fundedde, and Rodenticide Act as appended, for the posticide registered under EPA Reg. No.

Net Contents:

## STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED: IMMEDIATELY** give water or milk to drink and induce vomiting by inserting finger in throat. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest hospital or physician fast. PROMPT TREATMENT IS ESSENTIAL TO COUNTERACT POISONING and should be initiated before signs and symptoms of injury appear.

**IF ON SKIN: IMMEDIATELY** wash with soap and water. See a doctor if diquat contacts a skin cut, abrasion or area of irritation.

**IF IN EYES: IMMEDIATELY wash** eyes with water for at least 15 minutes and get medical attention.

**IF INHALED: IMMEDIATELY** get away from spray mist. Stop and check spray procedure. See a doctor if irritation persists.

**NOTE TO PHYSICIANS:** Call ZENECA Medical Emergency Information Network 1-800-F-A-S-T-M-E-D (327-8633) at any hour to obtain toxicology information and a diquat analysis. To be effective, treatment for diquat poisoning must begin IMMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE CALL 1-800-F-A-S-T-M-E-D (327-8633)

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

#### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### WARNING

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. CAUSES SUBSTANTIAL, BUT TEMPORARY, EYE INJURY. CAUSES SKIN IRRITATION. CONTACT WITH IRRITATED SKIN, OR A CUT, OR REPEATED CONTACT WITH INTACT SKIN MAY RESULT IN POISONING. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Do not feed forage from treated crops to livestock. Keep livestock and pets out of treated fields and crop areas.

## PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants or coveralls over long-sleeved shirt and long pants.
- Waterproof gloves.
- · Chemical-resistant footwear plus socks.
- Protective eyewear.
- · Chemical-resistant headgear for overhead exposure.
- · Chemical-resistant apron when cleaning equipment, mixing or loading.

**EXCEPTION:** At a minimum, applicators for AQUATIC SUBSURFACE APPLICATIONS must wear (Note - Mixers and Loaders for this application method must still wear the personal protective equipment (PPE) as described in the above section):

- Short-sleeved shirt and short pants.
- Waterproof gloves.
- · Chemical-resistant footwear plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. Mixers, loaders, and applicators using closed systems who meet these requirements may wear: long-sleeved shirt and long pants, protective eyewear, waterproof gloves, shoes plus socks, and a chemical-resistant apron when mixing, loading, or cleaning equipment. If handling tasks are performed from inside an enclosed cab or aircraft with enclosed cockpits that meet these requirements may wear: long-sleeved shirt, long pants, shoes and socks for the labeling-specified PPE. All labeling-specified PPE must be immediately available for use in an emergency. All applicable requirements as specified in 40 CFR 170.240 (d) (4-6) must be followed.

#### User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS (TERRESTRIAL AND AQUATIC USES)

}

This pesticide is toxic to wildlife. For Terrestrial Uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water except as specified on this label. For Aquatic uses, treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the dense weed water body areas at a one time, especially if dense areas of weeds and/or algae exist, and wait 14 days between treatments.

Necessary approval and/or Permits should be obtained prior to application if required. Consult the responsible State Agencies (i.e., Fish and Game agencies or Department of Natural Resources) before making applications to public waters.

Page 5 of 7 REWARD Landscape/Aquatic Container REW404C.RSD - 9/2/97

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ZENECA or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold ZENECA and Seller harmless for any claims relating to such factors.

ZENECA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ZENECA, and Buyer and User assume the risk of any such use. ZENECA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall ZENECA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ZENECA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ZENECA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

)

ZENECA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of ZENECA.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Do not apply this product through any type of irrigation system.

Refer to label booklet attached to container for complete Directions for Use.

## AGRICULTURAL USE REQUIREMENTS

)

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling (i.e., attached booklet) under "AGRICULTURAL USE REQUIREMENTS" in the DIRECTIONS FOR USE section for information about this standard.

## STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperature above 32°F. For help with any spill, leak, fire or exposure involving this material, call CHEMTREC (1-800-424-9300).

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Do not reuse container. Incinerate, burn, or puncture and dispose of in a sanitary landfill, or dispose of by other procedures allowed by State and local authorities. If burned, stay out of smoke.

## FOR BULK AND MINI-BULK CONTAINERS:

**CONTAINER DISPOSAL:** Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling or reconditioning, or clean in accordance with manufacturer's instructions.

**CONTAINER PRECAUTIONS:** Before refilling, inspect thoroughly for damage, such as cracks, punctures, bulges, dents, abrasions and damaged or worn threads on closure devices.

REFILL ONLY WITH REWARD Landscape and Aquatic Herbicide. The contents of this container cannot be completely removed by cleaning. Refilling with materials other than REWARD Landscape and Aquatic Herbicide will result in contamination and may weaken container.

After filling and before transporting, check for leaks.

)

)

Do not refill or transport damaged or leaking container.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER!

REWARD<sup>®</sup> is a trademark of a ZENECA Group Company

Page 1 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG-9/5/97

## REWARD<sup>®</sup> Landscape and Aquatic Herbicide

## TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL

#### DO NOT USE THIS PRODUCT FOR REFORMULATION

### **KEEP OUT OF REACH OF CHILDREN**

#### WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

#### **ACTIVE INGREDIENT:**

)

}

Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-c)	
pyrazinediium dibromide]	1%
INERT INGREDIENTS	3%
TOTAL 100.0	)%

Contains 2 lbs. diquat cation per gal. as 3.73 lbs. salt per gal.

EPA Reg. No. 10182-404

Made in U.S.A. ZENECA Professional Products ZENECA Inc. Wilmington, DE 19850-5458

11 of 37

Page 2 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

## REWARD<sup>®</sup> Landscape and Aquatic Herbicide

٠.

## COMPLETE DIRECTIONS FOR USE

### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ZENECA or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold ZENECA and Seller harmless for any claims relating to such factors.

ZENECA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ZENECA, and Buyer and User assume the risk of any such use. ZENECA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall ZENECA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ZENECA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ZENECA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Page 3 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

ZENECA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of ZENECA.

٠.

)

Made in U.S.A. ZENECA Professional Products ZENECA Inc.. Wilmington, DE<sup>-</sup>19850-5458

130437

Page 4 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

## TABLE OF CONTENTS

۰.

.

)

)

۰,

## Page

STATEMENT OF PRACTICAL TREATMENT
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
PERSONAL PROTECTIVE EQUIPMENT
ENVIRONMENTAL HAZARDS
DIRECTIONS FOR USE
DIRECTIONS
NON-AGRICULTURAL USE REQUIREMENTS
AQUATIC USE DIRECTIONS
STORAGE AND DISPOSAL

Page 5 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

## TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL

#### DO NOT USE THIS PRODUCT FOR REFORMULATION

#### KEEP OUT OF REACH OF CHILDREN

#### WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ACTIVE INGREDIENT:	
Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-c)	
pyrazinediium dibromide]	
INERT INGREDIENTS	<u>63.6%</u>
TOTAL	

Contains 2 lbs. diquat cation per gal. as 3.73 lbs. salt per gal.

EPA Reg. No. 10182-404

)

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: IMMEDIATELY give water or milk to drink and induce vomiting by inserting finger in throat. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest hospital or physician fast. PROMPT TREATMENT IS ESSENTIAL TO COUNTERACT POISONING and should be initiated before signs and symptoms of injury appear.

IF ON SKIN: IMMEDIATELY wash with soap and water. See a doctor if diquat contacts a skin cut, abrasion or area of irritation.

IF IN EYES: IMMEDIATELY wash eyes with water for at least 15 minutes and get medical attention.

IF INHALED: IMMEDIATELY get away from spray mist. Stop and check spray procedure. See a doctor if irritation persists.

Page 6 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

NOTE TO PHYSICIANS: Call ZENECA Medical Emergency Information Network 1-800-F-A-S-T-M-E-D (327-8633) at any hour to obtain toxicology information and a diquat analysis. To be effective, treatment for diquat poisoning must begin IMMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE CALL 1-800-F-A-S-T-M-E-D (327-8633)

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### WARNING

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. CAUSES SUBSTANTIAL, BUT TEMPORARY, EYE INJURY. CAUSES SKIN IRRITATION. CONTACT WITH IRRITATED SKIN, OR A CUT, OR REPEATED CONTACT WITH INTACT SKIN MAY RESULT IN POISONING. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Do not feed forage from treated crops to livestock. Keep livestock and pets out of treated fields and crop areas.

#### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants or coveralls over long-sleeved shirt and long pants.
- Waterproof gloves.
- Chemical-resistant footwear plus socks.
- Protective eyewear.
- Chemical-resistant headgear for overhead exposure.
- Chemical-resistant apron when cleaning equipment, mixing or loading.

**EXCEPTION:** At a minimum, applicators for AQUATIC SUBSURFACE APPLICATIONS must wear (Note - Mixers and Loaders for this application method must still wear the personal protective equipment (PPE) as described in the above section):

- Short-sleeved shirt and short pants.
- Waterproof gloves.
- Chemical-resistant footwear plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's

instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. Mixers, loaders, and applicators using closed systems who meet these requirements may wear: long-sleeved shirt and long pants, protective eyewear, waterproof gloves, shoes plus socks, and a chemical-resistant apron when mixing, loading or cleaning equipment. If handling tasks are performed from inside an enclosed cab or aircraft with enclosed cockpits that meet these requirements may wear: long-sleeved shirt, long pants, shoes and socks for the labeling-specified PPE. All labeling-specified PPE must be immediately available for use in an emergency. All applicable requirements as specified in 40 CFR 170.240(d) (4-6) must be followed.

#### User Safety Recommendations

Users should:

)

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### ENVIRONMENTAL HAZARDS (TERRESTRIAL AND AQUATIC USES)

This pesticide is toxic to wildlife. Do not apply directly to water except as specified on this label. For Terrestrial Uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. For Aquatic uses, treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the dense-weed water body areae at a one time, especially if dense areas of weeds and/or algae exist, and wait 14 days between treatments.

Necessary approval and/or Permits should be obtained prior to application if required. Consult the responsible State Agencies (i.e., Fish and Game agencies or Department of Natural Resources) before making applications to public waters.

Page 8 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG- 9/5/97

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

## DIRECTIONS

REWARD<sup>•</sup> Landscape and Aquatic Herbicide is a nonvolatile herbicidal chemical for use as a general herbicide to control weeds in noncrop and aquatic areas. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. REWARD Landscape and Aquatic Herbicide controls weeds by interfering with photosynthesis within green plant tissue. Weed plants should be succulent and actively growing for best results. Rinse all spray equipment thoroughly with water after use. AVOID SPRAY DRIFT to crops, ornamentals, and other desirable plants during application as injury may result. Application to muddy water may result in reduced control. Minimize creating muddy water during application. Use of dirty or muddy water for REWARD Landscape and Aquatic Herbicide dilution may result in reduced herbicidal activity. Avoid applying under conditions of high wind, water flow and or wave action.

Do not apply this product through any type of irrigation system.

AGRICULTURAL USES:

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restrictedentry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants, or coveralls over long-sleeved shirt and long pants.
- Waterproof gloves.
- Chemical-resistant footwear plus socks.
- Protective eyewear.
- Chemical-resistant headgear for overhead exposure.

**COMMERCIAL GREENHOUSES AND NURSERIES:** For general weed control in commercial greenhouses (beneath benches), (field grown and container stock), and other similar areas. REWARD Landscape and Aquatic Herbicide may be applied preplant or postplant preemergence in field grown ornamental nursery plantings or postemergence as a directed spray. REWARD Landscape and Aquatic Herbicide may also be applied preemergence in ornamental seed crops. Avoid contact with desirable foliage as injury may ooccur. Do not use on food or feed crops.

**Spot spray:** 1 to 2 qts. REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic <del>spreader</del> surfactant per 100 gallons water or 0.75 oz. (22 mls) REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon water.

**Broadcast:** 1 to 2 pints REWARD Landscape and Aquatic Herbicide in a minimum of 15 gallons water per acre. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons spray mixture. Use an adequate spray volume to insure good coverage.

ORNAMENTAL SEED CROPS (FLOWERS, BULBS, ETC.) For preharvest desiccation of ornamental seed crops. NOT FOR FOOD OR FIBER CROPS. Broadcast (Air or Ground): 1.5 to 2 pints REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per acre in sufficient water (minimum of 5 gallons by air; 15 gallons by ground) for desiccation and weed burndown. Repeat as needed at no less than 5-day intervals up to three applications. Do not use seed, screenings, or waste as feed or for consumption.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

For terrestrial uses, do not enter or allow entry of maintenance workers into treated areas, or allow contact with treated vegetation wet with spray, dew or rain, without appropriate protective clothing until spray has dried.

For aquatic uses, do not enter treated areas while treatments are in progress.

# DIRECTIONS FOR LANDSCAPE, INDUSTRIAL, RECREATIONAL, COMMERCIAL, RESIDENTIAL AND PUBLIC AREAS:

Reward provides fast control of broadleaf and grassy weeds in industrial, recreational, golf course, commercial, residential, and public areas.

Reward is a non-selective herbicide that rapidly kills undesirable aboveground weed growth in 24 to 36 hours. Avoid application of Reward to desirable plants.

Reward is a contact/desiccant herbicide, it is essential to obtain complete coverage of the target weeds to get good control. Improper application technique and/or application to stressed weeds may result in unacceptable weed control. For best results apply to actively growing, young weeds.

Difficult weeds (such as perennial or deeply rooted weeds) can often be controlled by tank mixing Reward with other systemic-type herbicides. Refer to other product labels for specific application directions.

For residual weed control, tank mix Reward with a pre-emergent herbicide labeled for the intended use site. When mixing Reward with another herbicide it is recommended to mix just a small amount first to determine if the mixture is physically compatible before proceeding with larger volumes.

Zeneca has not tested all possible tank mixtures with other herbicides for compatibility, efficacy or other adverse effects. Before mixing with other herbicides Zeneca recommends you first consult your state experimental station, state university or extension agent.

#### Grounds maintenance weed control:

Reward can be used as a spot or broadcast spray to control weeds in public, commercial and residential landscapes, including landscape beds, lawns, golf courses and roadsides. Reward can also be used for weed control around the edges and nonflooded portions of ponds, lakes and ditches.

#### Trim and Edge weed control:

Reward can be used to eliminate undesired grass and broadleaf plant growth in a narrow band along driveways, walkways, patios, cart paths, fence lines, and around trees, ornamental gardens, buildings, other structures and beneath noncommercial greenhouse benches. Vegetation control with Reward is limited to the spray application width. Do not exceed the labeled rate of Reward as excessive rates may result in staining of concrete-based materials.

Reward, since it does not translocate systemically, can be used as an edging or pruning tool when precisely applied to select areas of grass or to undesirable growth on desirable ornamental bedding plants, ground covers, etc.

#### Industrial weed control:

Reward can be used as a spot or broadcast spray either alone or in combination with other herbicides to as a fast burn-down or control weeds in rights-of-ways, railroads beds/yards,

Page 11 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG- 9/5/97

highways, roads, dividers and medians, parking lots, pipelines, pumping stations, public utility lines, transformer stations and substations, electric utilities, storage yards and other non-crop areas.

**Spot spray:** 1 to 2 qts. REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 100 gallons water or 0.75 oz. (22 mls) REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon water.

**Broadcast:** 1 to 2 pints REWARD Landscape and Aquatic Herbicide in a minimum of 15 gallons water per acre. Add the labeled rate of 75% or greater nonionic surfactant per 100 gallons spray mixture. Use an adequate spray volume to insure good coverage. Greater water volumes are necessary if the target plants are tall and/or dense. It is recommended that 60 gallons or greater water volume be used to obtain good coverage of dense weeds.

#### TURF RENOVATION (All Turf Areas Except Commercial Sod Farms)

)

To desiccate golf course turf and other turf areas prior to renovation, apply 1 to 2 pints of REWARD Landscape and Aquatic Herbicide per acre plus the labeled rate of a 75% or greater nonionic surfactant in 20 to 100 gallons of water (4 teaspoons of REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon of water) using ground spray equipment. Apply for full coverage and thorough contact with the turf grass. Apply only when the turf is dry, free from dew and incidental moisture. For enhanced turf desiccation, especially in the case of thick turfgrass, water volumes should approach 100 gallons of water per acre.

For suppression of regrowth and quick desiccation of treated turfgrass, REWARD Landscape and Aquatic Herbicide may be mixed with other systemic non-selective or systemic postemergence grassy weed herbicides. Refer to other product labels for specific application directions and restrictions.

Avoid spray contact with, or spray drift to, foliage of ornamental plants or food crops.

Do not graze livestock on treated turf or feed treated thatch to livestock.

# DORMANT ESTABLISHED TURFGRASS (Bermudagrass, zoysiagrass) NONFOOD OR FEED CROP

For control of emerged annual broadleaf and grass weeds, including Little Barley\*, Annual Bluegrass, Bromes including Rescuegrass, Sixweeks fescue, Henbit, Buttercup, and Carolina Geranium in established dormant bermudagrass lawns, parks, golf courses, etc.

Apply 1 to 2 pts. REWARD Landscape and Aquatic Herbicide per acre in 20 to 100 gallons spray mix by ground as a broadcast application. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons spray mixture.

Bermudagrass must be dormant at application. Application to actively growing bermudagrass may cause delay or permanent injury. Users in the extreme Southern areas should be attentive to the extent of dormancy at the time of application.

Page 12 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

\*For control of Little Barley, apply REWARD Landscape and Aquatic Herbicide prior to the mid-boot stage.

## AQUATIC USE DIRECTIONS

Necessary approval and/or permits should be obtained prior to application if required. Consult the responsible State Agencies (i.e., Fish and Game agencies or Department of Natural Resources). Treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the water body area at one time and wait 14 days between treatment.

For application only to still water (i.e. ponds, lakes, and drainage ditches) where there is little minimal or no outflow to public waters. of water and which are totally under the control of the product's user;

#### and/or

)

For applications to public waters in ponds, lakes, reservoirs, marshes, bayous, drainage ditches, canals, streams, rivers and other slow moving or quiescent bodies of water for control of aquatic weeds. For use by:

- Corps of Engineers; or
- Federal or State Public Agencies (i.e., Water Management District personnel, municipal officials); or
- Applicators and/or Licensees (Certified for aquatic pest control) that are authorized by the State or Local government .

Treated water may be used according to the following table or until such time as an approved assay (example: PAM II Spectromatic Method) shows that the water does not contain more than the designated maximum contaminant level goal (MCLG) of 0.02 mg/l. (ppm) of diguat dibromide (calculated as the cation):

Page 13 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

Application Rate	Drinking	Fishing and Swimming	Livestock Consumption	Spray Tank Applications** and Overhead Irrigation to Turf and Ornamentals	Spray Tank Applications** and Overhead Irrigation/ Food Crops
2 gal/surface acre	3 days	0	1 day	3 days	5 days
1 gal/surface acre	2 days	0	1 day	2 days	5 days
0.75 gal/surface acre	2 days	0	1 day	2 days	5 days
0.50 gal/surface acre	1 day	0	1 day	1 day	5 days
Spot Spray* (< 0.5 gal/surface acre)	1 day	ο	1 day	1 day	5 days

## WATER USE RESTRICTIONS FOLLOWING APPLICATIONS WITH REWARD Landscape and Aquatic Herbicide (Days)

\* Rates refer to total surface area.

)

\*\*For preparing agricultural sprays for food crops, turf or ornamentals (to prevent Phytotoxicity), do not use water treated with Reward before the specified time periods if the water will be contacting the plant (exceptions would be water used for drip-trigation or for in-turrow irrigation.

When the contents of more than one spray tank is necessary to complete a single aquatic application, no water holding restrictions apply between the consecutive spray tanks.

No applications are to be made in areas where commercial processing of fish, resulting in the production of fish protein concentrate or fish meal, is practiced. Before application, coordination and approval of local and/or State authorities must be obtained.

Page 14 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG- 9/5/97

WEED SPECIES	SUBSURFACE OR BOTTOM PLACEMENT GALS/SURFACE ACRE*	SURFACE GALS/SURFACE ACRE*
Bladderwort (Utricularia spp.)	1-2	2
Coontail (Ceratophyllum demersum)	2	2
Elodea ( <i>Elodea</i> spp.)	2	2
Naiad ( <i>Najas</i> spp.)	1 - 2	2
Pondweeds <sup>1</sup> (Potamogeton spp.)	2	2
Watermilfoils (Myriophyllum spp.)	1 - 2	2
Hydrilla ( <i>Hydrilla verticillata</i> )	2	2
Waterlettuce <sup>2</sup> (Pistia Stratiotes)	NA	0.5 - 0.75
Waterhyacinth <sup>2</sup> (Eichhornía crassipes)	NA	0.5 - 0.75
Pennywort <sup>3</sup> ( <i>Hydrocotyle</i> spp.)	NA	0.5 - 0.75
Frog's Bit <sup>s</sup> ( <i>Limnobium spongia</i> )	NA	0.5 - 0.75
Salvinia² ( <i>Salvinia</i> spp.)	NA	0.5 - 0.75
Duckweed⁴ ( <i>Lemna</i> spp.)	NA	1
Cattails <sup>3</sup> ( <i>Typha</i> spp.)	NA	1-2
Algae <sup>5</sup> ( <i>Spirogyra</i> spp. & <i>Pithophora</i> spp.)	1 - 2	2

Apply REWARD Landscape and Aquatic Herbicide in accordance with the following table:

\* For water less than or equal to 2 feet in average depth of treatment area, use a maximum of 1 gallon REWARD Landscape and Aquatic Herbicide per surface acre. Lowest rates should be used in shallow areas where the water depth is considerably less than the average depth of the entire treatment area, for example, shallow shoreline areas. At water temperatures below 50°-60°F efficacy and immediacy of results may be reduced.

}

- <sup>1</sup> REWARD Landscape and Aquatic Herbicide controls *Potamogetan* species except Richardson's pondweed (*P. richardsonii*). For control of *P. robbinsii*, applications must be made when the plants are in the early stages of growth such as in Spring and early Summer.
- <sup>2</sup> For salvinia, waterlettuce and water hyacinth, use the labeled rate of REWARD Landscape and Aquatic Herbicide in 75 to 200 gallons water plus the labeled rate of a 75% or greater nonionic surfactant per acre for surface sprays and for aerial application for waterlettuce and water hyacinth control, apply the labeled rate of REWARD Landscape and Aquatic Herbicide in 10 to 24 gallons water plus the labeled rate of a 75% or greater nonionic surfactant per acre.
- <sup>3</sup> For Pennywort and cattail control, apply in 50-150 gallons of water plus the labeled rate of a 75% or greater nonionic surfactant per acre for full coverage and thorough weed contact. Repeat treatments may be necessary to control regrowth. For best results, apply before flowering (cattail).
- <sup>4</sup> For duckweed control, apply as an overall spray in 50-150 gallons of water plus the labeled rate of a 75% or greater nonionic surfactant per acre. Retreatment may be necessary for plants missed in previous applications and regrowth.

Page 15 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

- <sup>5</sup> For suppression of certain filamentous algae species including *Spirogyra* and *Pithophore*, upply according to the submersed use directions.
- Not for use in California

APPLICATION: In mixed weed populations, use the high rate of application as indicated by weeds present.

**SUBSURFACE APPLICATIONS:** Where the submersed weed growth, especially Hydrilla, has reached the water surface, apply either in a water carrier or an invert emulsion through boom trailing hoses carrying nozzle tips to apply the dilute spray below the water surface to insure adequate coverage.

**BOTTOM PLACEMENT:** Where the submersed weeds, especially Hydrilla, Bladderwort, and Coontail growth have reached the water surface or where water is slowly moving through the submersed weed growth that has reached the water surface, especially Hydrilla, Bladderwort, and Coontail, control may be enhanced when applied in an invert emulsion carrier injecting diluted REWARD Landscape and Aquatic Herbicide near the bottom with weighted hoses. The addition of a copper-based algaecide will improve control. Where algae are present along with the submersed weeds, pretreatment with copper-based algaecide at recommended rates is advised for best results.

**SURFACE APPLICATION:** For submerged aquatic weeds, apply REWARD Landscape and Aquatic Herbicide either as concentrate slowly poured directly from the container in strips or as a spray in sufficient carrier. Applications should be made to ensure complete coverage of the weed areas. In mixed weed populations, use the high rate of application as indicated by weeds present.

## IF POSTING IS REQUIRED BY YOUR STATE OR TRIBE -- CONSULT THE AGENCY RESPONSIBLE FOR PESTICIDE REGULATIONS FOR SPECIFIC DETAILS.

**GENERAL RECOMMENDATIONS FOR "POSTING NOTIFICATION" \*** 

- <u>Flowing water</u>: "post" the restricted area (within/at 1600 feet downstream of treatment) for the duration of the water use restriction.
- <u>Standing water</u>: "post" the restricted area (within/at 400 feet 1/4 mile of treatment) for the duration of the water use restriction.
- No "posting" is necessary where water use is greater than 1600 feet downstream of treated water in flowing water bodies or where water use is greater than 400 feet 1/4 mile from treated water in standing water bodies.

"Posting" should be removed at the end of the restriction period.

Page 16 of 16 REWARD Landscape/Aquatic Booklet REW404B.RSG - 9/5/97

### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperature above 32°F. For help with any spill, leak, fire or exposure involving this material, call CHEMTREC (1-800-424-9300).

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Do not reuse container. Incinerate, burn, or puncture and dispose of in a sanitary landfill, or dispose of by other procedures allowed by State and local authorities. If burned, stay out of smoke.

### FOR BULK AND MINI-BULK CONTAINERS:

)

**CONTAINER DISPOSAL:** Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling or reconditioning, or clean in accordance with manufacturer's instructions.

**CONTAINER PRECAUTIONS:** Before refilling, inspect thoroughly for damage, such as cracks, punctures, bulges, dents, abrasions and damaged or worn threads on closure devices.

**REFILL ONLY WITH REWARD Landscape and Aquatic Herbicide.** The contents of this container cannot be completely removed by cleaning. Refilling with materials other than REWARD Landscape and Aquatic Herbicide will result in contamination and may weaken container.

After filling and before transporting, check for leaks.

Do not refill or transport damaged or leaking container.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER!

REWARD<sup>\*</sup> is a trademark of a ZENECA Group Company

Page 1 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

## REWARD<sup>•</sup> LS Landscape Herbicide

For sale to, use, and storage by commercial applicators and nursery, turf and landscape personnel only. Not for sale to, or use and storage by individual homeowners unless licensed by the state. by homeowners.

A non-selective herbicide for fast control of broadleaf and grassy weeds in landscape around recreational, industrial, commercial, residential and public areas; and in commercial nurseries and greenhouses.

## TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL

## DO NOT USE THIS PRODUCT FOR REFORMULATION

### KEEP OUT OF REACH OF CHILDREN

#### WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

ACTIVE INGREDIENT:
Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-c)
pyrazinedilum dibromide]
INERT INGREDIENTS
TOTAL 100.0%

Contains 2 lbs. diquat cation per gal. as 3.73 lbs. salt per gal.

EPA Reg. No. 10182-404

}

Made in U.S.A. ZENECA Professional Products ZENECA Inc. Wilmington, DE 19850-5458

#### ACCEPTED with COMMENTS In EPA Letter Dated

FEB ...6 1998

Under the Faderal Insecticide, Fundicide, and Roderticide Att as amended, for the posticide registered under EPA Reg. No. 10182-404

Page 2 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

## REWARD<sup>\*</sup> LS Landscape Herbicide

For sale to, use, and storage by commercial applicators and nursery, turf and landscape personnel only. Not for sale to, or use and storage by individual homeowners unless licensed by the state. by homeowners.

A non-selective herbicide for fast control of broadleaf and grassy weeds in landscape around recreational, industrial, commercial, residential and public areas; and in commercial nurseries and greenhouses.

#### COMPLETE DIRECTIONS FOR USE

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ZENECA or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold ZENECA and Seller harmless for any claims relating to such factors.

ZENECA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ZENECA, and Buyer and User assume the risk of any such use. ZENECA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

}

In no event shall ZENECA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY, OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ZENECA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE

Page 3 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ZENECA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

ZENECA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of ZENECA.

Made in U.S.A. ZENECA Professional Products ZENECA Inc. Wilmington, DE 19850-5458

)

290f37

— ·

.

Page 4 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

## TABLE OF CONTENTS

## Page

STATEMENT OF PRACTICAL TREATMENT
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
PERSONAL PROTECTIVE EQUIPMENT
ENVIRONMENTAL HAZARDS
DIRECTIONS FOR USE
DIRECTIONS
NON-AGRICULTURAL USE REQUIREMENTS
STORAGE AND DISPOSAL

)

)

Page 5 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

## TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL

## DO NOT USE THIS PRODUCT FOR REFORMULATION

## KEEP OUT OF REACH OF CHILDREN

#### WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ACTIVE INGREDIENT:	
Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-c)	
pyrazinediium dibromide]	
INERT INGREDIENTS	<u>63.6%</u>
TOTAL	

Contains 2 lbs. diquat cation per gal. as 3.73 lbs. salt per gal.

EPA Reg. No. 10182-404

}

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: IMMEDIATELY give water or milk to drink and induce vomiting by inserting finger in throat. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest hospital or physician fast. PROMPT TREATMENT IS ESSENTIAL TO COUNTERACT POISONING and should be initiated before signs and symptoms of injury appear.

**IF ON SKIN: IMMEDIATELY** wash with soap and water. See a doctor if diquat contacts a skin cut, abrasion or area of irritation.

IF IN EYES: IMMEDIATELY wash eyes with water for at least 15 minutes and get medical attention.

**IF INHALED: IMMEDIATELY** get away from spray mist. Stop and check spray procedure. See a doctor if irritation persists.

Page 6 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

**NOTE TO PHYSICIANS:** Call ZENECA Medical Emergency Information Network 1-800-F-A-S-T-M-E-D (327-8633) at any hour to obtain toxicology information and a diquat analysis. To be effective, treatment for diquat poisoning must begin **IMMEDIATELY**. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE CALL 1-800-F-A-S-T-M-E-D (327-8633)

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### WARNING

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. CAUSES SUBSTANTIAL, BUT TEMPORARY, EYE INJURY. CAUSES SKIN IRRITATION. CONTACT WITH IRRITATED SKIN, OR A CUT, OR REPEATED CONTACT WITH INTACT SKIN MAY RESULT IN POISONING. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Do not feed forage from treated crops to livestock. Keep livestock and pets out of treated fields and crop areas.

#### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants or coveralls over long-sleeved shirt and long pants.
- Waterproof gloves.
- Chemical-resistant footwear plus socks.
- Protective eyewear.
- Chemical-resistant headgear for overhead exposure.
- Chemical-resistant apron when cleaning equipment, mixing or loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. Mixers, loaders, and applicators using closed systems who meet these requirements may wear: long-sleeved shirt and long pants, protective eyewear,

Page 7 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

waterproof gloves, shoes plus socks, and a chemical-resistant apron when mixing, loading or cleaning equipment. If handling tasks are performed from inside an enclosed cab or aircraft with enclosed cockpits that meet these requirements may wear: long-sleeved shirt, long pants, shoes and socks for the labeling-specified PPE. All labeling-specified PPE must be immediately available for use in an emergency. All applicable requirements as specified in 40 CFR 170.240(d) (4-6) must be followed.

#### User Safety Recommendations

Users should:

)

)

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Page 8 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

## DIRECTIONS

)

)

REWARD<sup>•</sup> LS Landscape Herbicide is a nonvolatile herbicidal chemical for use as a general herbicide to control weeds in noncrop areas. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. REWARD LS Landscape Herbicide controls weeds by interfering with photosynthesis within green plant tissue. Weed plants should be succulent and actively growing for best results. Rinse all spray equipment thoroughly with water after use. AVOID SPRAY DRIFT to crops, ornamentals, and other desirable plants during application as injury may result. Use of dirty or muddy water for REWARD LS Landscape Herbicide dilution may result in reduced herbicidal activity.

Do not apply this product through any type of irrigation system.

AGRICULTURAL USES:

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restrictedentry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

Page 9 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants, or coveralls over long-sleeved shirt and long pants.
- Waterproof gloves.
- Chemical-resistant footwear plus socks.
- Protective eyewear.

)

• Chemical-resistant headgear for overhead exposure.

**COMMERCIAL GREENHOUSES AND NURSERIES:** For general weed control in commercial greenhouses (beneath benches), (field grown and container stock), and other similar areas. REWARD LS Landscape Herbicide may be applied preplant or postplant preemergence in field grown ornamental nursery plantings or postemergence as a directed spray. REWARD LS Landscape Herbicide may also be applied preemergence in ornamental seed crops. Avoid contact with desirable foliage as injury may occur. Do not use on food or feed crops.

**Spot spray:** 1 to 2 qts. REWARD LS Landscape Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 100 gallons water or 0.75 oz. (22 mls) REWARD LS Landscape Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon water.

Broadcast: 1 to 2 pints REWARD LS Landscape Herbicide in a minimum of 15 gallons water per acre. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons spray mixture. Use an adequate spray volume to insure good coverage.

ORNAMENTAL SEED CROPS (FLOWERS, BULBS, ETC.) For preharvest desiccation of ornamental seed crops. NOT FOR FOOD OR FIBER CROPS. Broadcast (Air or Ground): 1.5 to 2 pints REWARD LS Landscape Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per acre in sufficient water (minimum of 5 gallons by air; 15 gallons by ground) for desiccation and weed burndown. Repeat as needed at no less than 5-day intervals up to three applications. Do not use seed, screenings, or waste as feed or for consumption.

#### **NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

Do not enter or allow entry of maintenance workers into treated areas, or allow contact with treated vegetation wet with spray, dew or rain, without appropriate protective clothing until spray has dried.

Page 10 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

# DIRECTIONS FOR LANDSCAPE, INDUSTRIAL, RECREATIONAL, COMMERCIAL, RESIDENTIAL AND PUBLIC AREAS:

Reward LS provides fast control of broadleaf and grassy weeds in industrial, recreational, golf course, commercial, residential, and public areas.

Reward LS is a non-selective herbicide that rapidly kills undesirable aboveground weed growth in 24 to 36 hours. Avoid application of Reward to desirable plants.

Reward LS is a contact/desiccant herbicide, it is essential to obtain complete coverage of the target weeds to get good control. Improper application technique and/or application to stressed weeds may result in unacceptable weed control. For best results apply to actively growing, young weeds.

Difficult weeds (such as perennial or deeply rooted weeds) can often be controlled by tank mixing Reward LS with other systemic-type herbicides. Refer to other product labels for specific application directions.

For residual weed control, tank mix Reward LS with a pre-emergent herbicide labeled for the intended use site. When mixing Reward LS with another herbicide it is recommended to mix just a small amount first to determine if the mixture is physically compatible before proceeding with larger volumes.

Zeneca has not tested all possible tank mixtures with other herbicides for compatibility, efficacy or other adverse effects. Before mixing with other herbicides Zeneca recommends you first consult your state experimental station, state university or extension agent.

#### Grounds maintenance weed control:

Reward LS can be used as a spot or broadcast spray to control weeds in public, commercial and residential landscapes, including landscape beds, lawns, golf courses and roadsides. Reward LS can also be used for weed control around the edges and nonflooded portions of ponds, lakes and ditches.

#### Trim and Edge weed control:

Ì

)

Reward LS can be used to eliminate undesired grass and broadleaf plant growth in a narrow band along driveways, walkways, patios, cart paths, fence lines, and around trees, ornamental gardens, buildings, other structures and beneath noncommercial greenhouse benches. Vegetation control with Reward LS is limited to the spray application width. Do not exceed the labeled rate of Reward LS as excessive rates may result in staining of concrete based materials:

Reward LS, since it does not translocate systemically, can be used as an edging or pruning tool when precisely applied to select areas of grass or to undesirable growth on desirable ornamental bedding plants, ground covers, etc.

#### Industrial weed control:

Reward LS can be used as a spot or broadcast spray either alone or in combination with other herbicides to as a fast burn-down or control weeds in rights-of-ways, railroads beds/yards, highways, roads, dividers and medians, parking lots, pipelines, pumping

Page 11 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

stations, public utility lines, transformer stations and substations, electric utilities, storage yards and other non-crop areas.

**Spot spray:** 1 to 2 qts. REWARD LS Landscape Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 100 gallons water or 0.75 oz. (22 mls) REWARD LS Landscape Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon water.

**Broadcast:** 1 to 2 pints REWARD LS Landscape Herbicide in a minimum of 15 gallons water per acre. Add the labeled rate of 75% or greater nonionic surfactant per 100 gallons spray mixture. Use an adequate spray volume to insure good coverage. Greater water volumes are necessary if the target plants are tall and/or dense. It is recommended that 60 gallons or greater water volume be used to obtain good coverage of dense weeds.

#### TURF RENOVATION (All Turf Areas Except Commercial Sod Farms)

To desiccate golf course turf and other turf areas prior to renovation, apply 1 to 2 pints of REWARD LS Landscape Herbicide per acre plus the labeled rate of a 75% or greater nonionic surfactant in 20 to 100 gallons of water (4 teaspoons of REWARD LS Landscape Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon of water) using ground spray equipment. Apply for full coverage and thorough contact with the turf grass. Apply only when the turf is dry, free from dew and incidental moisture. For enhanced turf desiccation, especially in the case of thick turfgrass, water volumes should approach 100 gallons of water per acre.

For suppression of regrowth and quick desiccation of treated turfgrass, REWARD LS Landscape Herbicide may be mixed with other systemic non-selective or systemic postemergence grassy weed herbicides. Refer to other product labels for specific application directions and restrictions.

Avoid spray contact with, or spray drift to, foliage of ornamental plants or food crops.

Do not graze livestock on treated turf or feed treated thatch to livestock.

}

# DORMANT ESTABLISHED TURFGRASS (Bermudagrass, zoysiagrass) NONFOOD OR FEED CROP

For control of emerged annual broadleaf and grass weeds, including Little Barley\*, Annual Bluegrass, Bromes including Rescuegrass, Sixweeks fescue, Henbit, Buttercup, and Carolina Geranium in established dormant bermudagrass lawns, parks, golf courses, etc.

Apply 1 to 2 pts. REWARD LS Landscape Herbicide per acre in 20 to 100 gallons spray mix by ground as a broadcast application. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons spray mixture.

Bermudagrass must be dormant at application. Application to actively growing bermudagrass may cause delay or permanent injury. Users in the extreme Southern areas should be attentive to the extent of dormancy at the time of application.

Page 12 of 12 REWARD LS Booklet REW404B2.RSA - 9/5/97

\*For control of Little Barley, apply REWARD LS Landscape Herbicide prior to the midboot stage.

## STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperature above 32°F. For help with any spill, leak, fire or exposure involving this material, call CHEMTREC (1-800-424-9300).

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER** DISPOSAL: Triple rinse (or equivalent). Do not reuse container. Incinerate, burn or puncture and dispose of in a sanitary landfill, or dispose of by other procedures allowed by State and local authorities. If burned, stay out of smoke.

REWARD\* LS is a trademark of a ZENECA Group Company

)

)