

PM32 10183-11


(FRONT PANEL)

LIQUICHLOR BLEACH

ACTIVE INGREDIENT:

SODIUM HYPOCHLORITE 10%

INERT INGREDIENTS 90%



KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes.

Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.

IF SWALLOWED, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

(See additional precautions on side panels)

EPA Reg. No. 10183-11

EPA Est. No. 10183-MI-1

10/4

2

(RIGHT SIDE PANEL)

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR SANITIZING SWIM POOL WATER

Initially, the pool should be treated with repeated dosages of 1 Qt. of Liquichlor Bleach for each 10,000 gallons of water to satisfy the chlorine demand of the water. 1 Qt. of Liquichlor Bleach in 10,000 gallons of water will apply approximately 2.5 ppm available chlorine. When a chlorine residual of 0.6 to 1.0 ppm is obtained, add $\frac{1}{4}$ to 1 pint of Liquichlor Bleach per 10,000 gallons of water daily, or as needed to maintain 0.6 to 1.0 ppm chlorine residual, as determined by the use of a chlorine test kit.

Once every two weeks a shock dose of 5.0 ppm of chlorine (2 Qts. of Liquichlor Bleach per 10,000 gallons of water) should be made to prevent development of resistant species of algae. Liquichlor Bleach should be introduced into the pool by sprinkling or added where the filtered water returns to the pool. This will insure even distribution of the chlorine.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

20/4


(BACK PANEL)

DANGER: This container is fitted with a vented cap. Contents may leak if tilted. Store and carry container upright.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.



HAVILAND PRODUCTS COMPANY
421 Ann St., N.W.
Grand Rapids, MI 49504

4

(LEFT SIDE PANEL)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND DOMESTIC ANIMALS

DANGER: Corrosive, will cause severe skin and eye irritation or chemical burns to broken skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

NOTE: When used in SWIMMING POOLS, Chlorine must be allowed to dissipate from treated pool water before discharge. Do not make any chlorine application within 24 hours of discharge.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with organic matter (e.g. urine, feces, etc.) or chemicals (e.g. ammonia, acids, detergents, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

4/0/4