



**NEW FIRE RESISTANT DURACHLOR 56 CONCENTRATED POOL CHLORINE**

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algacide.
- Will not cause cloudiness in water.
- Will not add scale forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame-resistant.

The control of pH is greatly simplified using Durachlor 56 concentrated Pool Chlorine. In fact, you will require from 1/2 to 1/4 the amount of acid usually applied. Durachlor 56 concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply Durachlor 56 concentrated Pool Chlorine less often.

**INSTRUCTIONS**

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. Durachlor 56 concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add Powdered Econochlor at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

Durachlor 56 concentrated Pool Chlorine should be added daily or as needed at the rate of 1/4 to 1/2 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Durachlor 56 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

**DANGER: KEEP OUT OF REACH OF CHILDREN**

Corrosive causes eye damage. Do not get in eyes or on skin. Wear safety goggles, dust respirator and protective clothing when handling. Do not breathe dust. Dust may be harmful if inhaled. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

**DANGER:** Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475° F. with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.


Do not use in streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.


Apply this product only as specified on this label.

EPA Reg. No. 10183-19

**DANGER** KEEP OUT OF REACH OF CHILDREN  
See First Aid and Other Precautions on Back Panel.

NET WT. 20 LBS.

HAVILAND  PRODUCTS



**ACCEPTED**

MAY 14 1974

UNDER THE FEDERAL INSECTICIDE  
HERBICIDE AND RODENTICIDE ACT  
AND ECONOMIC POISON REGISTERED  
UNDER NO. 10183-19

Packaged by:  
**HAVILAND** PRODUCTS COMPANY  
421 ANN ST., N.W. GRAND RAPIDS, MICH. 49504

NEW  
FIRE RESISTANT  
GRANULAR CHLORINE

**durachlor**<sup>®</sup>  
**56**

CONCENTRATED POOL CHLORINE

ACTIVE INGREDIENT

Sodium Dichloro-S-Triazinetrione Dihydrate	100%
Available Chlorine	56%

**DANGER**

KEEP OUT OF REACH OF CHILDREN  
See First Aid and Other Precautions on Back Panel.

NET WT. 20 LBS.

HAVILAND



PRODUCTS

**NEW FIRE RESISTANT DURACHLOR 56 CONCENTRATED POOL CHLORINE**

- Features a dry chlorine that dissolves immediately
- A most effective germicide and algaecide
- Will not cause cloudiness in water
- Will not add scale forming minerals to the water
- Will maintain your pool crystal clear
- Flame-resistant.

The control of pH is greatly simplified using Durachlor 56 concentrated Pool Chlorine. It is recommended that you add from 1/2 to 1/4 the amount of acid usually applied. Durachlor 56 concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disfecting a pool. It requires less storage space and maintains constant strength regardless of storage time. It is recommended that you, after the pool is stabilized, you will need to apply Durachlor 56 concentrated Pool Chlorine as usual.

**INSTRUCTIONS**

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. Durachlor 56 concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add Powdered Brooming at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

Durachlor 56 concentrated Pool Chlorine should be added daily or as needed at the rate of 1/4 to 1/2 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Durachlor 56 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulation of dust or dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain a chlorine residual between 1.0 ppm and 2.0 ppm.

**DANGER: KEEP OUT OF REACH OF CHILDREN**

Corrosive causes eye damage. Do not get in eyes or on skin. Wear safety goggles. Use eye protection and protective clothing when handling. Do not breathe dust. Dust may be harmful if inhaled. May cause skin irritation. May be fatal if swallowed. May cause burns if it touches skin.

FIRST AID: In case of personal contact, remove clothing immediately. Flush skin or eyes with water for 15 minutes. For eyes, get medical attention immediately. Do not breathe dust before use.

If swallowed, feed grain or soaked bread followed by water. Do not induce vomiting.

**DANGER:** Strong oxidizing agent. Moisture contamination may cause irritating and hazardous fuming gases. Store at 45-47.5 °F with a relative humidity of 65% or less. Do not store in a confined space. Store in a cool, dry place. Keep closed when not being used.

Mix only with water. Do not mix with other chemicals, especially acids, alkalis, or oxidizing agents. Do not use in a cool, dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water before disposal.

ACCEPTED

MAY 14 '93



**HAVILAND**

421 ANN ST. NEW BRANDELBURG, MISSISSIPPI 39078

UNDER THE F...  
NGICIDE A...  
ECONOM...  
ED UNDER NO.



**DANGER** KEEP OUT OF REACH OF CHILDREN  
See First Aid and Other Precautions on Back Panel

**NET WT. 20 LBS.**  
**HAVILAND PRODUCTS**

**NEW FIRE RESISTANT DURACHLOR 56 CONCENTRATED POOL CHLORINE**

- Features a dry chlorine that is easy to handle.
- Almost effective germicide and disinfectant.
- Will not cause staining or corrosion.
- Will not add to the total dissolved solids.
- Will maintain a low pH level.
- Flame resistant.

The Durachlor 56 granules are used for swimming pools, hot tubs, spas, and other recreational water facilities. It is a dry chlorine that is easy to handle and does not cause staining or corrosion. It will not add to the total dissolved solids and will maintain a low pH level. It is flame resistant and is almost effective as a germicide and disinfectant.

**INSTRUCTIONS**

When starting a new pool, add 1.5 lbs. of Durachlor 56 per 10,000 gallons of water. For existing pools, add 1.5 lbs. per 10,000 gallons of water. The recommended rate is 1.5 lbs. per 10,000 gallons of water.

Durachlor 56 should be added to the pool water in the evening. It will be most effective if added to the pool water in the evening. It will be most effective if added to the pool water in the evening.

Always use proper safety precautions when handling this product. Avoid contact with eyes and skin. If contact occurs, flush with water. Do not inhale dust. Store in a cool, dry place.

Keep out of reach of children. See back panel for first aid instructions. For more information, contact Haviland Products, Inc.

**DANGER: KEEP OUT OF REACH OF CHILDREN**

This product is a strong oxidizing agent. It may cause fire or explosion if mixed with combustible materials. It is highly corrosive to metals and may cause severe skin burns and eye damage.

Do not use in confined spaces. Do not use near open flames or heat. Do not use in areas where it may come in contact with combustible materials.

Do not use in areas where it may come in contact with combustible materials. Do not use in areas where it may come in contact with combustible materials.

Do not use in areas where it may come in contact with combustible materials. Do not use in areas where it may come in contact with combustible materials.

Do not use in areas where it may come in contact with combustible materials. Do not use in areas where it may come in contact with combustible materials.

Do not use in areas where it may come in contact with combustible materials. Do not use in areas where it may come in contact with combustible materials.

Do not use in areas where it may come in contact with combustible materials. Do not use in areas where it may come in contact with combustible materials.

Do not use in areas where it may come in contact with combustible materials. Do not use in areas where it may come in contact with combustible materials.

Do not use in areas where it may come in contact with combustible materials. Do not use in areas where it may come in contact with combustible materials.

ACCEPTED  
MAY 14 1972

**HAVILAND PRODUCTS**  
10000 W. 10th St. Omaha, Nebraska 68147