



DANGER KEEP OUT OF REACH OF CHILDREN
See back panel for additional precautions

NET WT. 20 LBS.

ACCEPTED
10183-20
MAY 16 1975

CHLOR CAN 200 • CONCENTRATED GRANULAR POOL CHLORINE

- Features a dry chlorine that dissolves immediately
- A most effective bactericide and algicide
- Will not cause cloudiness in water
- Will not add scale forming minerals in the water
- Will maintain your pool crystal clear
- Flame-resistant

The control of pH is greatly simplified using Chlor Can 200 concentrated Pool Chlorine. In fact, you will require from $\frac{1}{2}$ to $\frac{1}{4}$ the amount of acid usually applied. Chlor Can 200 concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. If requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply Chlor Can 200 concentrated Pool Chlorine less often.

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. Chlor Can 200 concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add powdered cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool. Chlor Can 200 concentrated Pool Chlorine should be added daily or as needed at the rate of $\frac{1}{2}$ to $\frac{1}{4}$ oz. per 1,000 gallons of pool water to maintain a chlorine residual of all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Chlor Can 200 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

DANGER

Keep out of reach of children

Corrosive causes eye damage. Do not get in eyes or on skin. Wear safety goggles, dust respirator and protective clothing when handling. Do not breathe dust. Dust may be harmful if inhaled. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed guest or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER: Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard. This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

Packaged by:

HAVILAND PRODUCTS COMPANY
401 Main St., Arvada, COLORADO 80004


EPA Reg. No. 10183-20

EPA Est. No. 10183-MI-2

**NEW
FIRE RESISTANT
CONCENTRATED
GRANULAR POOL CHLORINE**

DANGER KEEP OUT OF REACH OF CHILDREN
See first aid and other precautions on back panel

NET WT. 20 LBS.





CHLOR CON 200 CONCENTRATED GRANULAR POOL CHLORINE

- Features a dry chlorine that dissolves immediately
- A most effective, granular and digestible
- Will not cause cloudiness in water
- Will not add chlorine to the water
- Will not stain concrete or vinyl
- Will not stain equipment
- Flame resistant

The container of pool chlorine is filled using Chlor-Con 200's unique method. In fact you will require from 1/4 to 1/2 the amount of 200 usually required. Chlor-Con 200 Concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in your water the disinfecting action it requires less storage space. It maintains instant strength regardless of storage time. It is economical to use, that after the price is stabilized it will never be higher. Chlor-Con 200 is concentrated Pool Chlorine less than 10%

INSTRUCTIONS

When starting up a new pool, add chlorine to satisfy chlorine demand and to establish chlorine residual of 10 ppm. If 20 ppm available chlorine is to be maintained, add 2 lbs Chlor-Con 200 Concentrated Pool Chlorine per 1000 gallons of pool water. This must include all chlorinated volume. Add at the rate of 1/2 oz. per 1000 gallons to stabilize the pool. Chlor-Con 200 Concentrated Pool Chlorine should be added daily or as needed at the rate of 1/2 oz. per 1000 gallons of pool water to maintain a chlorine residual of six times of 10 ppm. If 20 ppm is determined by a suitable test, the pH should be maintained between 7.2 and 7.6.

A shock treatment should be made even, except during hot weather. In other heavy doses less frequent shock treatments may be made. During cool weather for the shock treatment add 2 oz. of Chlor-Con 200 Concentrated Pool Chlorine per 1000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached 10 ppm to 20 ppm range.

Keep away from heat, sparks and flame. Store in a cool dry place. Avoid contact with skin and eyes. Do not breathe dust. Dust may be harmful if inhaled. May cause skin irritation and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

DANGER Corrosive causes eye damage. Do not get in eyes or on skin. Wear safety goggles, dustless respirator and protective clothing when handling. Do not breathe dust. Dust may be harmful if inhaled. May cause skin irritation and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed glue or corned cereal followed by olive oil or cooking oil. Get a physician immediately.

DANGER Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

The product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

EPA Reg. No. 10183-20
EPA Est. No. 10183-MI-2

Packaged by:
HAVILAND • MOUNTAIN MILE
42 ANTHONY NEW GRANADA, TEXAS 78683

10183-20