

E.P.A. NO. 10190-2

SALUBRITE

"CHLORINATED DETERGENT"

WHERE TO USE SALUBRITE

Salubrite is a nonfoaming powdered chlorinated cleanser for manual, soak tank, spray washing, and circulation cleaning. High in sequestering ability and free rinsing, Salubrite is recommended for cleaning and brightening stainless steel, aluminum, steel, nickel, copper, chrome, brass and plastic surfaces.

HOW TO USE SALUBRITE

General Cleaning: For best results first remove excess soils and organic matter by flushing with steam or hot water. Wet down surface thoroughly with Salubrite solution to achieve optimum sanitizing. As a suggested guide in preparing solutions, where specific amounts of chlorine are required, use the following table.

SALUBRITE Concentration	Available Chlorine	Use
3/4 oz./gal.	100 ppm	General Sanitizing
1 1/2 oz./gal.	200 ppm	C.I.P. cleaning (dairies)
3 oz./gal.	400 ppm	Cleaning and minimizing odor in plumbing

For sanitizing purposes solution strength should not be allowed to fall below 50 ppm. After cleaning with Salubrite, food contact surfaces must be rinsed with potable water.

ACTIVE INGREDIENTS

Sodium Carbonate	53.5
Sodium Metasilicate	13.0
Sodium Dichloro-s-triazinetriene	3.0

INERT INGREDIENTS	30.5
	<hr/>
	100.0

DANGER: Keep Out of the Reach of Children

Harmful if swallowed; may cause burns or damage to eyes. Do not get in eyes or on skin. If contact with eyes occurs flush with water for 15 minutes and get medical attention. If contact with skin occurs, flush with water. Avoid contamination of food.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

FOR INDUSTRIAL USE ONLY

FOR INDUSTRIAL USE ONLY



penetone®

DIVISION OF AMERACE ESNA CORPORATION

General Offices: 74 Hudson Avenue, Tenafly, New Jersey 07670
 Tel. (201) 567-3000 TWX. 710-991-9700
 Western Office: 16150 Stagg Street, Van Nuys, California 91409
 Tel. (213) 873-6100 TWX. 910-495-1723

ACCEPTED WITH COMMENTS