

S H E F F¹⁵⁴ NO-GRO LIQUID CONCENTRATE FOR PROFESSIONAL USE ONLY

For controlling grass and weeds in sand traps on golf courses

DANGER

POISON: KEEP OUT OF REACH OF CHILDREN. KEEP CHILDREN AND ANIMALS OFF TREATED AREA. DO NOT USE OR STORE IN OR AROUND THE HOME. SEE OTHER PRECAUTIONS ON SIDE PANEL.

THIS PRODUCT IS TOXIC TO WILDLIFE. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

Active Ingredient
Sodium Arsenite 40.4%
Inert Ingredient 59.6%
Contains 4 lbs. Arsenic Trioxide 30.7% per gallon
Total arsenic (expressed as metallic) in water soluble form 23.3%

CAUTION POISON: May be fatal if swallowed. Do not breathe spray mist. Avoid contact with skin and eyes. Wash thoroughly after handling.
WARNING: Spraying operator should wear gauntlet rubber gloves and a respirator mask. After spraying, operator must take a shower, washing thoroughly with soap and water, and put on clean clothing. Never wear clothing that has been used in spraying operation before laundering. If spilled on skin or eyes, flush off immediately with water. Keep children and pets away from treated areas. Rinse container several times with water. Do not use in any connection with feed, food or drinking water. If irritation or burns persist, flush with vinegar — see a physician immediately.



DANGER
Contains ARSENIC
Contains CAUSTIC
POISON
See ANTIDOTE

ANTIDOTE: External: First Aid treatment. If skin irritation or burns should appear, flush areas with vinegar then with a wet dressing of milk of magnesia. If healing does not begin within 24 hours, see a physician. If large areas of the skin should be irritated or blistered, see a physician immediately. Treat as for caustic burns.

Internal antidote: Call physician at once. Give a tablespoon of salt in a glass of warm water until vomit is clear. Then give 2 tablespoons of epsom salts or milk of magnesia — three times, followed by plenty of milk and water. Have patient lie down and quiet him.

PLEASE READ THIS ENTIRE LABEL BEFORE USING

DIRECTIONS for using NO-GRO in sand traps.

Treat sand traps at the rate of one gallon of NO-GRO in 15 gallons of water per 1,000 square feet. Sand should be dry when treated. Do not treat if water is standing in trap or if sand is wet. Careful application will give control of grass and weeds for months. Retreat when regrowth appears.

Caution: this is a soil sterilizing solution and must be applied only IN the sand trap. Do not apply to turf. Do not apply to areas underlaid by roots of desirable trees and shrubs.

NET CONTENTS 15 gallons. USDA reg. no. 10193-1

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.

SHEFF CHEMICAL & SUPPLY COMPANY

PHONE 746-5555 2827 RIVERVIEW BLVD. W.
BRADENTON, FLORIDA 33505

ACCEPTED
10/19/68
UNDER THE FEDERAL INSECT CIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10193-1. SUBJECT
TO ATTACHED COMMENTS.

22

22