

## RECOMENDED USES

When used as directed will control infestation of red flour beetles, confused flour beetles, rice weevils and lesser grain borers after harvest in wheat, rice, corn, oats, barley, rye and sorghum.

## DIRECTIONS

Pour evenly on top of grain in bin or container. Apply three gallons per 1000 bushels when grain temperature is 68 F or higher. Under 68 F use four gallons per 1000 bushels. For best results allow seven days before moving grain.

**KEEP IN COOL DRY PLACE  
DO NOT FREEZE**

# GRAINEX

## NEW GRAIN FUMIGANT

ACTIVE INGREDIENT  
CARBON TETRACHLORIDE 89.7% BY WT.

INERT INGREDIENT  
GLACIAL ACETIC ACID 10.3% BY WT.

PATENT PENDING

REGISTRATION # 10203-1

ACCEPTED  
10/2/68  
REGISTERED

### DANGER

KEEP OUT OF REACH OF CHILDREN



## POISON



SEE ANTIDOTE STATEMENT AND OTHER  
WARNINGS ON RIGHT SIDE OF LABEL

### IMPORTANT NOTICE

Follow directions on label. Do not use in areas where application is prohibited and do not use in areas where it is prohibited. Do not use in areas where it is prohibited. Do not use in areas where it is prohibited. Do not use in areas where it is prohibited.

**GRAIN CONDITIONERS, INC.**  
NEW ORLEANS, LOUISIANA 70119

**NET CONTENTS 55 GALLONS**

## WARNING

Hazardous vapor and liquid may be fatal if inhaled or swallowed. Use only with adequate ventilation. Do not breathe vapor or get in eyes or on skin or clothing. Do not re enter treated areas without an airline respirator or full face mask with a canister for protection against organic vapor.

## ANTIDOTE

If overcome by fumes remove patient to fresh air. Apply artificial respiration if breathing stops. If swallowed, induce vomiting with mustard water, warm water with salt or soap. If splashed in eyes or on skin flush with warm water for at least 15 minutes.

CALL A PHYSICIAN