

CAUTION

Keep away from food and food products. Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water. For eyes, get medical attention.

Quaternary Ammonium compounds should not be relied on to destroy spore bearing organisms, mycobacterium tuberculosis, or the etiologic agent of viral hepatitis. Instruments possibly exposed to such contamination should be thoroughly sterilized in an autoclave. They may be then stored in a closed container of fresh solution, or solution into which only previously sterilized or disinfected instruments have been introduced. Since sterilized articles that are stored in disinfecting solutions may become contaminated with pathogenic microorganisms through careless handling, an aseptic technic should be employed in removing instruments from solution. Do not use Coe Concentrate Germicide or similar solutions to disinfect hinged instruments, those with deep narrow crevices, or hypodermic needles and syringes. Do not place gauze in the diluted solution of Coe Concentrated Germicide or other Quaternary Ammonium compounds to prevent absorption of the active ingredients and subsequent weakening of the solution.

COE - MILDEWSTAT

MAR 28 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 10214-3 SUBJECT
TO ATTACHED COMMENTS.

U. S. D. A. Registration No.

CONTROLS MOLD ON WALLS, CEILINGS, FLOORS

NON-INFLAMMABLE ODORLESS

CAUTION: KEEP OUT OF REACH OF CHILDREN

Do Not Contaminate Or Store Near Feed Or Food Stuffs

Active Ingredients:	Diisobutylphenoxyethoxyethyl dimethyl benzyl ammonium chloride	0.10%
	Tetrasodium ethylene diamine tetraacetate	0.25%
Inert Ingredients:	Water	<u>99.65%</u> 100.00%

Use Directions: Clean surfaces thoroughly, rinse, then
apply Coe Mildewstat by mopping, spraying, or sponging.

Net Contents 5 Gallons

Manufactured By

COE LABORATORIES, INC.

3737 W. 127th Street

Chicago, Ill. 60658