

ROCKWOOD CHEMICAL CO.

P.O. Box 34

Brawley, California

ROCKWOOD BRAND SYSTEMIC T

Nov 19, 1974

THIMET 6.5% SYSTEMIC INSECTICIDE

DIRECTIONS FOR USE

TERRACLOR 6.5% SOIL FUNGICIDE GRANULAR

10/2/75

DO NOT USE THIS PRODUCT FOR ANY USES OTHER THAN THOSE SPECIFIED ON THIS LABEL.

FOR CONTROL OF early season insects (mites, thrips, black cutworms, aphids, leafhoppers, white flies, and leafminers) and Rhizoctonia (damping-off, seed and seedling rots) on cotton, apply ROCKWOOD BRAND SYSTEMIC T, at the rate of 15-20 lbs. per acre, (or 20-25 oz. per 1000 ft. of row - *36 inch minimum row spacing*.)

Apply in furrow over seed and surrounding soil at planting time. Do not top dress or graze foliage. Do not plant any crop not registered for Terraclor in rotation on Terraclor treated soil.

DO NOT GET IN EYES, ON SKIN, OR CLOTHING. Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before re-use. Wash thoroughly with soap and water before eating or smoking. Bathe at end of work day, and change outer clothing.

DO NOT BREATHE DUST OR FUMES. While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for phorate protective.

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS. Stop up and bag spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely, or bag the remainder. Make sure that the hoppers, or equipment are emptied while still in the field. Remove spilled material and domestic animals from operating or adjacent areas where this product may drift, prohibit roasting, until dust and vapor dissipate. Destroy empty bags and contents by burning. Stay away from smoke and fumes.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

This product is toxic to fish and wildlife. Birds feeding on spilled product should be killed. Keep out of streams and ponds.

(24/48 Mesh)

ACTIVE INGREDIENTS:

Phorate (O,O-diethyl S-[(ethylthio) methyl] phosphorodithioate)	6.5%
P'CNB (Pentachloronitrobenzene)	6.5%

INERT INGREDIENTS:

Attaclay granule	87.0%
TOTAL	100.0%

THIMET - TRADEMARK OF AMERICAN CYANAMID

© Terraclor - Product of Olin Corporation

DANGER

KEEP OUT OF REACH OF CHILDREN



POISON



POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

WEAR NATURAL RUBBER GLOVES, PROTECTIVE CLOTHING AND GOGGLES AND MASK.

See other panels for antidote and other warnings.

E.P. Reg. No. 10226-5-1A

EPA Reg. 10226-CA-1

NET *105*

ANTIDOTE: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain tablets for emergency use. Never take atropine unless symptoms of poisoning have occurred. If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

FIRST AID: If symptoms or signs of poisoning (See physicians note) include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two tablets (each 1/100 grain) at once.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING. Remove patient immediately from the area. Remove contaminated clothing and wash the skin clean with soap and water to remove all traces of the pesticide. If swallowed, induce vomiting by giving warm salty or soapy water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

PHYSICIANS NOTE: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) at once and every hour as required until pupils dilate. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give morphine or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitors. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

NOTICE: Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of ROCKWOOD CHEMICAL COMPANY, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions printed on label and on product. THE BUYER assumes all responsibility for any and all claims, suits, damages, or losses, including those caused by the use of this product.