ROCKWOOD CHEMICAL CO.

P.O. Box 34

Brawley, California

DIRECTIONS FOR USE

"Little Pebblos" is a combination of a systemic insecticide and a fungicide for use in protecting seedling cotton from early season insects (Aphids, Mites, and Thrips) and Rhizoctonia solani (damping off).

COTTON: For the control of Rhizoctonia induced damping off, seedling blight, seedling rot, sore-shim, apids, mites and thrips use 15.5 lbs. per 12,500 linear feet of row as a soil treatment. (1½ lbs. per 1000 ft. of row). Apply in furrow over seed and surrounding soil at planting time. Do not feed or graze foliage. Do not plant any root crop not registered for Terraclor in rotation on Terraclor treated soil.

IMPORTANT: When using this product on cotton at the maximum recommended rates under adverse conditions such as extremely cool and wet weather, this material may cause some delay in emergence or stunting of seedlings may occur and result in a reduction of stand. Injury may be more pronounced to light sandy soils. Damage to seedling may also occur when this product is used in conjunction with certain pre-emergent herbicides.

NON-WARRANTY: The use of this material being subject to conditions beyond their control, neither ROCKWOOD CHEMICAL CO, nor the seller make any representation or warranty, expressed or implied, with respect to results from such use whether or not used in accordance with directions. Any, use of this material by the buyer shall be deemed an acceptance of the foregoing terms and will release ROCKWOOD CHEMICAL CO, and the seller from any and all liability as to results from the use of this material.

EPA Reg No. 10226-14-AA

rockwood brand "Little Pobles"

CONTAINS

®DI-SYSTON 6.5% - ®TERRACLOR 6.5%

ACTIVE INGREDIENTS:

Total	100.0%
INERT INGREDIENTS	87.0%
Pentachloronitrobenzene	6.5%
O,O-Diethyl S-[2-(Ethylthio) Ethyl Phosphorodithioate	6.5%

- ® Disyston U.S. Patent No. 2,759,010
- ® Terraclor Product of Olin Corporation

WARNING

KEEP OUT OF REACH OF CHILDREN

NOTE TO PHYSICIAN: "Antidote" - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema the patient should be placed in an oxygen tent and treated symptomatically.

ACCEPTED

AUG 151973

CAUTION

May be fatal if swallowed, inholed, or absorbed through the skin. May be absorbed through skin. Do not get in eyes or on skin. Do not breathe dust. Wear protective clothing and natural rubber gloves. Do not wear the same gloves for other work. Rubber gloves should be washed with some and water after each use.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash the contaminated clothing with soap and hot water before recase.

This product is toxic to fish and wildlife. Keep out of lakes, ponds, and streams. Apply this product only as specified on this label.

Do not re-use empty containers. Destroy it by burying with waste or burning. Stay away from smoke and fumes.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach points. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient the down and keep quiet. If swallowed, induce vomiting by giving a tablespoon of sair is a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for a least 15 minutes.

NET WEIGHT 60 LBS.

C/R Printers-P4023-Rev. 7573