

P.O. Box 34

DIRECTIONS FOR USE

Apply this material to the soil in the furrow... (faint text)

For the control of strawhead, red damping... (faint text)

When using this product on cotton at the... (faint text)

CAUTION: Care must be taken for use of this product... (faint text)

W. H. HUNT & S.

No. 101111A

ROCKWOOD BRAND

ROCKWOOD BRAND
W. H. HUNT & S. "77"


CONTAINS
DI-SYSTON 6.5% - TERRACLOR 6.5%

ACTIVE INGREDIENTS:

| | |
|---|--------|
| O, O-Diethyl s-2-(ethylthio) ethyl phosphorodithioate | 6.5% |
| Pentachloronitrobenzene | 6.5% |
| INERT INGREDIENTS | 87.0% |
| Total | 100.0% |

- Disyston - U.S. Patent No. 2,759,010
- Terraclor - Product of Olin Corporation


DANGER



KEEP OUT OF REACH OF CHILDREN

NOTE TO PHYSICIAN: "Antidote" - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Compensate and inhibit cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning after 12 hours. At first sign of pulmonary edema the patient should be placed in an oxygen tent and 2-PAM chloride administered. 2-PAM chloride is also antidotal. It may be administered in conjunction with atropine.

Brawley, California



CAUTION: Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust. Wear protective clothing, goggles and natural rubber gloves. Do not wear the same gloves for other work. Rubber gloves should be washed with soap and water after each use. Wear mask or respirator approved by the U.S. Bureau of Mines for adequate protection against this material.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not re-use empty containers. Destroy it by burying with waste or burning. Stay away from smoke and fumes.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoon of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for a least 15 minutes.



C/R Patent #2023-12123

Camerman's Note
Poor Copy