

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
DANGER**

Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or Clothing. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Wear Freshly laundered long-sleeve work clothes daily. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

While transferring material from package to equipment, and during mixing/loading/application operations, wear a hat, goggles, face shield or equivalent, gloves (cotton or natural rubber), long-sleeved shirt, long pants, socks, shoes, and a pesticide respirator jointly approved by the Mine Safety Health Administration and by the National Institute for Occupational Safety and Health under the provision of 30 CFR Part 11. If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. Keep all unprotected persons out of the operating area.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic organisms and wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes) Drift and run-off from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water or wetlands when disposing of equipment washwaters. Cover or incorporate spills. This pesticide is toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity usually between late evening and early morning.

DIRECTIONS FOR USE

For use on cotton in the following manner: (1) Apply to the soil in the row as a soil treatment (1.5 lbs. per 1000 ft. of row) (2) Apply to the soil over seed and surrounding soil at planting time using equipment such as granular spreaders or similar equipment which will accurately meter the granules. Do not plant root crops in PCNB treated fields. Do not broadcast or bandcast application unless PCNB is registered for use on those crops.

REENTRY STATEMENTS

Do not allow reentry into treated fields within 24 hours of application unless appropriate protective clothing is worn.

For use on cotton in the following manner: (1) Apply to the soil in the row as a soil treatment (1.5 lbs. per 1000 ft. of row) (2) Apply to the soil over seed and surrounding soil at planting time using equipment such as granular spreaders or similar equipment which will accurately meter the granules. Do not plant root crops in PCNB treated fields. Do not broadcast or bandcast application unless PCNB is registered for use on those crops.

RESTRICTED USE PESTICIDE

Acute Human Oral, Dermal, and Inhalation Toxicity.

For retail sale to and application only by certified applicators or personnel under their direct supervision and only for those uses covered by the certified applicator's certification.

ROCKWOOD BRAND

"Little Pebbles"

ACTIVE INGREDIENTS:

O, O-Diethyl s-[2-(ethylthio) ethyl] phosphorodithioate 6.5%

Pentachloronitrobenzene 6.5%

INERT INGREDIENTS 87.0%

TOTAL 100.00%



KEEP OUT OF REACH OF CHILDREN

DANGER — POISON

PELIGRO — PRECAUCION AL USUARIO:

Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN, RAPIDLY ABSORBED THROUGH SKIN. ATROPINE IS AN ANTIDOTE FOR DI-SYTON CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

SEE LEFT PANEL SIDE FOR ADDITIONAL PRECAUTIONARY STATEMENT.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN - ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in oxygen tent and treated symptomatically.

Not For Use or Storage Around the Home

Manufactured by

ROCKWOOD CHEMICAL COMPANY

P. O. BOX 34 BRAWLEY CALIFORNIA 92227

NET CONTENTS 50 POUNDS

EPA REG. NO. 10726-11-AA

REG. NO. 10163-A-1

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings regarding the use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in language customarily understood by workers. **ORAL WARNINGS MUST BE GIVEN IF THERE IS REASON TO BELIEVE THAT WRITTEN WARNINGS CANNOT BE UNDERSTOOD BY WORKERS.** Written warnings must include the following information:

DANGER

Area treated with Little Pebbles on _____ (insert date). Do not enter without appropriate protective clothing within 24 hours of application (if more restrictive, insert State Department of Agriculture reentry interval).

In case of accidental exposure to pesticide dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. Get medical attention if needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Rockwood Brand "Little Pebbles" is a combination of a systemic insecticide and a fungicide for use in protecting seedling cotton from early season insects (Aphids, Thrips) and Rhizoctonia solani (damping off).

Cotton for the control of Rhizoctonia induced damping off, seedling blight, and root, stem, and leaf rot, aphids, mites, and thrips use 14.37 lbs. per 12,500 sq. ft. of row as a soil treatment (1.5 lbs. per 1000 ft. of row). Apply in granular form over seed and surrounding soil at planting time using equipment such as granular spreaders or similar equipment which will accurately meter the granules. Do not plant root crops in PCNB treated fields. Do not broadcast or bandcast application unless PCNB is registered for use on those crops.

PRECAUTIONS: When using this product, wear protective clothing as recommended on the label. Avoid contact with eyes, nose, mouth, and skin. If this material comes in contact with eyes, nose, mouth, or skin, wash immediately with plenty of water. If swallowed, induce vomiting. Do not eat, drink, or smoke while the product is being used. Do not use this product in areas where the product is used in combination with other pesticides.

Do not use this product in areas where the product is used in combination with other pesticides. Do not use this product in areas where the product is used in combination with other pesticides. Do not use this product in areas where the product is used in combination with other pesticides.