10-17-69

FUNGICIDE ANT A DEATH AND REGISTER-

ROCKWOOD CHEMICAL CO.

P.O. Box 34

Brawley, California

DIRECTIONS

ROCKWOOD BRAND MALATHION 5 lb. E. C. is suitable for use in all power-operated ground sprayers and aircraft sprayers. Apply specified dosage per acre using 20 to 75 gallons of water per acre when applying with ground equipment and 5 to 20 gallons of water per acre for aerial application.

To be used only by thoroughly trained operators familiar with the handling of hazardous insecticides. For brevity, days indicate interval between final treatment and harvest.

This product contains 10 oz. of actual malathion per pint.

AI-FALFA - Aphids, potato bugs, leafhopper, armyworm, alfalfa weevil, webworm, thrips, spittlebug, spider mites, and use 112-2 pts. of products per acre (7 days). For armyworm, use a minimum of 2 pts. per acre.

COLE CRUS Cabbage, Broccoli, Cauliflower, Brussel Sprouts) Thrips, Aphids, Fleabeetle, Leafhopper, Caterpiller, Armyworm, Imported Cabbage worm, Cabbage looper, use 1-2 pts. of product per acre (7 days except Broccoli - 3 days). For armyworm, cutworm, corn ear worm, minimum 2 pts. per acre.

COTTON - Aphids, Lygus, Fleahopper, Thrips, White Fly, Boll Weevil, Desert Spider Mite, Leafhopper, Cotton Leafworm, Cotton Leaf Perforator, Armyworm, Grasshopper, Graden Webworm, use 5-6 pts. of product per acre (no time limitation).

SUGAR BEETS - Aphids, Armyworm, Spider Mites, Grass-hooper, Cabbage Loopers, Beet Leafhopper, Cucumber Beetle, use 3-4 pts. of product per acre. Use a minimum 3 pts. per acre for grasshopper. (7 days).

LETTUCE, **ROMAINE**, **ENDIVE** - Aphids, Leafhopper, Armyworm, Thrips, Fleabeetle, Mites, Cabbage Looper, use 21.-3 pts. of product per acre (7 days, leaf lettuce-14 days.)

MELON - (Cantaloupe, Casabas, Crenshaws, Honeydew, Honey Balls, Muskmelons, Persians, Watermelons) Leaf-hoppers (On Cantaloupe), Pickleworm, Aphids, Spider Mites, Thrips, Armyworm, Cucumber Beetles, Fleabeetle, use 2-21, pts. of product per acre (1 day).

MUSTARD - Aphid, Looper Lygus, Thrips, Armywerm, 3-4 pts. of product per acre (7 days).

POTATOES - Aphids, Fleaheette, Leafhopper, Faise Cinch Bugs, Mealy Bug, use 31,-41, pts. of product per acre (0 days).

ROCKWOOD BRAND

MALATHION 5 LB. E.C.

An emulsion concentrate containing 5 pounds of Malathion per gallon

ACTIVE INGREDIENTS:	%	BY	WT.
Malathion*	•	56	.0%
INERT INGREDIENT:		44	.0%
TOTAL	•	100	.0%
*O,O-dimethyl dithiophosphate of d	iet	hyl	

mercaptosuccinate.

*Malathien Cythion is T.M. Reg. U. S. Pat. Office by Acc. Cy.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See other precautions on backside panel.

C.R. Printers 8-19-69 Rev.

USDA Reg. No. 10226-18

CAUTION

Harmful if swallowed, inhaled or absorbed through skin or eyes. Do not swallow, inhale, or allow contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking. Do not contaminate food or feed. Do not apply to or allow this product to drift onto crop or non-crop lands not specifically being treated. Do not apply this product to any crop not stated on the label. This product is toxic to bees and other pollinating insects, do not apply while pollinators are in the vicinity of the area to be treated

This product is toxic to Fish. Keep out of Lakes, Streams, or Ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

KEEP CONTAINER CLOSED DESTROY CONTAINER WHEN EMPTY

NOTICE - Recommendations for the select this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of ROCKWOOD CHEMICAL COMPANY, no quarantee, expressed or implied is made as to the effect of such or the results to be obtained if not used in accordance with direction for established sate and build practice. THE BUYER must assume all responsibility including in argums or damage, resulting from its misuse as sich or in combination with other products.

DIRECTIONS CONTINUED

SQUASH & CUCUMPERS - Aphids, Beet Leafhopper, Cucumber beetle, Fleabcetle, Leafhopper, Thrips, Alfalfa Loopers, Spider Mites, Pickleworm, Squash Vine Borers, use 2-3 pts. of product per acre. Use a minimum 3 pts. per acre for cucumber beetle. (1 day).

TOMATOES - False Cinch Bug, Spider Mites, Aphids, Tomato Russet Mite, Drosophila, Beet Leafhopper, Thrips, Fleabeetle, use 212-3 pts. of product per acre of days.

ACCENTUL WITH COMMENTS