AUG 2 7 1991

C.R. Waegner Rockwood Chemical Company P.O. Box 34 Barwley, CA 92243

Dear Br. Wangmer:

Subject: Revised Labeling

Rockwood Brand Bran-L Bait 1.5% EPA Registration No. 10206-30 Your resubmission of March 22, 1993

The labeling referred to above, submitted in connection with registration under the Federal Inscricted, Pungicies, and Rodenicide Act, is amended, is acceptable. A stamped copy is emolosed for mour records.

finderely yours,

Denne H. Edwardsfr

Donnis B. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch Registration Division (B7505C)

Dictorure

# BEST AVAILABLE COPY

CONCURRENCES								
SYMBOL								
SURNAME					İ			
DATE								

PA Form 1320-1 (12-70)

OFFICIAL FILE COPY

# Hazards to humans and domestic animals

May cause writation of nose, throat, eyes and skin. Do not breathe dust. Protective clothing consisting of long pants, long-sleeved shirt, gloves, hat and boots must be worn during mixing and loading. Operators should be provided with dust respirators approved by NIOSH/MSHA or take other means to avoid inhaling this dust as it may cause irritation of nose, throat and skin

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vaccaed by unprotected persons

### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to birds. Collect, cover, or incorporate baits spilled on the soil surface. Do not apply directly to water or wetlands, (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters

### PRACTICAL TREATMENT

IF SWALLOWED: Dilute by giving 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call a physician at once. IF INHALED: Move subject to fresh air.

IF IN EYES; Flush eyes with plenty of water. Consult a physician if irritation persists

IF ON SKIN: Wash affected skin areas with soap and water.

NOTE TO PHYSICIANS: Warning symptoms—methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in chest, constriction in pupils, sweating, slow pulse, muscle tremors. Atropine is antidotal. Do not use morphine or 2-PAM.

## **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsisten with its labeling.

## **ENDANGERED SPECIES RESTRICTIONS**

The following restrictions appoly to use of this product after February 1, 1988

Before using the pesticide on cotton or sweet corn in the counties listed betwo, you must obtain the PESTICIDE USE BULLETIN FOR PROTEC-TION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws. CALIFORNIA Butte, Collusa, Glenn, Kern Merced, Sacramento, Solano, Sutter, Tehema, Yolo

## REENTRY STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons

Do not enter treated areas without protective clothing until dust has settled Protective clothing means, at least, a hat or other suitable head covering, a long-sleaved shirt and long-legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department

of Agriculture for further information

Written or oral warnings regarding the use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be in a language customarily understood by workers. ORAL WARNINGS MUST BE GIVEN IF THERE IS REASON TO BELIEVE THAT WRITTEN WAR-NINGS CANNOT BE UNDERSTOOD BY WORKERS' Written or oral warnings must include the following information

# **ROCKWOOD CHEMICAL CO.**

**ROCKWOOD BRAND** 

Fungiciae, and Redenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10224

Methomyl

**ACTIVE INGREDIENTS:** 

s-methyl-N-[(Methylcarbamoyl) oxy]

1.50% thioacetimidate . . . . . . . . . . . . . . . . . .

INERT INGREDIENTS ...... 98.50%

> TOTAL 100.00%

# KEEP OUT OF REACH OF CHILDREN DANGER

## PELIGRO - PRECAUCION AL USUARIO:

Si usted no lee inglés, no use este producto hasta que la etiqueta haya sido explicada ampliamente.



# **POISON**



# Not For Use or Storage **Around the Home**

Manufactured by ROCKWOOD CHEMICAL COMPANY P.O. BOX 34 BRAWLEY, CALIFORNIA 92227

State Reg. No. 10226-50100-AA EPA EST. No. 10163-AZ-1 EPA Reg. No. 10226-30

NEI CONTENTS: 50 POUNDS

## DA

Area treated with Bran-L-Belt 1 enter without appropriate protection restrictive, insert State Department In case of accidental exposure to with soap and water. Remove co reuse. If in eyes, flush with plenty o

## STCRACE!

STCRAGE: Meep away from fire ventilates area. Do not allow to t decomposition, impaired activities closed when not in use.

PESTICIDE DISPOSAL: Do not or disposal. Pesticide wastes disposal of excess presticide, s of Federal Law. If these wastes ding to label Instructions, contac tal Control Agency, or the Haz nearest EPA regional office or CONTAINER DISPOSAL: Comp ment. Then dispose of empty bi ion, or if allowed by local and st stay out of smoke.

STEPS TO BE TAKEN IN CASE ED: Sweep or shovel into conta dusting to a minimum. Flush co of ater to chemical or santitary

Rockwood Brand Bran-L-Balt 1 or air equipment. To be used only with handling of hazardous insecti will be in parenthesis ().

## RECOMMENDE

ALFALFA: Apply 15-60 lbs. pe grasshoppers, army worrns, flea Do not apply when bees are activ within 7 days, do not permit wor CABBAGE, BROCCOLI, CAULI beet aremyworm, flea beetle, crici tie control, use 15-60 lbs. per acre

CANTALOUPE, WATERMELON myworm and cricket control use workers to handle crop within 2-COTTON: Cutworms, crickets, gr beetle, use 20-45 lbs. per acre. (4 within 24 hours. Do not leed tre LETTUCE (Head): apply 15-60 lb pers, flea beetles, armyworms, SUGAR BEETS: Beet armyworm per acre. (30) Do not feed trated application. Do not permit work SWEET CORN: apply 15-30 lbs. p crickets, flee beetles. Do not gi withing 3 days after last applica TOMATOES: apply 30-60 lbs. ( grasshoppers, flea beetles and **NOTICE: Recommendations for** information beliveved to be reliproduct being beyond the cont PANY, no guarritee, expressed such or the results to be obtained tions or established safe and sou all responsibilities including inj misuse as such or in combinati