

# ROCKWOOD CHEMICAL CO.

P. O. Box 34

Brawley, California

## DIRECTIONS FOR USE

**ENDRIN 1.6 Lb. E.C.** is suitable for use in conventional hydraulic sprayers, low volume ground applicators, and airplane sprayers. Foliage treatments: Mix the required amounts of **Endrin 1.6 Lb. E.C.** in sufficient water for uniform coverage and time applications in accordance with state and federal recommendations. Soil Surface treatments: Mix the required amounts of **Endrin 1.6 Lb. E.C.** in sufficient water to uniformly cover the soil at the base of plants, 3-15 gallons by air or 20-50 gallons by ground. Follow state and federal recommendations. Mix **ENDRIN 1.6 Lb. E.C.** with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper water mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform milky emulsion is formed. Agitation is also necessary when mixing with oil.

**NOTE:** A precipitate may deposit in cold weather. In such case warm gently and agitate until redissolved before using.

## RECOMMENDED USES

**COTTON:** For control of Cutworm, Bollworm, Salt-marsh caterpillar and Cotton leaf worm. Apply 1-1 2/3 qt. per acre. Do not graze dairy animals or animals being finished for slaughter in treated fields. Workers entering fields within 5 days after treatment should be protected.

**NOTE:** This product may leave a poisonous residue on plants to which it is applied. The U.S. Food and Drug Administration has established a minimum amount of such poisonous residue that may remain on raw agricultural product at harvest, and it is the user's responsibility to see that there is no residue on such crops at harvest in excess of this minimal amount.

**NOTICE:** Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of **ROCKWOOD CHEMICAL COMPANY**, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. **THE BUYER**, must assume all responsibility including injury and/or damage, resulting from its misuse as such or in combination with other products.

ROCKWOOD BRAND

**ENDRIN 1.6 LB. E.C.**

An Emulsion Concentrate Containing  
Pounds of Endrin per Gallon

### ACTIVE INGREDIENTS:

Endrin\* (hexachloroepoxyoctahydro-  
endo, endo-dimethanonaphthalene) . . . 19.79%  
Xylene . . . . . 75.61%

**INERT INGREDIENTS:** . . . . . 4.60%  
Total 100.00%

**IF MIXTURE** does not mix readily but tends to separate as an oily layer, do not use as injury to plants may result. **KEEP AWAY** from heat or open flame. Protect from temperatures below 32° F.

Do not contaminate feed and food stuff. Wear clean, synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Bureau of Mines.



# POISON



**CONTAINS ENDRIN\*-** In Case of accidental poisoning call a physician immediately. Until he arrives follow directions given here:

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**


**ANTIDOTE**

**IF SWALLOWED** give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet.

**IF ON SKIN** wash immediately with soap and water.

**NOTE TO PHYSICIAN:** In case of poisoning, administer barbituates as for anti-convulsant therapy. Observe patient care fully since repeated treatment may be needed.

Do not use, pour, spill, or store near heat or open flame.



**BEE CAUTION**

This product is toxic to bees and should not be applied to flowers or plants which are actively visited by bees.

**DANGER**

**POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING! RAPIDLY ABSORBED THROUGH SKIN!** DO NOT get in eyes, on skin or on clothing. **IN CASE OF CONTACT** immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes- for eyes get medical attention.

DO NOT breathe spray mist. **WASH THOROUGHLY** with soap and water after handling and before eating or smoking; wear clean clothing.

### ENVIRONMENTAL- CAUTIONS

This product is toxic to fish, birds, and other wildlife.

Birds and other wildlife in treated areas may be killed.

Keep out of lakes, streams, or ponds.

Do not apply where runoff is likely to occur.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

**DESTROY THIS CONTAINER** when empty. Punch drum full of holes or crush so that it cannot be used for any further purpose. Dispose of container where it cannot be salvaged for any use. Do not contaminate feed and foodstuffs.

Consult **STATE EXTENSION SERVICE SPECIALISTS** as to time and frequency of application.

EPA Reg. No. 10226-31

EPA EST 10226CA1

C-R-P5151-G1471-Rev.