

ROCKWOOD CHEMICAL CO.

P. O. Box 34

Brawley, California

ROCKWOOD BRAND

THIO-SULPHUR NO. 3-50 DUST

DIRECTIONS FOR USE

COTTON: Stink bugs, lygus bugs, bollworms, cabbage loopers. Use 35 lbs. per acre. Begin applications when an infestation reaches the point where control is required. Apply at 3 to 5 day intervals depending upon the severity of the infestation and local conditions. Thorough coverage is essential to good control. Do not apply after bolls begin to open. Do not feed treated plants to meat or dairy animals.

MELONS: Do not use on sulfur sensitive varieties. Powdery mildew, cabbage loopers. Use 25 to 35 lbs. per acre. Treat both upper and lower leaf surfaces thoroughly. May be applied up to the day of harvest.


POTATOES: Colorado potato beetle, potato flea beetle, potato leafhopper, aphids, southern armyworm, plant bugs, potato tuberworm, potato psyllid. Use 30 to 35 lbs. per acre. Apply when insects appear and repeat as required. Do not plant root crops other than carrots, potatoes and sweet potatoes as follow-up crops.

TOMATOES: Aphids, Colorado potato beetle, flea beetle, green stink bugs, whiteflies. Use 20 lbs. per acre. Cabbage loopers, tomato fruitworm, use 35 lbs. per acre. Apply when insects first appear and repeat as necessary. Dust both upper and lower leaf surfaces thoroughly. Do not apply within 1 day of harvest. If used on greenhouse tomatoes, do not apply within 7 days of picking.

State Reg. No. 10226-50051-AA

EPA EST. NO. 10226-CA-1

EPA REG. NO. 10226-52



ACTIVE INGREDIENT:

Endosulfan (*Hexachlorohexahydromethano)
2, 4, 3-benzodioxathiepin oxide) 3.0%

Sulfur 50.0%

INERT INGREDIENTS 47.0%

Total 100.0%

*Thiodan is a registered Trademark of Farbwerke Hoechst, A. G. U.S. Patent No. 2,799,688.

CAUTION

KEEP OUT OF REACH OF CHILDREN

DO NOT USE ON
SULFUR SENSITIVE VARIETIES

Do not reuse container.

Destroy when empty.

NET CONTENTS _____

CAUTION

To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material.

Harmful if swallowed, inhaled or absorbed through skin. Avoid contamination of feed or foodstuffs. In case of contact with skin or eyes flush with plenty of water; for eyes get medical attention. Wash with soap and water after handling and before eating or smoking; wear clean clothing. Do not allow drift to areas occupied by unprotected humans or beneficial animals. Avoid breathing of dust. Avoid contact with skin, eyes, or clothing.

This product is highly toxic to bees and should not be applied when bees are actively visiting the area.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USAGE CAUTION

When applying in greenhouse, wear mask or respirator passed by U. S. Bureau of Mines for Thiodan protection. Workers entering treated fields within 24 hours of treatment should wear protective clothing.

CAUTION: Use of this material in a manner or at a time other than in accordance with the directions may produce animal or plant injury, excessive residues or other undesirable results.

NOTICE: Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of ROCKWOOD CHEMICAL COMPANY, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. THE BUYER, must assume all responsibility including injury and/or damage, resulting from its misuse as such or in combination with other products.