

MEWCO BRAND

ENDRIN 1.6 LB. E.C.

(USDA Reg. No. 11241-

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTION, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS. DO NOT INHALE - DO NOT GET ON SKIN DO NOT TAKE INTERNALLY.

KEEP OUT OF REACH OF CHILDREN
DANGER

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY. If on skin, wash immediately with soap and water.

WARNING: Poisonous by skin contact, inhalation, or swallowing! Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing.

Wear gloves, rubber boots, shoes and a mask or respirator of type approved for protection against the pesticide. Attention: Do not use in areas where the pesticide may be inhaled or ingested.

ACTIVE INGREDIENTS: ENDRIN (HEXACHLOROCYCLOXYOCTAHYDRO- ENDO, ENDO-DIMETHANONAPHTHALENE) 20.18%
PETROLEUM DISTILLATE 76.20%
INERT INGREDIENTS 3.62%

(Contains 1.6 pounds technical Endrin per Gallon)

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

KILLS FISH AND WILDLIFE. Birds feeding on treated areas may be killed. KEEP OUT OF ANY BODY OF WATER. Do not apply when weather conditions favor drift from areas treated.

DO NOT DISCARD THIS CONTAINER IN ANY MANNER. IF YOU HAVE A PROBLEM WITH THIS PESTICIDE, CONTACT THE MANUFACTURER.

MIXING: Mix with water by agitation or by circulation mixture through spray pump and back into tank. A proper water mixture will have appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform, milky emulsion is formed. Agitation is also necessary when mixing with oil.

NOTE: A precipitate may deposit in cold weather, warm gently and agitate until redissolved before using.

COTTON: Thrips, Cotton fleahoppers, rapid plant bug, tarnished plant bug - early and mid-season: 1 gal. in water to cover 10 acres. Late season control: 1 gal. in water to cover 8 acres. Early season Boll weevil and bollworm (not pink) control: 1 gal. in water to cover 8 acres. Mid-season and Late season control of bollworm and Boll Weevil - use 1 gal. in water to cover 4 to 8 acres in compliance with State recommendations.

GRASSHOPPERS: 1 gal. in water to cover 8 acres. CABBAGE MOTTLE, CELERY LEAF TIER, LEAF PERFORATOR, SALT MARSH CATERPILLAR, BRUSH COTTON LEAFWORM, COTTON LEAFWORM, LYONS BUGS - 1/2 gal. per acre - 1/2 water for coverage. Do not apply to citrus trees.

ACCEPTED WITH COMMENTS

ACCEPTED
NOV 20 1969
UNIVERSITY OF CALIFORNIA
Pesticide