


US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	10250-32	MAY 01 1986
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT	
	Hempel's Antirouling Highstrength 755U Red Vinyl	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Hempel's Marine Paints, Inc. P.O. Box 3279 Wallington, NJ 07057		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 10250-32." b. In the right panel first sentence, the sentence should be "Hempel's Antirouling 755U is a powerful vinyl <u>antifoulant</u> with a high content" 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. 		
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

2/3

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

10750.32

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, and hat. May be fatal if swallowed or inhaled. Do not breathe (vapor or spray mist). Wear a mask or respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Use with adequate ventilation.

Environmental Hazards

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

Physical Chemical Hazards

FLAMMABLE. Keep away from heat and open flame. Keep container closed. Use with adequate ventilation. Store in cool, dry place away from heat, sunlight and open flame. Close container after use.

This labeling must be in the possession of the user at the time of pesticide application. While all HEMPEL products are developed and manufactured with the utmost care, we offer these products with the express understanding that the user will determine the suitability for his intended use and assume all risk and liability in connection therewith. If the product is used other than as directed hereon, we expressly disclaim any responsibility for its use, handling, storage, result obtained, injury or indirect or consequential damages of any nature whatsoever however caused.

HEMPEL'S only obligation shall be to replace such quantity of product proved to be defective.

THERE ARE NO IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE FOR THIS PRODUCT.

HEMPEL'S

ANTIFOULING HI STRENGTH 755U RED VINYL

ACTIVE INGREDIENT	WEIGHT PCT.
CUPROUS OXIDE	86.9
INERT INGREDIENTS	13.1
TOTAL METALLIC COPPER	100.0

57.5% BY WEIGHT

THIS PRODUCT WEIGHS 19 LBS. PAINT PER GALLON

KEEP OUT OF REACH OF CHILDREN

CAUTION

Practical Treatment

IF IN EYES: flush with water for 15 minutes. Get medical attention immediately.
IF ON SKIN: wash with plenty of soap and water and get medical attention.
IF SWALLOWED: drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.
IF INHALED: REMOVE VICTIM TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH. GET MEDICAL ATTENTION.

See side panel for additional precautionary statement.

REGISTERED

with CURRIE'S

by EPA 10250-01

NOV 01 1986

Under the...
EPA 10250-01
registered under EPA Reg. No. 10250-01

MADE IN U.S.A. AND SOLD BY
HEMPEL'S MARINE PAINTS, INC.

Currie Avenue, Wallington, NJ 07057

ESTABLISHMENT NO. - 10250 N.J.

EPA REG. NO. 10250-01

NET CONTENTS: 5 U.S. GALLONS