

B

C-140

DIRECTIONS

Feed initially at the rate of one pound (16 fluid ounces) per 1000 gallons of contained water. Add daily for three days at the rate of one pound per 1000 gallons of system volume, or at the rate of one pound per 1000 gallons of bleed-off when the bleed-off volume equals 20 per cent of the system volume.

A

INDUSTRIAL COOLING WATER TREATMENT FOR THE CONTROL OF ALGAE AND SLIME CAUSED BY BACTERIA AND FUNGUS ORGANISMS.

CAUTION

WARNING: May be fatal if swallowed! May be absorbed through skin. Causes skin irritation. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of skin contact, remove contaminated clothing and immediately wash skin with soap and water; for eyes, immediately flush with plenty of water. If irritation persists, get medical attention. Wash contaminated clothing before re-use. Avoid storage near food and feed products.

Active Ingredients:

Alkyl (C₁₂ 5%, C₁₄ 60%, C₁₆ 30%, C₁₈ 5%)

dimethyl benzyl ammonium chloride

12%

Bis (tri-n-butyltin) oxide

5%

Inert Ingredients:

83%

100%

C

U.S.D.A. Reg. No. 10256-3

CAUTION:

Keep out of reach of children. See right panel for additional cautionary statements.

ACCEPTED

11-25-68

UNDER THE FEDERAL PESTICIDE ACT FOR ECONOMIC INDEMNITY NO. 10256-3

THE BIRD-ARCHER COMPANY
4337 North American Street
Philadelphia, Pennsylvania 19140

O