



INSECTICIDE NO.4



Net Weight: 6.80 lbs./gallon



TIG INSECT

For mosquitoes, flies, gnats, wasps, sowbugs, spiders
 In and around homes, schools, restaurants, bakeries, camps, motels, offices, industrial nursing homes, institutions, sea-going vessels

FOLLOW DIRECTIONS CAREFULLY

Directions: For most effective results deliver a fine mist.

Mosquitoes, flies, gnats: Spray the spray to all parts of the area. Leave the treated area. Keep insects at rest. Spray places, contacting as many insects as possible.

Wasps: Application should be made when insects are at rest. Spray places, contacting as many insects as possible.

For crawling insects: **Roaches, earwigs, grain beetles, etc.:** Spray thoroughly in crevices, moist areas, open refrigerators, baseboards, etc. in places where insects are likely to be found.

Ants: Spray trails, nests and other places where possible. Repeat as necessary.

Caution: Harmful if swallowed. Avoid contact with eyes, nose, mouth, and clothing. Foods should be removed from treated areas. All food processing surfaces should be thoroughly cleaned before use. Cover or remove food from treated areas during operation. Cover or remove food from treated areas during operation.

FLAMMABLE: KEEP AWAY FROM FIRE

KEEP OUT OF THE REACH OF CHILDREN

PRINTED AND MANUFACTURED IN THE U.S.A.

MANUFACTURED FOR
 11625 Mc Bean Dr.
 DIST.

ACTIVE INGREDIENTS:

| | |
|---|----------------|
| (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate | 0.400% w/w |
| Related compounds | 0.054% |
| Aromatic petroleum hydrocarbons | 0.530% |
| Petroleum distillate | 99.000% |
| INERT INGREDIENTS: | 0.016% |
| | <hr/> 100.000% |


*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
 1 U.S. Patent No. 3,445,007

CAUTION
KEEP OUT OF THE REACH OF CHILDREN
 See back panel for additional cautions

1 U.S. GALLON

E.P.A. REG. NO. 10253-4

SS E NO.4



TIGRESS INSECTICIDE NO. 4

For Control of
mosquitoes, flies, gnats, wasps, roaches, earwigs, grain mites,
sowbugs, spiders, centipedes, and ants.

In and around homes, schools, theaters, stores, markets,
restaurants, bakeries, canneries, meat packing plants, hotels,
motels, offices, industrial buildings, warehouses, hospitals,
nursing homes, institutions, veterinary hospitals, railroad cars,
sea-going vessels, aircraft, and mortuaries.

FOLLOW DIRECTIONS CAREFULLY FOR BEST RESULTS

Directions for Use

For most effective results use in a good sprayer adjusted to
deliver a fine mist.

Mosquitoes, flies, gnats: Close all doors and windows. Direct
the spray to all parts of the room. Fill the room with mist, then
leave the treated area. Keep room closed for at least 15-30
minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when
insects are at rest. Spray liberally into hiding and breeding
places, contacting as many insects as possible. Repeat as
necessary.

For crawling insects:
**Roaches, earwigs, grain mites, sowbugs, spiders and centi-
pedes:** Spray thoroughly into hiding places such as cracks,
crevices, moist areas, openings around pipes and sinks, under
refrigerators, baseboards, and storage areas. Spray directly on
insects where possible.

Ants: Spray trails, nests and points of entry. Spray on ants
where possible. Repeat as necessary.

CAUTION

Harmful if swallowed. Avoid contamination of feed and food-
stuffs. Foods should be removed or covered during treatment.
All food processing surfaces should be covered during treat-
ment or thoroughly cleaned before using. When using the
product in these areas, apply only when the facility is not in
operation. Cover or remove fishbowls.

FLAMMABLE: KEEP AWAY FROM HEAT AND OPEN FLAME

KEEP OUT OF THE REACH OF CHILDREN

PRINTED AND MANUFACTURED IN THE U.S.A.

MANUFACTURED FOR SPRAY DISTRIBUTORS, INC.
11625 Mc Bean Dr. El Monte, Ca. 91732

DISTRIBUTED BY:



0.400% w/w
0.054%
0.530%
99.000%
0.016%
100.000%

0% (±) trans.

CHILDREN
utions

E.P.A. REG NO. 10258-4