

frequented by pets or children. Do not store near fertilizers, seeds, insecticides or fungicides.

Application equipment used for application of STERILEX should be thoroughly rinsed with soap and water after use to prevent corrosion. Do not use STERILEX in equipment which may be later used for applying liquid fertilizers, fungicides, insecticides or other agricultural chemicals.

STERILEX is a "Soil Sterilant" and is intended to kill most types of vegetation and should never be used on or near any desirable croplands or vegetation, nor on soil which is intended for growing, in the near future, any type of desirable vegetation.

CAUTION: Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing.

USDA Reg. No. 10272 -

BEST DOCUMENT AVAILABLE

FRONT PANEL

NAME

STERILIX

NON-SELECTIVE WEED KILLER

Kills Most Vegetation For One Full Season or Longer
By Attacking Both the Tops and the Roots.

ACTIVE INGREDIENTS:

3-(p-chlorophenyl)-1, 1-Dimethylethyl Trichloroacetate	6.40%
*Isooctyl Ester of 2, 4-Dichlorophenoxyacetic Acid	1.00%

INERT INGREDIENTS: - 92.60%

*Equivalent to 0.66% 2, 4-Dichlorophenoxyacetic Acid

CAUTION: (16 pt tp) KEEP OUT OF REACH OF CHILDREN (12 pt tp)
(See Right Panel for Additional Precautions)

MANTEK CORPORATION
1212 Loop 12
Irving, Texas 75060

Use Sterilix to Control Vegetation on non-crop areas such as
Rights of Way, Industrial Plants, Truck Parks, Storage Areas, Power
Sub-Stations and Parking Lots.

LEFT PANEL

DIRECTIONS FOR USE: STERILIX should be applied just after vegetation has
emerged or after it has been cut. For best results, the STERILIX must come
into contact with both the vegetation and the soil in which it grows. A
better, longer-lasting kill is achieved if STERILIX is applied about 24 hours
before a rain, or, for lack of rain, water down the treated area 24 hours after
the application of STERILIX. The water, with the GB-3 Penetrating Agent, carries
the STERILIX down deep into the root system of the vegetation.

STERILIX may be applied with any hand-operated or large volume sprayer which is
capable of producing a coarse spray pattern. The more pressure used in applying
STERILIX the better, for the pressure ensures good coverage on the ground.

When selecting an applicator, use one which will not later be used for applying
fertilizer, agricultural chemicals, insecticides or other similar products as
any left-over residue of the STERILIX may be harmful to wanted vegetation.

Do not apply STERILIX full strength. Mix 1 to 2 gallons with 10 to 15 gallons
of clean water, and apply this mixture to an area not exceeding 1,000 square
feet. The dilution rate is determined by the amount of vegetation. Heavy
stand will require the strongest dilution.

RIGHT PANEL

NOTE: Do not apply STERILIX or allow it to drift into wanted vegetation. Do
not apply STERILIX to any area which could contain roots of desirable vegetation.
Do not allow STERILIX to come into contact with streams, ponds, pools, irrigation
canals or other bodies of water. Do not apply to areas grazed by livestock or

ED

JUN 2 1969

12/27/69
SUBJECT

BEST DOCUMENT AVAILABLE