

PROFESSIONAL SBP 1382-31 C

Active Ingredients:

*+(5-Benzyl-3-furyl)methyl 2, 2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate, ...	3,000 w/w
Related compounds,	9,409
Aromatic petroleum hydrocarbons,	91,471
Inert Ingredients:	5,120
	<hr/> 100,000

*Cis-trans isomers ratio: Max. 30 Cis and min. 70 Trans.
U. S. Patent No. 3,495,007.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Do not use, pour, spill, or store near heat or open flame. Keep container closed. Do not remain in treated areas. Ventilate the area after treatment is completed.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. See side panel for directions for use.

CONTAINER DISPOSAL-Do not reuse container. Crush used container and bury in non-cropland soil away from water.

E. P. A. Reg. No. 10290-14
Net Contents One Gallon

DIRECTIONS FOR USE

For use in homes, warehouses, food processing plants, business offices and industrial plants.

Food areas-Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

When using the product in these areas, apply only when the facility is not in operation.

Crevice Spray-For control of roaches. Mix 1 1/4 fluid ounces of 3.0% emulsifiable concentrate in a gallon of water to make a 0.25% emulsion. Mix well before using. Spray thoroughly into hiding places such as cracks, crevices, and moist areas around pipes, under refrigerators and along baseboards. Spray directly on insects when possible. Repeat as necessary.

Space Spray-For control of flies, mosquitoes and gnats. Remove or cover exposed food and food handling surfaces including utensils. Remove animals. Shut off ventilating systems, air ducts and air conditioning equipment. Mix 4-1/2 fluid ounces of the 3.0% emulsifiable concentrate in a gallon of water to make a 0.10% emulsion. Mix well before using. Apply as a fine spray at the rate of 2 fluid ozs. per 1,000 cu. ft. or 1 gallon per 64,000 cu. ft. Direct nozzle to upper corner of the room and along ceiling. Avoid inhaling the spray mist. Close off room for at least one half hour after spraying. Ventilate room before re-entry. Repeat if necessary.

Manufactured by
PROFESSIONAL CHEMICAL COMPANY
4517 York, Houston, Texas 77022-7175
Houston, Texas 77018

