

PM 31 10292-4 1/1

1-22-90



902

FOR HOSPITAL AND
INSTITUTIONAL USE

DIRECTIONS

MINT ODOR DISINFECTANT CLEANER

FOR HOSPITAL & INSTITUTIONAL USE

CLEANER-DISINFECTANT DEODORIZER - FUNGICIDE

**CAUTION: READ LABEL
CAREFULLY BEFORE USING.
KEEP OUT OF THE REACH OF CHILDREN**

AOAC Phenol Coefficients	
Staph. aureus (ATCC No. 6538)	100.0
Salmonella typhosa (ATCC No. 6539)	43.8

ACTIVE INGREDIENTS	
Didecyl dimethyl ammonium chloride	4.25%
INERT INGREDIENTS	<u>95.75%</u>
	100.00%

E.P.A. Reg. No.: 10292-4
E.P.A. Est. No.: 10292-4L-01

WARNING
KEEP OUT OF THE REACH OF CHILDREN
Causes skin irritation. May cause eye damage. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food. Controlling cross-contamination is of major house-keeping concern not only in hospitals, but in schools, institutions, and industry. Mint Odor Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.


VENUS LABORATORIES, Inc.
855 LIVELY BLVD.
WOOD DALE, IL 60191

Add 2 ozs. per gallon of water. Apply Mint Odor Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required. At 2 ounces per gallon use-level, Mint Odor Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

CONTAINER DISPOSAL DIRECTIONS
Triple rinse, (or equivalent), and offer for recycling or reconditioning, or, puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FIRST AID
In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluids, and call a physician immediately.

NET CONTENTS:



Not Registered...
Phase 2
Status

107-1-4 111 31 11-1-10 131



902

FOR HOSPITAL AND
INSTITUTIONAL USE

DIRECTIONS

MINT ODOR DISINFECTANT CLEANER

FOR HOSPITAL & INSTITUTIONAL USE

CLEANER-DISINFECTANT DEODORIZER - FUNGICIDE

**CAUTION: READ LABEL
CAREFULLY BEFORE USING.
KEEP OUT OF THE REACH OF CHILDREN**

AOAC Phur. Coefficients	
Staphylococcus aureus (ATCC No. 6538)	100.0
Salmonella typhosa (ATCC No. 6539)	43.8

ACTIVE INGREDIENTS	
Didecyl dimethyl ammonium chloride	4.25%
INERT INGREDIENTS	95.75%
	100.00%

E.P.A. Reg. No.: 10292-4
E.P.A. Est. No.: 10292-IL-01

WARNING
KEEP OUT OF THE REACH OF CHILDREN
Causes skin irritation. May cause eye damage. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food. Controlling cross-contamination is of major house-keeping concern not only in hospitals, but in schools, institutions, and industry. Mint Odor Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

VENUS LABORATORIES, Inc.
855 LIVELY BLVD
WOOD DALE, IL 60191

- Add 2 ozs. per gallon of water.
 - Apply Mint Odor Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.
 - At 2 ounces per gallon use-level, Mint Odor Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.
- CONTAINER DISPOSAL DIRECTIONS**
Triple rinse, (or equivalent), and offer for recycling or reconditioning, or, puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
- FIRST AID**
In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluids, and call a physician immediately.

NET CONTENTS:

Not Reviewed. Registrant claims to be in accordance with the registration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.