

GENERAL: Spray surfaces to wetting. Point spray away from people, plants and animals.

INDOOR USE: Ants, cockroaches, crickets, silverfish, spiders, scorpions, saw-toothed grain beetles (exposed stage), waterbugs: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

OUTDOOR USE: Ants, clover mites, crickets, earwigs, fleas, millipedes, sowbugs, and brown dog ticks: Spray infested insect areas thoroughly. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

ACTIVE INGREDIENTS:

- Pyrethrins050%
- *Piperonyl butoxide, technical100%
- +N-octyl bicycloheptene dicarboximide166%
- **o-Isopropoxyphenyl methylcarbamate500%
- Petroleum distillate69.184%

INERT INGREDIENTS:30.000%

*Equivalent to .08% (butylcarbityl) (6-propylpiperonyl) ether and .02% related compounds.

+MGK 264, Insecticide Synergist.

**Baygon, U.S. Patent No. 3,111,539.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical aid.

TO PHYSICIAN: Atropine sulfate is antidotal.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

DO NOT SPRAY INTO OR NEAR OPEN FLAME DO NOT SMOKE WHILE USING.

WARNING! CONTENTS UNDER PRESSURE: Keep container away from stoves, radiators, or other hot surfaces. Temperatures exceeding 120° F may cause the container to burst. Do not puncture or incinerate. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering.

E.P.A. 10292-11

NET WT. 1 lb. 1 oz.

1014



Residual INSECT KILLER

KILLS ANTS, ROACHES, SPIDERS, SCORPIONS, WATER BUGS AND CRICKETS.

INSECT-KILLING POWER LASTS FOR 1 to 2 WEEKS INDOORS.

SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.

This formulation gives rapid kill to the crawling insects listed below. Spray residues kill insects many weeks after the spray deposit has dried.

- | | |
|-----------------|-------------------------|
| Ants | Roaches |
| Brown dog ticks | Scorpions |
| Clover mites | Silverfish |
| Crickets | Sowbugs |
| Earwigs | Spiders |
| Fleas | Saw-toothed grain |
| Millipedes | beetles (exposed stage) |

VENUS LABORATORIES
1025 Industrial Dr., Bensenville, Ill. 60106

INSTITUTIONAL SIZE