

DIRECTIONS

Kills ants, roaches, spiders, scorpions, water bugs, and crickets. Killing power lasts for 1 to 2 weeks (indoors). Spray only once on surfaces, do not use as a space spray. This formulation produces a rapid kill to the insects listed below:

Ants	Crickets	Millipedes	Silverfish
Brown Dog	Earwigs	Roaches	Sowbugs
Ticks	Fleas	Scorpions	Spiders

Saw-toothed Grain Beetles (exposed stage)

GENERAL: Spray surface to wetting. Point spray away from people, plants and animals. INDOOR USE: Ants, cockroaches,

waterbugs; spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. Do not allow children to contact treated surfaces until surfaces are completely dry. BROWN DOG TICKS: Spray sleeping quarters of pets around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

OUTDOOR USE: Ants, cockroaches, crickets, earwigs, fleas, millipedes, sowbugs, and brown dog ticks. Spray infested insect areas thoroughly. For ants, spray trails and runways. Repeat as needed. Do not spray vegetation.

ACTIVE INGREDIENTS

Pyrethrins	0.050%
*Piperonyl butoxide, technical	0.100%
†N-octyl bicycloheptene dicarboximide	0.166%
**o-Isopropoxyphenyl methyl carbamate	0.500%

INERT INGREDIENTS 99.184%

*Equivalent to .08% (butyl carbyl (6-propylpiperonyl) ether and 0.2% related compounds)

†MCK 264 Insecticide Synergist

**Propoxur U.S. Patent No. 3,111,535

CAUTION. KEEP OUT OF THE REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN

Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, and clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils, and food preparation areas. Remove pets from area, and cover fish bowls or aquariums before spraying. If poisoning occurs, get prompt medical aid.

NOTE TO PHYSICIAN: Atropine sulfate is antidotal. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed. **DO NOT SPRAY INTO OR NEAR OPEN FLAME. DO NOT SMOKE WHILE USING.**

WARNING: CONTENTS UNDER PRESSURE. Keep container away from stoves, radiators, or other hot surfaces. Temperatures above 120 F may cause container to burst.

Do not puncture or incinerate. Avoid excessive wetting of plastic, rubber, or asphalt surfaces such as tile and floor coverings.

CONTAINER DISPOSAL: Replace cap and dispose in trash. Do not puncture or incinerate.

NET CONTENTS 16 OZS

EPA Reg No: 10292-11
EPA Est No: 10292-11-01

7/3/90



855 Lively Blvd.
Wood Dale, IL 60191

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

**residual
insect killer**

FIRST AID: If get in eyes or on skin flush with water. If irritation persists, call a physician. If swallowed call a physician.