Prof. # 10 months of the contraction

100.00%

### MAKES INDOOR AIR PLEASANT Cleaner - Disinfectant - Fungicide FOR HOSPITAL AND INSTITUTIONAL USE

Active ingredients

Didecyl dimethyl ammonium chloride 4.25%
Tetrasodium ethylenediamine tetrascetate 1.60%
Inert Ingredients 94.15%

E.P.A. Registration No. 10292-14 E.P.A. Est. No. 10292-IL-01

WARNING
KEEP OUT OF REACH OF CHILDREN
SEE LEFT PANEL FOR FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS.

Mig. by Venus Laboratories Inc. 855 Lively Bivd. Wood Date, Minois 60191 Controlling cross contamination is of major house-keeping concern not only in hospitals, but in schools, institutions, and industry. Lemon Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

# **Precautionary Statements**

Hazards to Humans and Domestic Animals Warning: Causes eye and skin irritation.

Do not get in eyes, on skin, or on clothing. Harmful if swallowed.

Avoid contamination of food.

#### Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least \$5 minutes. For eyes, call a physician. Remove and wash all contaminated clothing beloke reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

#### **Directions For Use**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two fluid ounces per gallon water.

Apply Lemon Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two fluid ounces per galk." use-level and a minimum contact time of ten(10) minutes, Lemon Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

## STORAGE AND DISPOSAL

STORAGE: Store only in a tightly closed, original container in a secure screen in ascessible to children and away from fond or feed. Do not reuse semally container.

HESTICILE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, confact your State Pesticide or Environmental Agency, or the Hazardous Waste repersentative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL

One Gallon or less. Do not reuse empty container. Rinse thoroughly before discarding in trash. Securely warp original container in several layers of newspaper and discard in trash.

#### PLASTIC CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

METAL CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### GENERAL

Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.

**NET CONTENTS:**