PM31 10292-14 1.22.90 /1

9 1 900 LEMON ODOR DISINFECTANT CLEANER

MAKES INDOOR AIR PLEASANT Cleaner - Disinfectant - Fungicide FOR HOSPITAL AND INSTITUTIONAL USE

AOAC Phenol Coefficients

Staph, aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	43.8
Active Ingredients	
Didecyl dimethyl ammonium chloride	4.25%
Inert Ingredients	<u>95.75%</u>
÷	100.00%

E.P.A. Registration No. 10292-14 E.P.A. Est. No. 10292-IL-01

WARNING KEEP OUT OF REACH OF CHILDREN SEE LEFT PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS.



Controlling cross contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. Lemon Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

CAUTION

Keep out (f reach of children. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

Directions

Add two ounces per gallon water.

Apply Lemon Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two ounces per gallon use-level, Lemon Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

Rinse empty container with water before discarding it.

Mfg. by Venus Laboratories Inc. 855 Lively Blvd. Wood Dale, Illinois 60191

NET CONTENTS:

Hat toologically and the source of the same with spectrum of the source of the source of the source 2. As approximation of the source of the status.

1 1 11 11 31 1-1



Directions

9 9 900 LEMON ODOR DISINFECTANT CLEANER

MAKES INDOOR AIR PLEASANT Cleaner - Disinfectant - Fungicide FOR HOSPITAL AND INSTITUTIONAL USE

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	43.8
Active Ingredients	
Didecyl dimethyl ammonium chloride	4.25%
Inert Ingredients	<u>95.75%</u>
	100.00%

E.P.A. Registration No. 10292-14 E.P.A. Est. No. 10292-IL-01

WARNING KEEP OUT OF REACH OF CHILDREN SEE LEFT PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS.

Controlling cross contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. Lemon Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

CAUTION

Keep out of reach of children. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed. do not induce vomiting. Drink large quantities of fluid and call a physician immediately. Add two ounces per gallon water.

Apply Lemon Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two ounces per gallon use-level, Lemon Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

Rinse empty container with water before discarding it.

Mfg. by Venus Laboratories Inc. 855 Lively Bivd. Wood Dale, Illinois 60191

NET CONTENTS:

2.5. Some statuting include a dotte be in accerdance with a provide some those care those of Guidance for Phane 3 (2.5. Some status) and the total status.

PM 31 EPHI# 10292-11 PG. 1021 1. F 1/2-1510



902 FOR HOSPITAL AND INSTITUTIONAL USE

 $2\lambda^{(1)} = \lambda^{(1)} \lambda^{(1)} = 0$

MINT ODOR DISINFECTANT EANER

FOR HOSPITAL& **INSTITUTIONAL USE CLEANER-DISINFECTANT DEODORIZER -FUNGICIDE**

CAUTION: READ LABEL **CAREFULLY BEFORE USING.** KEEP OUT OF THE REACH OF CHILDREN

AAOC Phenol Coefficients Staph. aureus (ATCC No. 6538) Salmonella typhosa (ATCC No. 6539)	100.0 43.8
Didecyl dimethyl	
ammonium chloride	4.25%
INERT INGREDIENTS	<u>95.75%</u> 100.00%
C B A Due Mail 10000 A	

E.P.A. Reg. No.; 10282-4 E.P.A. E.L. No.: 10292-IL-01

WARNENG

KEEP OUT OF THE REACH OF CHILDREN

Causes skin initiation. May cause eye damage. Do not get in eyes, on skin, or on clothing, Harmful II evallowed. Avoid contamination of food. Controlling cross-conterrination is of major house-keeping concern not only in hospitals, but in schools, institutions, and industry, Mint Odor Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

VENUS LABORATORIES, Inc. 855 LIVELY BLVD. WOOD DALE, IL 60191

DIRECTIONS

- Add 2 ozs. per gallon of water. 3,8,8% MigCOdor Disinfectant Cleaner to walts, floors, and
- Armitisre with a cloth or mop. For heavily solled areas, a prelimitary geaning may be required.
- - Rt 2 pundes per gallon use-level, Mint Odor Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test. CONTAINER DISPOSAL DIRECTIONS

Triple rinse, (or equivalent), and offer for recycling or reconditioning, or, puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. FIRST AID

In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce somiting. Drink large quantities of fluids, and call a physician immediately.

NET CONTENTS

