

FOR COMMERCIAL, INDUSTRIAL

AND INSTITUTIONAL USE ONLY

FORMULA E
Disinfectant Toilet Bowl
& Urinal Cleaner

Formulated with rust inhibitor and wetting agent to
quickly penetrate and attack scum and rust

TO CLEAN & DISINFECT

TOILET BOWLS: For direct contact action - remove water from
bowl by forcing water over trap. Hold mop over bowl and pour
1/2 gallon of CLEANER on mop. Swab entire inside area of bowl
thoroughly, and flush with water out of bowl. Flush toilet and pour
1/2 gallon of CLEANER into bowl. Swab entire bowl seat and cover
with toilet paper. Flush toilet.

ALTERNATE DIRECTIONS: Hold mop over open drain with opening
in floor or trap cap pointed directly under rim of bowl about
1/2 inch from surface. Carefully apply slight pressure on dis-
cussor moving completely around bowl, allowing stream to con-
tinue contact with surface under run. Cleaner will then flow down
into water trap. Allow to remain 1 to 2 minutes. Swab entire
inside area of bowl with mop. The same procedure can be
followed for cleaning urinals.

URINALS: Place mop over trap in urinal and saturate with
CLEANER. Clean urinal thoroughly. Be sure to wet entire surface.
Wipe CLEANER into grooves along side of water outlet and at
top of rim. After scrubbing, remove mop from urinal trap
and pour CLEANER into drain opening and into
drain pipe.

8141211

AMERICAN CHEM-MATE CORP.

EMULSION BOWL CLEANER

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

Caution: May be fatal if swallowed. Do not breathe
vapors. Avoid contact with eyes. Do not get on face or
clothing. Wash face and hands after use. Avoid contact
with skin.

Net Weight (16.9 oz)	14.00
Net Weight (33.7 oz)	21.00
Net Weight (67.4 oz)	37.00
Net Weight (134.8 oz)	64.00

EPA Reg No 900-52-

DISTRIBUTED BY

Chemical Service
Div/American Chemmate Corp.
Howard & West Sts.
Baltimore, MD. 21230

AMERICAN CHEM-MATE CORP. 10000
Baltimore, MD. 21230

DANGER Contains Hydrochloric Acid
POISON KEEP OUT OF REACH OF CHILDREN


FIRST AID - INTERNAL: If swallowed, do not induce
vomiting. Give water to drink. If necessary, give
milk or water to drink. Do not give anything by mouth
if unconscious.

EXTERNAL - EYES: Flush eyes with water for at least
15 minutes. Get medical attention.

SKIN: Wash with soap and water. If irritation
occurs, get medical attention.

NOTE: Do not use in confined spaces. Do not
use in areas where there is a fire hazard.

Do not mix with any other compound. Avoid
splashing on nylon.





BOWLEX

BOWL SANITIZER

DIRECTIONS

TO CLEAN AND DEODORIZE TOILET BOWLS: First flush out water, apply cleaner to swab or rag and clean entire bowl thoroughly, especially up and under the rim. Flush toilet. To deodorize, pour two to four ounces directly into water remaining in the clean bowl. Then swab entire bowl, seat and cover with this solution. After deodorizing, rinse seat and bowl well.

TO DISINFECT: Pour 10 ounces directly into the water remaining in the clean bowl. Then swab the entire bowl and seat cover thoroughly with the solution. After disinfecting, rinse seat and bowl well.

TO CLEAN AND DEODORIZE URINALS: First flush, then clean the urinal by wetting the entire surface. Particular attention should be given to the grooves along the sides of the water outlets at the top. After the surface is cleaned, remove screen at the bottom of the urinal and pour two to five ounces of this product in edge and into the drain trap. Allow to stand three to five minutes. Then, swab the inside pipe thoroughly. Replace screen and flush well.

Rinse empty container thoroughly with water and discard it.

**DISINFECTS - CLEANS - DEODORIZES
DE-SCALES - TOILET BOWLS & URINALS**

ACTIVE INGREDIENTS

Phosphoric Acid 20.0%
Didecyl Dimethyl Ammonium Chloride . . . 0.10%
INERT INGREDIENTS 84.9%

Contains compatible detergents, emulsifiers, and inhibitors.

Also does a marvelous job on bed pans, sterilizers, shower stalls, drinking and wash fountains. Dish-washing machines, steam tables, coffee urns. Eliminates using abrasive cleaners. Non-injurious to plumbing pipes and fixtures. Cleans where others fail.

DANGER - CORROSIVE: KEEP OUT OF REACH OF CHILDREN. See right panel for additional precautions and first aid.


E.P.A. Registration No. 10292-18

Manufactured by
VENUS LABORATORIES
1025 Industrial Drive, Bensenville, Ill. 60106

ACCEPTED
JAI

TO R
FRO
WASH
rinse
TO
FLO
with
DAN
DREI
skin
cloth
Harm
food.
FIRS
flush
least
Remc
reuse
If sw
milk,
are n
Call
NOT
age n
Meas
depre

NET



BOWLEX

BOWL SANITIZER

**DISINFECTS - CLEANS - DEODORIZES
DE-SCALES - TOILET BOWLS & URINALS**

ACTIVE INGREDIENTS

Phosphoric Acid 20.0%

Didecyl Dimethyl Ammonium Chloride . . . 0.10%

INERT INGREDIENTS 84.9%

Contains compatible detergents, emulsifiers, and inhibitors.

Also does a marvelous job on bed pans, sterilizers, shower stalls, drinking and wash fountains. Dish-washing machines, steam tables, coffee urns. Eliminates using abrasive cleaners. Non-injurious to plumbing pipes and fixtures. Cleans where others fail.

DANGER - CORROSIVE: KEEP OUT OF REACH OF CHILDREN. See right panel for additional precautions and first aid.

E.P.A. Registration No. 10292-18

Manufactured by

VENUS LABORATORIES

1025 Industrial Drive, Bensenville, Ill. 60106

TO REMOVE RUST AND HARD WATER STAINS FROM PORCELAIN SINKS, BATHTUBS AND WASH BASINS: Apply with a soft cloth and rinse promptly with cold water.

TO REMOVE STAINS ON CERAMIC TILE FLOORS AND TARNISH FROM BRASS: Apply with cloth and rinse with cold water.

DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

NET CONTENTS:

#104

ED