

Contains chromium compounds.

Do not get in eyes, on skin or on clothing. In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Remove and wash clothing before reuse. May cause rash or external ulcers. Do not breathe dust. May be fatal if swallowed. Do not reuse container. Destroy when empty.

This product is toxic to fish and wildlife. Do not discharge treated effluent into lakes, streams or ponds.

#### Disposal

While Oakite 55 M does inhibit corrosion and algae formations, solutions still must be dumped periodically. The periods between dumpings will naturally vary with each installation. This can only be determined through experience.

Prior to disposal, Oakite 55 M solutions should be acidified to a pH of 1 or 2.5 and the hexavalent chromium reduced to the trivalent form by accepted chemical methods. Neutralize and dispose. Where trivalent chromium is not acceptable for disposal, it may be precipitated out chemically, the sludge hauled away and the remaining effluent introduced into the sewage system. Where required, Oakite Technical Service Representatives are prepared to recommend specific disposal materials and procedures.

#### Free Demonstration and Advisory Service

Oakite 55 M has eased the maintenance burden in a number of air washing systems. It will do the same for yours, keeping it sweet and increasing the time between clean outs. Your Oakite Technical Service Representative is available to talk with you, in greater detail, about this control method. And, if you decide you would like to give it a try in your system, he will be happy to provide necessary testing equipment, free of charge, as well as instruct your personnel in its use and disposal.

**Another First For You!**

# **1-Piece Unitab Screens**

**For Urinals**

**A BOWL WATER BACTERIOSTAT AND DEODORIZER**


## **WARNING**

**KEEP OUT OF REACH OF CHILDREN**

**HARMFUL IF SWALLOWED**

Causes eye irritation. Do not get in eyes. Avoid skin contact. Contact with the product may cause skin irritation or sensitivity in certain individuals. In case of contact with eyes, wash with plenty of water. If eye irritation persists, get medical attention.


Discard empty container in a safe place. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.



**E.P.A. No. 10292-20**

**E.P.A. Est. No. 10292-IL**

**VENUS LABORATORIES,  
1025 Industrial Drive  
Bensenville, Ill. 60106  
Phone: (312) 595-1900**



Now a complete urinal maintainer with screen and chemical block bonded together. **UNITAB SCREENS** Patent No. 3,824,633 offer you many exclusive features:  
**KEEPS DRAINS OPEN** deposits protective film that prevents further buildup.

**EASILY DISPOSABLE AFTER USED UP** eliminates old-fashioned screens that need cleaning and maintaining.

**ODOR CONDITIONING** new deodorizing system works effectively, leaves air mildly scented.

**LASTS A MINIMUM OF ONE MONTH** chemical block doesn't dissolve in a few days.

**DESCALES, CLEANS, AND DEODORIZES.**

**DIRECTIONS:** Place plastic screen with open end against the center of urinal. Upon flushing the urinal, the water dissolves a portion of the waxy composition contained in the block releasing its bacteriostatic ingredients and refreshing scent.

**ACTIVE INGREDIENTS:**

Didecyl Dimethyl Ammonium Chloride	1.0
Phosphoric Acid	2.0
Essential oils	3.0
	<u>94.0</u>
	100.0

**ACCEPTED** ACTIVE INGREDIENTS

*February 1975*

UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC PESTS REGISTERED  
 UNDER NO. 10292-20

NET WT. 4 OZ.

E.P.A. No. 10292-20  
 E.P.A. Est. No. 10292-IL-01

VENUS LABORATORIES, INC.  
 1025 Industrial Drive  
 Bensenville, Ill. 60106  
 Phone: (312) 595-1900

ORIZER

EN

void skin  
 skin irri-  
 n case of  
 . If eye

wallowed,  
 s of fluid