



17

VENUSCIDe
flyinG insect
Killer
 epa registered

ACTIVE INGREDIENTS:

Resmethrin	100%
5-(phenylmethoxy)-3-phenylmethyl-2,2-dimethyl-3-methyl-propenyl-cyclohexanecarboxylate	100%
Related compounds	100%
trans-Alfethrin (isomer of Cyfluthrin)	100%
Related Compounds	100%
Aromatic petroleum Hydrocarbons	100%
INERT INGREDIENTS	100%

100% active ingredients (100% active ingredients)
 100% active ingredients (100% active ingredients)
 100% active ingredients (100% active ingredients)
 100% active ingredients (100% active ingredients)

100% NON-FLAMMABLE PREPARED

EFFECTS TO USE:

Shake well before each use. Remove protective cap. When fully opening away from person. Push button to spray. Apply this product only as specified on this label. **INDOOR HOUSEHOLDS AND INDUSTRIAL PLANTS:** For **FLIES, MOSQUITOES AND GNATS:** Close all doors and windows. Point nozzle upward. Direct spray into the plate of the room, directly at flow and other air currents which attract the insects. Leave the room with no one in it. Leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when the treatment is completed. Sweep up and destroy fallen insects. Repeat as necessary. **INDOOR WASPS AND HORNETS:** Space spray before applying, close all doors, windows and ventilator openings in unfinished attics and crawl spaces where direct sprays cannot reach pests, point nozzle upward and fan the insect with mist at the rate of 35 seconds per 1,000 cubic feet of space. Leave treated area immediately after application is complete. Closing off area for at least 1-2 hour. Ventilate area when treatment is complete. Repeat as necessary. **FOR CRAWLING INSECTS:** Roaches, earwigs, planarians, scorpions, spiders and centipedes. Spray thoroughly into cracks, moist areas, crevices, openings and under and under sinks, under refrigerators, back doors and storage areas. Spray directly on insects where possible as a contact spray. Repeat application as necessary. **ANTS:** Spray trails, nests and points of entry. Carry on ants where possible. Repeat as necessary. **OUTDOORS - REDUCED ANNOYANCE FROM FLYING INSECTS AROUND PONDS AND RECREATIONAL AREAS, HOMES AND INDUSTRIAL PLANTS:** Kill mosquitoes, flies, gnats, mosquitoes, house flies, and other flying insects by directly spraying the treated areas. Follow procedure for application. Spray to 24 inches from trees, bushes and grassy areas. Spray these areas with a slow sweeping motion. If the insect from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from flying insects, treat open beaches and patios in the same manner. Spray only when the insects are flying. Allow sprays to dissipate before occupying the treated area. Repeat as necessary.

NUISANCE PESTS - ON OR NEAR BUILDINGS:

WASPS AND HORNETS: Direct spray application should be made late in evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.
ANTS: Spray trails, nests and points of entry. Carry on ants where possible. Repeat as necessary.
SPIDERS: Direct short bursts of spray on spiders and webs as necessary.
EARTH WASPS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patios, floors and doorway entrances. Repeat as necessary.
IMPORTANT: Sweep up all dead insects and paper or other sweepings into a closed garbage container within two hours after each treatment.

SHAKE WELL BEFORE USING

CAUTION - KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove birds, pets, and cover aquariums before spraying. Do not use on edible crops. Apply the product only as specified on this label. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the plant is not in operation. **WARNING:** Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

E.P.A. Reg. No. 10292-27
 E.P.A. Est. No. 10292-NJ-01

7/3/90

FIRST AID: If get in eyes or on skin flush with water. If irritation persists, call a physician. If swallowed call a physician.

Manufactured by



15 Harold Street
 Westwood, NJ 07675

NET WT. 16 oz.

Not Reviewed. Registrant claims to be in accordance with reregistration of Pesticide Product Guidance for Phase 2
 Response Page 2 12, Active to Inert Change in Status.