

10970-36

P11-31

1/2 100

131

**USE DIRECTIONS FOR CLEANING**

Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of Quat Disinfectant and Cleaner-II per gallon of water. Rinse cleaned area with fresh water.

**HEAVILY SOILED AREAS**-mop or brush soiled surface with a solution containing 5-6 ounces of Quat Disinfectant and Cleaner-II per gallon of water.

Rinse cleaned surface with fresh water.

All treated food contact surfaces must be rinsed with potable water prior to reuse.

**GENERAL PURPOSE DISINFECTION**

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 3 1/2 ounces of Quat Disinfectant and Cleaner-II per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of product per gallon of water and then disinfected.

Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces per gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

**HOSPITAL DISINFECTION**

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 5 1/2 ounces of Quat Disinfectant and Cleaner-II per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water before disinfection.

**SANITIZATION:**

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 3 ounces of Quat Disinfectant and Cleaner-II (continue on next panel)

**QUAT DISINFECTANT AND CLEANER-II**

**DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE-DEODORANT**

**ACTIVE INGREDIENTS:**

n-Alkyl(50%C14,40%C12,10%C16)dimethyl benzyl ammonium chloride.....	1.5%
<b>INERT INGREDIENTS:</b> .....	<b>98.5%</b>
	100.0%

**DANGER**

**Keep Out of Reach of Children  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS**

**EPA Reg. No. 10292-36  
EPA Est. NO. 10292-IL-01**

**NET CONTENTS:**

**VENUS LABORATORIES  
855 LIVELY BLVD.  
WOOD DALE, IL 60191**

per gallon of water. If surface is heavily soiled, use Quat Disinfectant and Cleaner-II at a rate of 5-6 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with rinse solution containing 2 ounces of Quat Disinfectant and Cleaner-II per gallon of water. Food equipment and other treated food contact surfaces must be rinsed with potable water prior to reuse.

**DEODORIZATION:**

To deodorize surface during cleaning, mop or brush surfaces with a solution containing 2 ounces of Quat Disinfectant and Cleaner-II per gallon of water.

Quat Disinfectant and Cleaner-II is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, Quat Disinfectant and Cleaner-II will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails food storage areas, kennel areas and other areas where obnoxious odors may developed. This product may be used as a general purpose antibacterial antifungicidal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired.

**DANGER:**

**KEEP OUT OF REACH OF CHILDREN.** Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately. Inhalation: Remove to fresh air.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Not Reviewed. Registrant claims to be in accordance with registration of Pesticide Product Guidance for Phase 2 Response. Page 2.12, Active to Inert Change in Status.