

Sumithion® 8E

FOR USE ONLY BY OR UNDER THE SUPERVISION OF STATE OR FEDERAL OFFICIALS RESPONSIBLE FOR INSECT CONTROL PROGRAMS ON FOREST AREAS.

COMPONENTS

ACTIVE INGREDIENT:
O, O-Dimethyl-O-(4-nitro-m-tolyl)
phosphorothioate..... 81% (w/w)
INERT INGREDIENT:
..... 19% (w/w)

E.P.A. Registration No. 10308-2
E.P.A. EST. NO. 10308JPO3

DIRECTIONS FOR USE

For diluted uses only in forest areas. The application should be made by aircraft under the supervision of qualified personnel responsible for insect control programs and after careful insect population forecast is made, on the infested forest area. This product may be used only after consultation with Regional Forestry and other responsible pest control officials.

IN THE NORTHEASTERN UNITED STATES

Tree	Insect	Dosage	Application
Spruce	Eastern Spruce	2 oz. a.i. per acre	Dilute 10.4 Gallons of Sumithion 8E with water to make 100 Gallons. Apply 0.15 Gallon of finished spray per acre.
Fir (Abies)	Budworm	3 oz a.i. per acre	Dilute 15.6 Gallons of Sumithion 8E with water to make 100 Gallons. Apply 0.15 Gallon of finished spray per acre.

Application	Larva Stage	One Application	Two Applications
1	3rd - 4th	None	2 ozs. a.i. per acre.
2	4th - 5th	3 ozs. a.i. per acre.	2 ozs. a.i. per acre.

WARNING

**KEEP OUT OF REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED**

Do not get in eyes, on skin or on clothing
Do not breath vapor or mist
Do not store near feed or food products
Keep container closed
Decontaminate, destroy and do not re-use empty containers
Keep away from heat, sparks and open flame

Thoroughly wash skin or clothing with soap and water if they become contaminated. Avoid contact with eyes, if splashed in eyes, immediately flush eyes with plenty of water. Sumithion may be hazardous by inhalation or skin contact. In all cases of suspected poisoning, a physician should be called at once.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

Net Contents: 53 Gallons et No .



SUMITOMO CHEMICAL CO., LTD.

15, 5 chome, Kitahama, Higashi-ku, Osaka, Japan
Trademark of Sumitomo Chemical Co., Ltd.

