

10308-11

12/13/2012

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Dr Robert Hamilton
Registration & Regulatory Affairs
Valent U S A Corporation
1600 Riviera Avenue Suite 200
Walnut Creek CA 94596 8025

DEC 13 2012

Dear Dr Hamilton


Subject New Uses – (R200) add additional food uses bundled six or more
Similar Technical Grade
EPA Reg No 10308 11
Submission dated November 28 2011

Following review of the residue data submitted in support of the IR 4 petition [(PP# 1E7950) (77 FR 73951 73956) (FRL 9365 6)] EPA established pyriproxyfen tolerances for Bulb Vegetable Group 3 07 Fruiting Vegetable Group 8 10 Citrus Fruit Group 10 10 Pome Fruit Group 11 10 Caneberry Subgroup 13 07A Bushberry Subgroup 13 07B Low Growing Berry except Strawberry Subgroup 13 07H and Herb Subgroup 19A Therefore the labeling referred to above submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act is acceptable

Submit two (2) copies of your final printed labeling for each product before releasing the product for shipment If these conditions are not complied with the registration(s) will be subject to cancellation in accordance with FIFRA section 6(e) Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions

A stamped copy of each label is enclosed for your records If you any questions or require more information please contact Kevin Sweeney at (703) 305-5063 Thank you for your cooperation in this matter

Sincerely


Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

Enclosure

SUMITOMO CHEMICAL COMPANY, LTD

SUMILARV[®]

TECHNICAL GRADE

AN INSECTICIDE FOR FORMULATING USE ONLY


Active Ingredient	
*Pyriproxyfen	98.7%
Other Ingredients	1.3%
Total	100.0%

*2-[1-Methyl-2-(4-phenoxyphenoxy)ethoxy]pyridine

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE NEXT PAGE FOR ADDITIONAL PRECAUTIONARY STATEMENTS



NET WEIGHT _____

LOT NO _____

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed, inhaled or absorbed through skin or eyes Causes moderate eye irritation Do not breathe the vapor and avoid getting on skin or in eyes Remove contaminated clothing and wash before reuse Wash thoroughly with soap and water after handling and before eating or smoking

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to by a poison control center or doctor • Do not give anything by mouth to an unconscious person
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible • Call a poison control center or doctor for further treatment advice
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes • Remove contact lenses if present after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment You may also contact 1-800-892-0099 for emergency medical treatment information	

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates Do not discharge effluent containing this pesticide into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your state water board or Regional Office of the Environmental Protection Agency

INSTRUCTIONS FOR FORMULATORS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS

**DISCLAIMER RISKS OF USING THIS PRODUCT,
LIMITED WARRANTY
AND LIMITATION OF LIABILITY**

IMPORTANT Read the entire Label including this Disclaimer, Risks of Using this Product, Limited Warranty, and Limitation of Liability before using this product. If the terms are not acceptable THEN DO NOT USE THE PRODUCT, rather, return the unopened product within 15 days of purchase for a refund of the purchase price

RISKS OF USING THIS PRODUCT

The Buyer and User (referred to collectively herein as Buyer) of this product should be aware that there are inherent unintended risks associated with the use of this product which are impossible to eliminate. These risks include, but are not limited to, injury to plants and crops to which this product is applied, lack of control of the target pests or weeds, resistance of the target pest or weeds to this product, injury caused by drift, and injury to rotational crops caused by carryover in the soil. Such risks of crop injury, non performance, resistance or other unintended consequences are unavoidable and may result because of such factors as weather, soil conditions, disease, moisture conditions, irrigation practices, condition of the crop at the time of application, presence of other materials either applied in the tank mix with this product or prior to application of this product, cultural practices or the manner of use or application (or a combination of such factors) all of which are factors beyond the control of Sumitomo. The Buyer should be aware that these inherent unintended risks may reduce the harvested yield of the crop in all or a portion of the treated acreage or otherwise affect the crop such that additional care, treatment and expense are required to take the crop to harvest. If the Buyer chooses not to accept these risks, THEN THIS PRODUCT SHOULD NOT BE APPLIED. By applying this product Buyer acknowledges and accepts these inherent unintended risks AND TO THE FULLEST EXTENT ALLOWED BY LAW AGREES THAT ALL SUCH RISKS ASSOCIATED WITH THE APPLICATION AND USE ARE ASSUMED BY THE BUYER.

Sumitomo shall not be responsible for losses or damages (including, but not limited to, loss of yield, increased expenses of farming the crop or such incidental, consequential or special damages that may be claimed) resulting from use of this product in any manner not set forth on the label. Buyer assumes all risks associated with the use of this product in any manner or under conditions not specifically directed or approved on the label.

LIMITED WARRANTY

Sumitomo warrants only that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the label, under average use conditions, when used strictly in accordance with the label and subject to the Risks of Using This Product as described above, to the extent consistent with applicable law AND AS SET FORTH ABOVE SUMITOMO MAKES NO OTHER WARRANTIES, EITHER EXPRESSED OR IMPLIED. No agent or representative of Sumitomo or Seller is authorized to make or create any other express or implied warranty.

LIMITATION OF LIABILITY

To the fullest extent allowed by law, Sumitomo or Seller is not liable for any incidental, consequential, indirect or special damages resulting from the use or handling of this product. The limitation includes, but is not limited to, loss of yield on all or any portion of the treated acreage, increased care, treatment or other expenses required to take the crop to harvest, increased finance charges or altered finance ratings, emotional or mental distress and/or exemplary damages. TO THE FULLEST EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE BUYER, AND THE EXCLUSIVE MAXIMUM LIABILITY OF SUMITOMO OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR, AT THE ELECTION OF SUMITOMO OR SELLER, THE REPLACEMENT OF THE PRODUCT.

PROMPT NOTICE OF CLAIM

To the extent consistent with applicable law allowing such requirements Sumitomo must be provided notice as soon as Buyer has reason to believe it may have a claim, but in no event later than twenty one days from date of planting or twenty-one days from the date of application, whichever is latter, so that an immediate inspection of the affected property and growing crops can be made.

To the extent consistent with applicable law if Buyer does not notify Sumitomo of any claims in such period, it shall be barred from obtaining any remedy.

NO AMENDMENTS

Sumitomo and Seller offer this product and Buyer accepts it, subject to the foregoing Disclaimer, Risks of Using This Product, Limited Warranty and Limitation of Liability, which may not be modified by any oral or written agreement.

FOR FORMULATION OF PYRIPROXYFEN CONTAINING INSECTICIDE PRODUCTS ONLY

This product is intended only for use in the formulation of pyriproxyfen containing insecticide products. Products formulated with Similarv Technical will require registration with the Environmental Protection Agency.

DIRECTIONS FOR USE

Only for formulation into insecticide products intended for the following uses

Indoor, Food

Indoor, Non-Food/Feed

Indoor Residential

Outdoor Residential

Terrestrial Non-Food Crop

Terrestrial Food Use on

Crop Groupings

- Root and Tuber Vegetables, (Crop Group 1)
- Leaves of Root and Tuber Vegetables (Human Food or Animal Feed) (Crop Group 2)
- Bulb Vegetables (Crop Group 3-07)
- Leafy Vegetables (Except Brassica Vegetables) (Crop Group 4)
- Brassica Vegetables (Cole) Leafy (Crop Group 5)
- Legume Vegetables (Succulent or Dried) (Crop Group 6)
- Foliage of Legume Vegetables (Crop Group 7)
- Fruiting Vegetables (Crop Group 8-10)
- Cucurbits Vegetables (Crop Group 09)
- Citrus Fruit (Crop Group 10-10)
- Pome Fruit Group (Crop Group 11-10)
- Stone Fruit (Crop Group 12)
- Caneberry (Subgroup 13-07A)
- Bushberry (Subgroup 13-07B)
- Berry (Low growing, except strawberry) (Subgroup 13-07H)
- Small Fruit Vine Climbing Crops (Except Grape) (Subgroup 13-07E)
- Tree Nuts (Crop Group 14)
- Cereal Grains (Crop Group 15)
- Forage, Fodder and Straw of Cereal Grains (Crop Group 16)
- Grass, Forage, Fodder and Hay (Crop Group 17)
- Nongrass Animal Feeds (Crop Group 18)
- Herb (Subgroup 19A)

Individual Crops (Not included in crop groupings) Acerola, Artichoke (Globe), Asparagus, Atemoya, Avocado, Banana, Biriba, Black Sapote, Cacao Bean, Canola, for seed only, Canistel, Cherimoya, Coffee, Cotton, Custard Apple, Dates, Feijoa, Fig, Guava, Grape, Ilama, Jaboticaba, Longan, Lychee, Mamey Sapote, Mango, Olive, Passionfruit, Papaya, PawPaw, Peanuts, Pineapple, Pistachio, Plantain, Pomegranate, Pulasan, Rambutan, Rangeland, Safflower, Sapodilla, Sesame, Soursop, Spanish Lime, Star Apple, Starfruit, Strawberry, Sugar Apple, Sugarcane, Tea, Turnip, Watercress, White Sapote and Wax Jambu

Formulators who use this product are responsible for providing data to support their own registrations

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment

PESTICIDE STORAGE

Keep pesticide in original container
Keep container closed when not in use
Containers should be stored in a cool dry, secure place
Do not store or transport near feed or food

PESTICIDE DISPOSAL

Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER HANDLING

Nonrefillable container Do not reuse or refill this container Offer for recycling if available
Clean container promptly after emptying Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container 1/4 full with water
Replace and tighten closures Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds Stand the container on its end and tip it back and forth several times Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal Repeat this procedure two more times

Copyright© 2011 by Sumitomo Chemical Company, Ltd

Sumilarv is a registered trademark of Sumitomo Chemical Company, Ltd

Manufactured by
Sumitomo Chemical Company, Ltd
27-1 Shinkawa 2-Chome, Chuo-ku
Tokyo, 104-8260, Japan

EPA Reg No 10308-11
EPA Est No 10308-JP-04