Maquat MC1412 - 80% E EPA No. 10324 - 14

he Quaternary Specialists"

The following information is intended only to indicate the broad spectrum activity of the product.

Maquat MC1412 - 80% E is designed for the formulation of disinfectants, sanitizers, and water treatment microbicides.

Chemical composition of Maquat MC1412 - 80% E:

Active Ingredient:

Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride Inert Ingredients

Total

i

ACCEPTED NOV 15 1984 Under the Federal Insectorie. Fargicide, and Rodenticide Act, cs amended, for the pesuicide registered under /// 324-///

80%

_20%

100%

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Maquat MC1412 - 80% E is effective against the representative gram-positive pathogen Staphlococcus aureus, the representative gram negative pathogen Salmonella choleraesuis, and the representative hospital pathogen Pseudomonas aeruginosa at the following A.O.A.C. use dilutions:

Staphlococcus aureus400 ppm active quaternarySalmonella choleraesuis400 ppm active quaternaryPseudomonas aeruginosa1200 ppm active quaternary

Maquat MC1412 - 80% E is effective against Staphlococcus aureus and Escherichia coli as a sanitizer in 550 ppm hard water as tested by the A.O.A.C. Germicidal and Detergent-Sanitizer Method at 200 ppm quat. In addition to use on food processing equipment and utensils. Maquat MC1412 - 80% E may be used on food-contact surfaces in publi2**** eating places.

Maquat MC1412 - 80% E is in compliance with 21CFR & 178.1010 (b)(9) and (c)(6).

Maquat MC1412 - 80% E is designed for formulation of sanitizer-cleaners. for use in restaurants and bars, dietary areas, dairy and poultry farms,

5253 WEST BELMONT AVENUE

CHICAGO, ILLINOIS 60641

PHONE: 312-282-0200 - CABLE ADDRESS. MASCHEM - TWX: 910-221-4233

OUTSIDE ILLINOIS CALL: 1-800-362-1855

plants such as:


For use in plants operating under the USDA Poultry, Meat, Rabbit, Shell Egg Grading, and Egg Products Inspection Programs. Maquat MC1412 - 80% E is for use in formulating sanitizers for use on all surfaces not always requiring a rinse. Before using these compounds, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of these compounds on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have deleterious effect on edible products. A potable water rinse is required following use of these compounds under conditions other than those stated above.


For use sanitizing dishes, silverware, glasses, and other food utensils at 200 ppm active. Maquat MC1412 ~ 80% E may be used on food contact surfaces in public eating places. Do not rinse with potable water.

ł

Food eggs that have been sanitized with Maquat MC1412 - 30% E shall be subjected to a thorough potable water rinse only if they are to be immediately broken for use in the manufacture of egg products.

Formulators using this product are responsible for EPA registration and USDA authorization for their formulated products.





'The Guaternary Specialists"

10F2 PM31 13324-14

Maquat MC1412 - 80% E EPA No. 10324 - 14


The following information is intended only to indicate the broad spectrum activity of the product.

Maquat MC1412 - 80% E is designed for the formulation of disinfectants, sanitizers, and water treatment microbicides.

Chemical composition of Maquat MC1412 - 80% E:

Active Ingredient:

Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl	
benzyl ammonium chloride	80%
Inert Ingredients	<u> 20% </u>
Total	100%



. . . .

....

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Maquat MC1412 - 80% E is effective against the representative gram-positive pathogen Staphlococcus aureus, the representative gram negative pathogen Salmonella choleraesuis, and the representative hospital pathogen Pseudomonas aeruginosa at the following A.O.A.C. use dilutions:

Staphlococcus aureus Salmonella choleraesuis Pseudomonas aeruginosa 400 ppm active quaternary 400 ppm active quaternary 1200 ppm active quaternary

Maquat MC1412 - 80% E is effective against Staphlococces aureus and Escherichia coli as a sanitizer in 550 ppm hard water as costed by the A.O.A.C. Germicidal and Detergent-Sanitizer Method at 200 ppm quat. In addition to use on food processing equipment and utensils, Maquat MC1412 - 80% E may be used on food-contact surfaces in public eating places.

Maquat MC1412 - 80% E is in compliance with 21CFR & 178.1010 (b)(9) and (c)(6).

Maquat MC1412 - 80% E is designed for formulation of sanitizer-cleaners. for use in restaurants and bars, dietary areas, dairy and poultry farms,

PHONE: 312-282-0200 – CABLE ADDRESS: MASCHEM – TWX: 910-221-4233

OUTSIDE ILLINOIS CALL: 1-800-362-1855

, ___.. <u>_</u>_.

For use in plants operating under the USDA Poultry, Meat, Rabbit, Shell Egg Grading, and Egg Products Inspection Programs. Maquat MC1412 - 80% E is for use in formulating sanitizers for use on all surfaces not always requiring a rinse. Before using these compounds, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of these compounds on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have deleterious effect on edible products. A potable water rinse is required following use of these compounds under conditions other than those stated above.

For use sanitizing dishes, silverware, glasses, and other food utensils at 20° opm active. Maquat MC1412 - 80% E may be used on food contact surfaces in public eating places. Do not rinse with potable water.

Food eggs that have been sanitized with Maquat MC1412 - 80% E shall be subjected to a thorough potable water rinse only if they are to be immediately broken for use in the manufacture of egg products.

Formulators using this product are responsible for EPA registration and USDA authorization for their formulated products.

ACCEPTED
NOV 1 5 1984
Under the Federal Insecticity, Fungicide, and Potenticide (16), as amended for the periode

EPA Reg. No. /0324-14