10324 - 15 11/15/2001 Vage 1 2 6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Mr. Marc Mason Mason Chemical Company 721 W. Algonquin Road Arlington Heights, IL 60005

MOV 1 5 2001

SUBJECT:Maquat TC76-10%EPA Registration Number: 10324-15Application Date: August 17, 2001Receipt Date: August 24, 2001

Dear Mr. Marc Mason,

l

The following amendment, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- Add an alternate Confidential Statement of Formula (CSF)
- Add new uses
- Update label language

Conditions

Revise the label as follows:

1. Revise the Storage and Disposal statements for containers of 1 gallon or less to include the statement: "Do not contaminate water, food, or feed by storage or disposal." unless the final printed label is for residential use only.

2. Revise the maintenance application rates for the use of this product with halogen based and non-halogen based sanitizers by correcting the parts per million statement. Based on your rate revise to state "or as needed to maintain 0.5 ppm active."

			CONCURRENC	ES		
SYMBOL	7510C					
SURNAME						
DATE	11/15/01					

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

3. Your Application for Pesticide indicates that this product will be sold in 1 quart containers as well as containers of 1 gallon and larger. The label on your container can not call for the use of a quantity of product which is greater than your container size. Modify the chart for one quart containers by deleting all references to dosages greater than one quart (32 ounces.)

4. The referenced label for the sites "Evaporative Condensers" and "Heat Exchange Water Systems" (EPA Reg. No. 10352-31) does not contain the same active ingredients as in your formulation and thus cannot be used to verify the directions for use and dosages for your product. Delete these sites from your label as they appear on the first and third pages.

5. The submitted alternate formulation dated 4/20/01 is acceptable.

General Comments

A stamped copy of the labeling accepted with conditions is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

If the above conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,

the MAle

Velma Noble Product Manager (31) Regulatory Management Branch I Antimicrobials Division (7510C)

Enclosure: Stamped label 7510C:T.Lantz:11/15/01:10324-15a

CONCURRENCES
SYMBOL
SURNAME
DATE

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

276

PRECAUTIONARY STATEL ...NTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get into eyes, on skin or on clothing. Wear protective eyewear (goggles, safety glasses or face shield), protective clothing, and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with soap, anionic detergents or oxidizers.

(For Swimming Pool Use and Decorative Fountains and Pools 1 gallon or less) STORAGE AND DISPOSAL

1. PESTICIDE STORAGE

Store in original containers and place in locked storage area. Keep from freezing. Do not contaminate water, food, or feed by storage or disposal.

- SPILL OR LEAK PROCEDURES Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.
- 3. PESTICIDE DISPOSAL

Securely wrap original container in several layers of newspaper and discard in trash. 4. CONTAINER DISPOSAL

Do not reuse container (bottle, cans, jars). Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

(For Industrial Water Treatment Use, Industrial and /or Commercial Recirculating Cooling Water Towers and Recirculating Cooling Water Systems.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

- 1. PESTICIDE STORAGE
- Store in original containers and place in locked storage area. Keep from freezing.
- 2. SPILL OR LEAK PROCEDURES

Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained, the material then moved into containers and disposed of by approved methods for hazardous wastes.

3. PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control agency or the Hazardous Waste representative at the nearest EPA Regional Office fro guidance.

4. CONTAINER DISPOSAL

Do not reuse empty container (bottle, cans, jars). Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incinerate or if allowed by state and local authorities, by burning. If burned stay out of smoke.

5. GENERAL

Consult Federal, State, or local disposal authorities for approval of alternative procedures such as limited open burning.

MAQUAT TC76-10%

Maquat TC76-10% for Control of Algae and Algal Slime Growth in Swimming Pools, Decorative Fountains and Pools, Industrial and/or Commercial Recirculating Cooling Water Towers, Retort Water Systems, Evaporative Condensers, Heat Exchange Water Systems.

ACTIVE INGREDIENTS

Alkyl (60%C14, 30%C16, 5%C12, 5%C18) dimethyl benzyl ammonium chloride	9.96%
Dialkyl (60%C14, 30%C16, 5%C12, 5%C18) methyl benzyl ammonium chloride	0.04%
INERT INGREDIENTS:	<u>90.00%</u>
TOTAL:	100.00%

Weight: Approx. 8lbs./gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

See left panel for additional precautionary statements

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advise. **Have person sip a glass of water if able to swallow.** Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person,

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate gastric lavage.

MASON CHEMICAL COMPANY "THE QUATERNARY SPECIALISTS"



721 W. Algonquin Road Arlington Heights, IL 60005 847-290-1621

> Toll Free: 1-800-362-1855

in EFA Letter Dated:

NOV 1 5 2001

E.P.A. Reg. No. 10324-15 E.P.A. Est. No. 10324-IL-1

Under the Foderal Insecticide, Hungler 30, and Rodenticide Act as amended, for the perficide, registered under EPA Reg. No./0324-15

NET CONTENTS

BATCH NO

W

41

Ø

This product is efficient and stable in use dilution

This product is compatible with most chemicals used in pool water and will not damage tile, concrete, metal or plastics.

This product keeps pool water free and sparkling, clear of visible green and bluegreen algae, slime and green brown colors.

This product improves filter operation and reduces need for other chemicals.

This product imparts tone and a pleasant "feel" to swimming pool water.

This product is formulated to complement swimming pool water being treated with normal chlorine systems. It is especially effective against growth of algae and being non-volatile, aids in maintaining pool water clarity and sparkle. The residual effectiveness of this algaecide tends to stabilize the total chemical treatment system.

This product is compatible with most chemicals normally used in swimming pool maintenance: however, in its concentrated form, this chemical should not come in contact with high concentrations of chlorine or any other oxidizer. DO NOT MIX THIS PRODUCT AND CHLORINE OR ANY OTHER OXIDIZER TOGETHER before adding to the pool. These chemicals should be handled separately.

This product was formulated to complement most swimming pool sanitizers. This product is not a stand alone product, it must be used with either halogen based or non-halogen based pool sanitizers. This product supports your overall pool chemical maintenance program, offering a residual effectiveness that protects your pool against algae formation while keeping your pool water sparkling clear. This product protects the unattended pool when you're away (refer to Vacation Treat section in Directions For Use),

SWIMMING POOLS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Please read entire label and use strictly in accordance with precautionary statements and directions.

DIRECTIONS FOR USE

This product requires no special equipment for treating swimming pool water. The correct use dilution may be added directly to the pool in any spot or added to the water circulation equipment. This product works the best when added by itself directly to pool water.

INSTRUCTIONS FOR USE WITH HALOGEN BASED POOL SANITIZERS

This product is formulated to complement most swimming pool sanitizers. When using other products as outlined in Directions For Use on those products. This product is effective against the growth of algae. This product is efficient and non-staining when used as directed. This product will not evaporate and its algae fighting abilities actually increase as pool water temperature increases.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturers directions. Adjust pH between 7.2-7.6. Adjust chlorine residual to 1-3 ppm. In a chlorine treated pool, add stabilizer to establish a minimum level of 40-50 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Check for metals and if present add satin and scale inhibitor to prevent staining of pool surface due to metals. Check chlorine residual and adjust to 1-3 ppm.

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers should not be allowed into the water.

INITIAL APPLICATION FOR SWIMMING POOLS

- Back wash the filter thoroughly. 1
- 2. Vacuum algae debris to waste and thoroughly brush pool.
- 3. Add one gallon of this product to each 50,000 gallons of water (26 ounces per 10,000 gallons) or ratio thereof.

- Vacuum fafter 24 hours to remove dead algae 4
- 5. algae.
- 6. Once algae is under control, clean filter and return to normal operation.

MAINTENANCE APPLICATION

Add one quart of this product in 50,000 gallons of water every 3-5 days or as needed to maintain 2 ppm active. Quaternary Test Kits are available for this use.

BOOSTER APPLICATION

One quart of this product in 50,000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load.

The above directions should be followed even when the pool is not in use.

If algae growth is noticeable, apply initial dose.

VACATION TREATMENT When you are going to be away for one week or more add 24 ounces of this product per 10,000 gallons of water for every week unattended. Pour product around the edges of the shallow end of the pool, if shock is also being applied in the deep end of pool.

OPTIONAL INSTRUCTIONS FOR USE WITH NON-HALOGEN BASED POOL SANITIZERS

This product is formulated to complement swimming pool water being treated with the BioGuard Softswim System, Bacquacii and other non-halogen systems. When using other products as outlined in Directions For Use for this product, always follow Directions For Use of those products. This product is efficient and non-staining when used as directed. This product will not evaporate and its algae fighting abilities actually increases as the pool water temperature increases. The residual effectiveness of this product tends to stabilize the total chemical treatment system.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturers directions. Adjust pH between 7.2-7.6. Check for metals and if present add satin and scale inhibitor to prevent staining of pool surface due to metals

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers should not be allowed into the water.

INITIAL APPLICATION FOR SWIMMING POOLS

- Back wash the filter thoroughly.
- 2 Vacuum algae debris to waste and thoroughly brush pool.
- Add one gallon of this product to each 50,000 gallons of water (26 ounces per 10,000 3 gallons) or ratio thereof.
- Vacuum pool after 24 hours to remove dead algae.
- 5 If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae.
- 6 Once algae is under control, clean filter and return to normal operation.

MAINTENANCE APPLICATION

Add one quart of this product in 50,000 gallons of water every 3-5 days or apprendig to maintain 2 ppm active. Quatemary Test Kits are available for this use with COMMENTS

BOOSTER APPLICATION

in EPA Letter Dated: One quart of this product in 50,000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load.

The above directions should be followed even when the pool is not in use Federal Insecticide Fungicide, and Rodenticide Art as

If algae growth is noticeable, apply initial dose.

WINTERIZING TREATMENT

amonded, for the pesticide, WINTERIZING TREATMENT When swimming pool season is over, add 1 gallon of this product per 16,000 gallons (8) •324. ounces per 1,000 gallons) (or ratio thereof) of water left in pool. This dose helps provide a 15 measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

Magual TC76-10% Page 2

For persistent algae or slime producing organisms add 1 quart of product in to the skimmer with the filter pump running. After one minute shut off pump and anow the system to remain off overnight. The following day, restart the filter pump and add 1 guart of this product to the pool. Run filter continuously for 24-48 hours brushing the sides and bottom of the pool frequently.

(Usage chart for one-gallon containers)

Swimming Pool Capacity Gallon of Water	initial Treatment	Maintenance Dose Booster Dose
5,000	12.8 ounces	3.2 ounces
10,000	25.6 ounces	6.4 ounces
Z ³ \$20,000	51.2 ounces	12.8 ounces
O H 525,000	64.0 ounces	16.0 ounces
2 (30()00)	76.8 ounces	19.2 ounces
<u>a</u> <u>9</u> 4400	102.4 ounces	25.6 ounces
	128.0 ounces	32.0 ounces
2001	OR ae chart for one-quart conta	

((Usage	chart	for one	-quart	conta	iners)

Swimming Pool Capacity Gallon of Water	Initial Treatment	Maintenance Dose Booster Dose	
5,000	12.8 ounces	3.2 ounces	
10,000	25.6 ounces	6 4 ounces	
20,000	*51.2 ounces (> 1 quart)	12.8 ounces	
25,000	*64.0 ounces (2 quarts)	16.0 ounces	
30,000	*76.8 ounces	19.2 ounces	
40,000	*102.4 ounces	25.6 ounces	
50,000	*128.0 ounces (4quarts)	32.0 ounces	

Note: Depending upon the gallon capacity of the pool for initial Treatment, multiply quarts may be required. Please follow label directions carefully.

ALTERNATE WINTERIZATION METHOD

This product may be used with the following pool chemicals to form a winterization "package". Directions:

- Add a maintenance dose of chloride or oxygen shock.
- 2. Top up BioGuard Softswim System, Bacquacil or other non-halogen systems to 50 DDM.
- Add 80 ounces of this product per 10,000 gallons (32 ounces per 4,000) (or ratio 3. there of) of water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.
- 4. Allow filter to run for several hours after chemical additions for good mixing.

Note: Before using chlorine or oxygen shock, read the Directions for Use and Precautionary Statements specific to that product.

TO DETERMINE POOL CAPACITY

Rectangular Pools: Length (times) width (times) average depth (in feet) (times) 7.5 (equals) gailons.

Round and Oval Pools: Long diameter (times) short diameter (times) average depth (in teet) (times) 5.9 (equals) gallons

DIRECTIONS FOR USE IN OUTSIDE SPAS/WHIRLPOOLS/HOT TUBS

Initial Dose: Add 12.8 ounces of this product per 5,000 gallons of water. Initial dose is used upon filling of outside spa/whirlpool/hot tub bath.

Maintenance Dose: Add 3.2 ounces of this product per 5,000 gallons of water. Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or outside spa/whirlpool/hot tub bath has unusually heavy use, add maintenance dose more frequently, Drain and clean outside spa/whirlpool/hot tub bath at least once a month or as needed depending Magual TC76-10% Page 3

DIRECTIONS FOR USE

INDUSTRIAL WATER TREATMENT

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use water containing residues from use of this product to irrigate crops for food or feed

Use of the product in either public/municipal or single or multiple family private/residential potable/drinking water systems is strictly prohibited. Use of the product in any cooling water system that discharges effluent within 1/2 mile of either a public/municipal or single or multiple family private/residential potable/drinking water intake is strictly prohibited

This product aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, industrial and commercial cooling towers. INDUSTRIAL AND/OR COMMERCIAL RECIRCULATING COOLING WATER TOWERS. **RETORT WATER SYSTEMS, EVAPORATIVE CONDENSERS, HEAT EXCHANGE WATER** SYSTEMS.

- 1. DOSING LOCATION: This product is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.
- 2. DOSING CONDITIONS: This product should be applied when the system is in jeopardy of being affected or after cleaning systems where efficiency is already impaired.
- 3. METHOD OF APPLICATION:

a. INTERMITTENT OR SLUG METHOD

Initial Dose: When the system is noticeably fouled, apply 26,25 to 51,25 fluid ounces (20 to 40 ppm on an active quaternary basis) per 1000 gallons of water in the system. Repeat until control is achieved.

Subsequent Dose: when microbial control is evident, add 6.65 to 19.25 fluid ounces (5 to 15 ppm on an active quaternary basis) per 1000 gallons of water in the system twice weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

b. MODIFIED INTERMITTENT METHOD

Initial Dose: When the system is noticeable fouled, apply 26.25 to 51.25 fluid ounces (20 to 40 ppm on an active guatemary basis) per 1000 gallons of water in the system. Apply half of this initial dose when half of the water in the system has been lost by blowdown.

Subsequent Dose: When control of microbial growth is evident, apply 6.65 to 19.25 fluid ounces (5 to 15 ppm on an active guaternary basis) per 1000 gallons of water in the system, Apply half of this subsequent dose when half of the water in the system has been lost by blowdown, Badly fouled systems must be cleaned before treatment is begun.

c. CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, apply 26.25 fluid ounces (20 ppm on an active quaternary basis) per 1000 gallons of water in the system.

Subsequent Dose: Maintain this treatment by starting a continuous feed of 6.65 fluid ounces (5 ppm on an active guaternary basis) per 1000 gallons of water lost by blowdown, Badly fouled systems must be cleaned before treatment is begun.

S

0

Evaporative Condensers and Heat Exchange Water Systems

This product should be used at the same application rates, and in the same manner as described above. It should be added to the system at a point of uniform mixing such as basin area, sump area, or other reservoir or collecting area from which the treated water will be 41 circulated uniformly throughout the system.

- Pungicicia, amended

recristered

DIRECTIONS FOR USE

CONTROLLING ALGAE GROWTH

Bird Baths: Do not use with fish. Clean to remove algae growth prior to filling bird bath. Then spray all exposed surfaces with a solution of 1 ounce of this product per gallon of water. Allow to air dry and brush off dead algae.

Algae Control on walkways: For heavy infestations, spray or swab a solution of 1 ounce of this product per gallon of water. Let stand for an hour or more then brush and wash away dead algae. Soak area again with the solution. Do not rinse. Allow to dry on the surface and repeat application when algae growth returns.

Instructions For Decorative Fountains And Pools

This product is toxic to fish. DO NOT use this product when fish are present.

Initial Dose:

- 1. Remove floating algae by raking, dragging with cable or chain or any other suitable method. It is more economical to remove floating type algae (if possible) before the water is treated.
- 2. Add this product at any point that is convenient, such as the bowl, pool, or sump.
- 3. Add one gallon of this product to each 50,000 gallons (32 ounces per 12,500 gallons) or ratio thereof.

Weekly Maintenance Dose: One quart of this product to each 50,000 gallons of water every 3-5 days or as to maintain 0.5 ppm active.

Each month drain and clean bowl. Refill with fresh water and repeat initial treatment. Draining removes alroorne dirt, dust, contamination and alkali buildup.

Decorative Fountain or Pools Capacity in gallons of water	Initial Treatment	Maintenance Dose Booster Dose	
50,000	128 ounces	32 ounces	
25,000	64 ounces	16 ounces	
12,500	32 ounces	8 ounces	
6,250	16 ounces	4 ounces	
3,125	8 ounces	2 ounces	
1,562	4 ounces	1 ounce	
781	2 ounces	1/2 ounce. (1 Tablespoon)	
390	1 ounce.	% ounce	
195	1/2 ounce (1 Tablespoon)	0.125 ounces.	

ACCEPTED with COMMENTS in EPA Letter Dated:

NOV 1 5 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10324-15

0 N

(U)