PRECAUTIONARY STATEMENTS DANGER

HAZARDS TO HUMANS & DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN CORROSIVE

Causes severe eye and skin damage. Do not get in eyes, enskin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lettes, streams, ponds or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS Do not use at store near fivat or open flame

DIRECTIONS FOR USE

GENERAL CLASSIFICATION
It is a violation of Federal law to use this product in a manner inconsistent with its labeling

INITIAL APPLICATION FOR SWIMMING POOLS

(To A Clean Pool) 28-fluid oz MAQUAT TC76 - 50% to each 50,000 gallons of water or ratio thereof. If Algae growth is visible apply the initial dose. Vacuum pool after 24 hours to remove dead alone. It alone is still visible remeat dose as necessary until pool is tree of visible algae

CONTINUED APPLICATION

6.5 find oz. MAQUAT TC76 - 50% in 50.000 gallons of water every 3-5 days or as needed to maintain 2 ppm active. Quaternary Test kits are evalable for this use

BOOSTER APPLICATION

6.5 fluid oz MAQUAT TC76 - 50% in 50,000 gattons after a heavy or prolonged rainfall or when there is a heavy bathing load

The above directions should be followed even when the pool is not in use

INITIAL APPLICATION FOR RECIRCULATING WATER COOLING TOWERS ITo A Clean System)

The dase should be poured into the sump of a system which is clean or in which growth is first noticed.

5 25 to 10 25 fluid ounces (20 to 40 ppm on an active quaternary basis) per 1000 gallons of confained water. When heavy algae growth is present, system will have to be cleaned manually

SUBSEQUENT APPLICATION

1.33 to 3.85 fluid ounces (5 to 15 ppm on an autice quarernery basis) per 1000 galliphs of contained water The above directions are to be followed twice weakly or

If argae growth is noticeable, apply the init if it is se

MAQUAT TC76-50%

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONNEL

Concentrated Algaecide MAQUAT TC76 - 50% for Control of Algae and Algai Slime Growth in Swimming Pools and Water Cooling Systems.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₊ , 30% C ₁₊ , 5% C ₁₂ & 5% C ₁₃) dimethyl benzyl ammonium chlorida	42.09
methyl benzyl ammonium chlonde.	8.04
INERT INGREDIENTS:	
TOTAL	100.09
Weight approx 8 lbs /gallon	

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician im-

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against cir-Culatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



Mason Chemical Company Ep "The Quaternary Specialists"

5253 WEST BELMONT AVENUE 312/282-0200

STORAGE AND DISPOSAL

1. PROHIBITIONS DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL, OPEN DUMPING IS PRO-HIBITED. DO NOT PEUSE EMPTY CONTAINER.

2. STORAGE INSTRUCTIONS STORE IN ORIGINAL CONTAINER. KEEP FROM FREEZING.

3. SPILL OR LEAK PROCEDURES SMALL SPILLS MAY BE MOPPED UP. FLUSHED AWAY WITH WATER OR ABSORBED ON SOME ABSORBENT MATERIAL AND INCINERATED. LARGE SPILLS SHOULD BE CONTAINED; THE MATERIAL THEN MOVED INTO CONTAINERS AND DISPOSED OF BY APPROVED METHODS FOR HAZARDOUS WASTES.

4. PESTICIDE DISPOSAL PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IM-PROPER DISPOSAL OF EXCESS PESTICIDE. SPRAY MIXTURE, OR RINSATE IS A VIOLATION OF FEDERAL LAW IF THESE WASTES CANNOT BE DISPOSED OF BY THE USE ACCORDING TO LABEL INSTRUCTIONS.
CONTACT YOUR STATE PESTICIDE OR ENVIRONMEN-TAL CONTROL AGENCY. OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE.

5. CONTAINER DISPOSAL TRIPLE RINSE (OR EQUIVALENT). THEN OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL, OR BY OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES.

6. GENERAL CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVAL OF ALTERNATIVE PRO-CEDURES SUCH AS LIMITED OPEN BURNING.

MAQUAT TC76 - 50% IS COMPATIBLE WITH MANY SWIMMING POLL CHEMICALS AND WHEN USED AS DIRECTED IT IS NOT HARMFUL TO THE METAL PAINT. PLASTIC OR TILE SURFACES OF THE SWIMMING

MAQUAT TO76 - LOW, WHEN USED AS DIRECTED. WILL HELP IMPROVE THE APPEARANCE AND CLEANLINESS OF THE SWIMMING POOL WATER, AND COOLING SYSTEMS WATER

MAQUAT TC76 - 59% HELPS INHIBIT THE GROWTH OF UNSIGHTLY ALGAE.

MAQUAT TC78 - 52%, WHEN PROPERLY STORED FOR PPOLONGED PERIODS OF TIME, WILL NOT LOSE ITS EFFECTIVENESS OR STRENGTH.

The Quaternary Specialists

253 WEST BELMONT AVENUE
CHICAGO, ILLINOIS 60641 OCT 2 7 1983 WATER CARCILLATION EQUIPMENT
312/282-0200

"Net Contents

Batch No.