STATES ENVIRONMENTAL PROTECTIF AGENCY

10324-19

9/29/2006



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

SEP 2 9 2006

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Elizabeth Tannehill Regulatory Manager Mason Chemical Company 721 W. Algonquin Rd. Arlington Heights, IL 60005

Subject:

Maquat TC76-50%

EPA Reg. No.10324-19

Application Dated: August 29, 2006 Receipt Date: September 5, 2006

Dear Ms. Tannehill,

The following notification submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act(FIFRA) section 3(c) 9 and the provisions of PR Notice 98-10 is acceptable.

Proposed Notification

· Delete a duplicate statement: "Do not contaminate water, food, or feed by storage or disposal." from the Pesticide Storage Subsection.

Comments

Based on a review of the material submitted, the following comments apply: This application for notification to delete a duplicate statement is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233. Sirfcerely

'elma N

Product Manager (31)

		Regulatory Management Branch 1
	CONCURRENCES	Antimicrobial Division (7510c)9
17570C		
NAME & D. Kegler		
= N 09/27/06		
4 Form: 1320-1A (1/90)	Printed on Recycles Porma	

	lorm	Form	Approve	MB No. 207/	70-0060. Approval expires 2-28-
SEPA Environmental Pro	i States	· · ·	V Approve	Registratio Amendmen Other	OPP Identifier Number
Арр	plication for f	Pesticide - Sc	ection		
1. Company/Product Number 10324-19		2. EPA Product N Noble	Aenager		3. Proposed Classification None Restricted
4. Company/Product (Name) Maquat TC76-50%		PM# 31			
5. Name and Address of Applicant (Include ZIP Code) Mason Chemical Company 721 W. Algonquin Rd. Arlington Heights, IL 60005 Check if this is a new address		(b)(i), my producto:	ct is simi	ilar or identical	e with FIFRA Section 3(c)(3) I in composition and labeling
	Sec	tion - II			
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	1	Agency I "Me Too	nted label: latter date o" Applica Explain be	ation.	
Removal of duplicate statement on page 1. 'This notification is consistent with the provisions of PR Notice 95-2 and EPA regulation that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EP violation of FIFRA and I may be subject to enforcement action and penalties under set This is a Notification only and does not have a category nor requires a fee. Contact Info: Elizabeth (Liz) Tannehill, Liz @maquat.com voice:800-362-1855, fax:84	PA. I further understand that i ections 12 and 14 of FIFRA."	if this notification is not consider	made to the lat stent with the t	beling or the confidential sterms of PR Notice 95-2 as	statement of formula of this product. I understand and 40 CFR 152.46, this product may be in
	Secti	ion - III			
be submitted Unit Packaging wgt. con 3. Location of Net Contents Information 4. Siz	per If "Yes" Package	ewgt contair	ner	V Pla Gla Paş	etal astic lass aper ther (Specify)
Label Container S. Manner in Which Label in Affixed to Readure	1 qt., 1 gal., 5 (1 0	On Labei	
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Ou	her		the state of the s
		on - IV			
1. Contact Point (Complete items directly below for iden	ntification of individ	lual to be contacte	d, if nece	ssary, to process	s this application.)
Name Elizabeth Tannehill	Title Regulator	ry Manager			ephone No. (Include Area Code) 7-290-1621
Ce f certify that the statements I have made on this for acknowledge that any knowlingly false or misless both under applicable law.					6. Date Application Received (Stamped)
2. Signature	3. Title Regulatory	/ Manager	·		
l. Typed Name Elizabeth Tannehill	5. Date	8/29/06			

August 29, 2006

Velma Noble
Document Processing Desk
Office of Pesticide Programs (7510P), PM31
U.S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Dr.
Arlington, VA 22202

Subject:

Maquat® TC76-50%, 10324-19

Notification

Dear Velma.

We are respectfully submitting the following items on our label Maquat® TC76-50%, 10324-19:

1. One (1) copy of label

2. Application/Notification Form

We have made the following changes on our label:

 Page 1 – We have removed the duplicate statement "Do not contaminate water, food, or feed by storage or disposal" in the Storage Disposal (under 1 gallon) section. This statement was found by a customer under the header as well as in the Pesticide Storage subsection. We are removing it from the Pesticide Storage subsection.

This is a Notification. Therefore, there is NO fee required. However, we understand the EPA will contact us with the correct payment information, if necessary, upon of receipt of application.

If you have any questions, please do not hesitate to contact me at 800-362-1855 or liz@maquat.com. Your assistance with this registration is greatly appreciated.

Sincerely,

MASON CHEMICAL COMPANY

Elizabeth Tannehill

Enclosures

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled, swallowed or absorbed through skin. Do not get into eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective eyewear (goggles, safety glasses or face shield), protective clothing, and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with soap, anionic detergents or oxidizers.

(For Swimming Pool Use and Decorative Fountains and Pools 1 gallon or less)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original containers and place in locked storage area. Keep from freezing.

SPILL OR LEAK PROCEDURES: Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container (bottle, cans, jars). Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

(For Industrial Water Treatment Use, Industrial and /or Commercial Recirculating Cooling Water Towers and Recirculating Cooling Water Systems.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original containers and place in locked storage area. Keep from freezing

SPILL OR LEAK PROCEDURES: Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained, the material then moved into containers and disposed of by approved methods for hazardous wastes.

PESTICIDE DISPOSAL. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control agency or the Hazardous Waste representative at the nearest EPA Regional Office fro guidance.

CONTAINEP DISPOSAL: Do not reuse empty container (bottle, cans, jars). Triple rinse (or equivalent). Then ofter for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incinerate or it allowed by state and local authorities, by burning. If burned stay out of smoke

GENERAL: Consult Federal, State, or local disposal authorities for approval of alternative procedures such as limited open burning.

MAQUAT TC76-50%

For Control of Algae and Algal Slime Growth in Swimming Pools, Outside Spas/Whirlpools/Hot Tub Baths, Decorative Fountains and Pools, Industrial and/or Commercial Recirculating Cooling Water Towers, Retort Water Systems and Molluscs in Once through cooling systems

ACTIVE INGREDIENTS

Alkyl (60%C ₁₄ , 30%C ₁₆ , 5%C ₁₂ , 5%C ₁₈) dimethyl benzyl ammonium chloride
Dialkyl (60%C ₁₄ , 30%C ₁₆ , 5%C ₁₂ , 5%C ₁₈) methyl benzyl ammonium chloride
INERT INGREDIENTS: 50.0%
TOTAL:100.0%

Weight: Approx. 8lbs./gallon

KEEP OUT OF REACH OF CHILDREN DANGER

See left panel for additional precautionary statements

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage.

MASON CHEMICAL COMPANY

"THE QUATERNARY SPECIALISTS"
721 W. Algonquin Road
Arlington Heights, IL 60005

847-290-1621 Toll Free:

1-800-362-1855

E.P.A. Reg. No. 10324-19 E.P.A. Est. No. 10324-1L-1

NET CONTENTS

BATCH NO

4 2

This product is efficient and stable in use dilution.

This product is compatible with most chemicals used in pool water and will not damage tile, concrete, metal or plastics.

This product keeps pool water free and sparkling, clear of visible green and bluegreen algae, slime and green brown colors.

This product improves filter operation and reduces need for other chemicals.

This product imparts tone and a pleasant "feel" to swimming pool water.

This product is formulated to complement swimming pool water being treated with normal chlorine systems. It is especially effective against growth of algae and being non-volatile, aids in maintaining pool water clarity and sparkle. The residual effectiveness of this algaecide tends to stabilize the total chemical treatment system.

This product is compatible with most chemicals normally used in swimming pool maintenance: however, in its concentrated form, this chemical should not come in contact with high concentrations of chlorine or any other oxidizer. DO NOT MIX THIS PRODUCT AND CHLORINE OR ANY OTHER OXIDIZER TOGETHER before adding to the pool. These chemicals should be handled separately.

This product was formulated to complement most swimming pool sanitizers. This product is not a stand-alone product. It must be used with either halogen based or non-halogen based pool sanitizers. This product supports your overall pool chemical maintenance program, offering a residual effectiveness that protects your pool against algae formation while keeping your pool water sparkling clear. This product protects the unattended pool when you're away (refer to Vacation Treatment section in Directions For Use).

DIRECTIONS FOR USE

SWIMMING POOLS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Please read entire label and use strictly in accordance with precautionary statements and directions.

This product requires no special equipment for treating swimming pool water. The correct use dilution may be added directly to the pool in any spot or added to the water circulation equipment. This product works the best when added by itself directly to pool water.

INSTRUCTIONS FOR USE WITH HALOGEN BASED POOL SANITIZERS

This product is formulated to complement most swimming pool sanitizers. When using other products as outlined in Directions For Use on those products, always follow Directions For Use of those products. This product is effective against the growth of algae. This product is efficient and r.on-staining when used as directed. This product will not evaporate and its algae righting abilities actually increase as pool water temperature increases.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturers directions. Adjust photeween 7.2-7.6. Adjust chlorine residual to 1-3 ppm. In a chlorine treated pool, add stabilizer to establish a minimum level of 40-50 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface due to metals. Check chlorine residual and adjust to 1-3 ppm.

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers should not be allowed into the water.

INITIAL APPLICATION FOR SWIMMING POOLS

- 1. Backwash the filter thoroughly.
- 2. Vacuum algae debris and thoroughly brush pool.
- Add 26 ounces of this product to each 50,000 gallons of water (5.2 ounces per 10,000 gallons).
- 4. Vacuum pool after 24 hours to remove dead algae.
- 5. If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae.
- 6. Once algae are under control, clean filter and return to normal operation.

MAINTENANCE APPLICATION

Add 6.5 ounces of this product in 50,000 gallons of water every 3-5 days or as needed.

BOOSTER APPLICATION

Add 6.5 ounces of this product in 50,000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load.

The above directions should be followed even when the pool is not in use.

If algae growth is noticeable, apply initial dose.

VACATION TREATMENT

When you are going to be away for one week or more add 4.8 ounces of this product per 10,000 gallons of water for every week unattended. Pour product around the edges of the shallow end of the pool, if shock is also being applied in the deep end of pool.

OPTIONAL INSTRUCTIONS FOR USE WITH NON-HALOGEN BASED POOL SANITIZERS

This product is formulated to complement swimming pool water being treated with the BioGuard Softswim System, Bacquacil and other non-halogen systems. When using other products as outlined in Directions For Use for this product, always follow Directions For Use of those products. This product is efficient and non-staining when used as directed. This product will not evaporate and its algae fighting abilities actually increases as the pool water temperature increases. The residual effectiveness of this product tends to stabilize the total chemical treatment system.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturers directions. Adjust pH between 7.2-7.6. Check for metals and if preser add stain and scale inhibitor to prevent staining of pool surface due to metals

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers should not be allowed into the water.

INITIAL APPLICATION FOR SWIMMING POOLS

- 1. Backwash the filter thoroughly.
- 2. Vacuum algae debris and thoroughly brush pool.
- Add 26 ounces of this product to each 50,000 gallons of water (5.2 ounces per 10,000 gallons).
- 4. Vacuum pool after 24 hours to remove dead algae.
- 5. If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae.
- 6. Once algae are under control, clean filter and return to normal operation.

N

7

.... LIVANCE APPLICATION

Add 6.5 fluid ounces of this product in 50,000 gallons of water every 3-5 days or as needed.

BOOSTER APPLICATION

Add 6.5 ounces of this product in 50,000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load.

The above directions should be followed even when the pool is not in use.

If algae growth is noticeable, apply initial dose.

WINTERIZING TREATMENT (not applicable in California)

When swimming pool season is over, add 26 ounces of this product per 16,000 gallons (1.6 ounces per 1,000 gallons) (or ratio thereof) of water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

For persistent algae or slime producing organisms add 6.5 ounces of this product into the skimmer with the filter pump running. After one minute shut off pump and allow the system to remain off overnight. The following day, restart the filter pump and add 6.5 ounces of this product to the pool. Run filter continuously for 24-48 hours brushing the sides and bottom of the pool frequently.

(Usage chart for quart and one-gallon containers)

Swimming Pool Capacity Gallon of Water	Initial Treatment	Maintenance Dose Booster Dose	
5,000	2.6 ounces	0.65 ounces	
10,000	5.2 ounces	1.3 ounces	
20,000	10.4 ounces	2.6 ounces	
25,000	13.0 ounces	3.25 ounces	
30,000	15.6 ounces	3.9 ounces	
40,000	20.8 ounces	5.2 ounces	
50,000	26.0 ounces	6.5 ounces	

ALTERNATE WINTERIZATION METHOD (not applicable in California)

This product may be used with the following pool chemicals to form a winterization "package".

Directions:

- 1. Add a maintenance dose of chloride or oxygen shock.
- Top up BioGuard Softswim System, Bacquacil or other non-halogen systems to 50 ppm.
- 3. Add 16.0 ounces of this product per 10,000 gallons (6.4 ounces per 4,000) (or ratio there of) of water lieft in pool. This dose helps provide a measure of control of algae gramb during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.
- 4. Allow filter to run for several hours after chemical additions for good mixing.

Note: Before using colorine or cxygen shock, read the Directions for Use and Precautionary Statements specific to that product.

TO DETERMINE POOL CAPACITY

Rectangular Pools: Length (times) width (times) average depth (in feet) (times) 7.5 equals) gallons.

lound and Oval Pools: Long diameter (times) short diameter (times) average depth n feet) (times) 5.9 (equals) gallons

DIRECTIONS FOR USE IN SPAS/WHIRLPOOLS/HOT TUBS

Initial Dose: Add 2.6 ounces of this product per 5,000 gallons of water. Initial dose is used upon filling of spa/whirlpool/hot tub bath.

Maintenance Dose: Add 0.65 ounces of this product per 5,000 gallons of water. Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or outside spa/whirlpool/hot tub bath has unusually heavy use, add maintenance dose more frequently. Drain and clean outside spa/whirlpool/hot tub bath at least once a month or as needed depending upon bather load.

DIRECTIONS FOR USE

INDUSTRIAL WATER TREATMENT

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use water containing residues from use of this product to irrigate crops for food or feed.

Use of the product in either public/municipal or single or multiple family private/residential potable/drinking water systems is strictly prohibited. Use of the product in any cooling water system that discharges effluent within ¼ mile of either a public/municipal or single or multiple family private/residential potable/drinking water intake is strictly prohibited.

This product aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, industrial and commercial cooling towers.

INDUSTRIAL AND/OR COMMERCIAL RECIRCULATING COOLING WATER TOWERS, RETORT WATER SYSTEMS

(Note: Retort Water Systems use site not applicable in California.)

- DOSING LOCATION: This product is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.
- DOSING CONDITIONS: This product should be applied when the system is in jeopardy of being affected or after cleaning systems where efficiency is already impaired.

3. METHOD OF APPLICATION:

a. INTERMITTENT OR SLUG METHOD

Initial Dose: When the system is noticeably fouled, apply 5.25 to 10.25 fluic ounces (20 to 40 ppm on an active quaternary basis) per 1000 gallons of water in the system. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 1.33 to 3.85 fluid cunces (5 to 15 ppm on an active quaternary basis) per 1000 gallons of water in the system twice weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

b. MODIFIED INTERMITTENT METHOD

Initial Dose: When the system is noticeably fouled, apply 5.25 to 10.25 fluid ounces (20 to 40 ppm on an active quaternary basis) per 1000 gallons of water in the system. Apply half of this initial dose when half of the water in the system has been lost by blowdown.

Subsequent Dose: When control of microbial growth is evident, apply 1.33 to 3.85 fluid ounces (5 to 15 ppm on an active quaternary basis) per 1000 gallons of water in the system. Apply half of this subsequent dose when half of the water in

the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

c. CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, apply 5.25 fluid ounces (20 ppm on an active quaternary basis) per 1000 gallons of water in the system.

Subsequent Dose: Maintain this treatment by starting a continuous feed of 1.33 fluid ounces (5 ppm on an active quaternary basis) per 1000 gallons of water lost by blowdown. Badiy fouled systems must be cleaned before treatment is begun.

ONCE THROUGH WATER COOLING SYSTEMS

- 1. **DOSING LOCATION:** This product is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.
- DOSING CONDITIONS: This product should be applied when the system is in jeopardy of being affected or after cleaning systems where efficacy is already impaired.

3. METHOD OF APPLICATIONS:

a. INTERMITTENT OR SLUG METHOD

Initial Dose: When the system is noticeably fouled, apply 0.15 to 1.5 fluid ounces (0.6 to 6 ppm on an active quaternary basis) per 1,000 gallons of water based on system flow rates. The minimum treatment should be 6 to 24 hours. Repeat until control is achieved. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 ppm clay to 1ppm product.

Subsequent Dose: When microbial control is evident, add 0.075 to 0.75 fluid ounces (0.3 to 3 ppm on an active quaternary basis) per 1,000 gallons of water based upon system flow rates on a as needed basis to maintain control. Frequency of feed should be tied to an in-plant monitoring program for macro cowling growth. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 ppm clay to 1 ppm product.

b. CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, apply 0.075 to 0.75 fluid ounces (0.3 to 3 ppm on an active quaternary basis) per 1,000 gallons of water based on system flow rates. Continue to feed until needed control is achieved. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 ppm to 1ppm product.

Subsequent Dose: Maintain this treatment by starting a continuous feed of 0.03 to 0.3 fluid ounces (0.1 to 1 ppm on an active quaternary basis) per 1,000 gallons of water based upon system flow rates. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 ppm clay to 1 ppm product.

DIRECTIONS FOR USE

CONTROLLING ALGAE GROWTH

Bird Baths: Do not use with fish. Closen to remove algae growth prior to filling birdbath. Then spray all exposed surfaces with a solution of 0.2 ounces of this product per gallon of water. Allow to all dry and brush cff dead algae.

Algae Control on walkways: For heavy infestations, spray or swab a solution of 0.2 ounces of this product per gallon of water. Let stand for an hour or more then brush and wash away dead algae. Soak area again with the solution. Do not rinse. Allow to dry on the surface and repeat application when algae growth returns.

Instructions For Containerized Decorative Fountains And Pools

This product is toxic to fish. DO NOT use this product when fish are present.

Initial Dose:

- Remove floating algae by raking, dragging with cable or chain or any other suitable method. It is more economical to remove floating type algae (if possible) before the water is treated.
- 2. Add this product at any point that is convenient, such as the bowl, pool, or sump.
- Add 25.6 ounces of this product to each 50,000 gallons (6.4 ounces per 12,500 gallons) or ratio thereof.

Weekly Maintenance Dose: Add 6.4 ounces of this product to each 50,000 gallons of water every 3-5 days or as to maintain 0.5 ppm active.

Each month drain and clean bowl. Refill with fresh water and repeat initial treatment. Draining removes airborne dirt, dust, contamination and alkali buildup.

Decorative Fountain or Pools Capacity in gallons of water	Initial Treatment	Maintenance Dose Booster Dose 6.4 ounces	
50,000	25.6 ounces		
25,000	12.8 ounces	3.2 ounces	
12,500	6.4 ounces	1.6 ounces	
6,250	3.2 ounces	0.8 ounce	
3,125	1.6 ounces	0.4 ounce	
1,562	0.8 ounce	0.2 ounce	
781	0.4 ounce	0.1 ounce	
390	0.2 ounce	0.05 ounce	
195	0.1 ounce	0.025 ounce	