

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN.

DANGER

CORROSIVE: Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use. If swallowed, drink promptly a large quantity of egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

NET CONTENTS

BATCH NO.

MAQUAT DS 1412-10%

**DISINFECTANT
DETERGENT • DEODORIZER
GERMICIDE • BACTERICIDE**

**ESPECIALLY PREPARED FOR:
RESTAURANTS, SCHOOLS, HOSPITALS,
INSTITUTIONS, HOTELS & MOTELS**

ACTIVE INGREDIENT:
n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₀)
dimethyl benzyl ammonium chloride. . . 10.0%

INERT INGREDIENTS: 90.0%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

**SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.**

Mason Chemical Company



"The Quaternary Specialists"
5253 WEST BELMONT AVENUE
CHICAGO, ILLINOIS 60641
312/282-0200
OUTSIDE ILLINOIS:
1-800-362-1855
E.P.A. Reg. No. 10324-25
E.P.A. Est. No. 10324-NJ-1

**DIRECTIONS FOR USE
IT IS A VIOLATION OF FEDERAL LAW
TO USE THIS PRODUCT IN A MANNER INCONSISTENT
WITH ITS LABELING.**

1. Do not mix with any other cleaning or detergent.
2. Apply Maquat DS1412-10% to walls, floors and other hard nonporous surfaces such as bathroom fixtures, showers, locker rooms, l-ies, walls, floors, tables, refrigerators, stoves, sinks and garbage cans with a cloth, sponge, mop or mechanical spray device so as to thoroughly wet all surfaces. A ten minute contact time is required for disinfection. For heavily soiled areas, a precleaning step is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.
3. To clean, disinfect and deodorize wet all surfaces thoroughly with a solution of 1/2 oz. of Maquat DS1412-10% to each gallon of water. To disinfect and clean heavily contaminated surfaces wet all surfaces thoroughly with a solution of 1 oz. of Maquat DS1412-10% to each gallon of water. For light cleaning use 1/4 oz. of Maquat DS1412-10% for each gallon of water. A ten minute contact time is required for disinfection.
4. Linens, bedsheets, diapers, clothing, etc.: To disinfect and deodorize clothing and linens, wash and rinse, then immerse in a solution containing 1 oz. Maquat DS1412-10% to 2 gallons of water and agitate. To render diapers, bedsheets and other linens bacteriostatic, the above solution must contain at least 4 oz. Maquat DS1412-10% for each ten pounds of clothing. This treatment will retard development of odors from urine in fabrics during use.
5. Floors, walls, garbage cans, refuse rooms, kennels, animal cages or other hard to reach areas with corners and cracks: Use garden hose with spray attachment of the type used for lawns and shrubs (portable sprayers may also be used). To clean, disinfect and deodorize, spray entire area with solution of 1/2 oz. Maquat DS1412-10% to 1 gallon of water. Let stand for a few minutes to loosen dirt. To clean and disinfect heavily contaminated surfaces, use 1 oz. Maquat DS1412-10% to each gallon of water. A ten minute contact time is required for disinfection. It may be necessary to use a brush to remove deeply imbedded soils. Spray again to rinse. Clean spray attachment after each use.
6. At 1 oz. per gallon and in the presence of 5% blood serum for a 10 minute contact time. Maquat DS1412-10% was found to be effective against HIV-1 (AIDS Virus).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS"

Effective against HIV on pre cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

Personal Protection: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Leave surfaces wet for 10 minutes.

STORAGE AND DISPOSAL

1. **STORAGE INSTRUCTIONS**
STORE IN ORIGINAL CONTAINERS AND PLACE IN LOCKED STORAGE AREA
KEEP FROM FREEZING.
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
2. **SPILL OR LEAK PROCEDURES**
SMALL SPILLS MAY BE MOPPED UP OR FLUSHED AWAY WITH WATER OR ABSORBED ON SOME ABSORBENT MATERIAL AND INCINERATED.
3. **PESTICIDE DISPOSAL**
SECURELY WRAP ORIGINAL CONTAINER IN SEVERAL LAYERS OF NEWSPAPER AND DISCARD IN TRASH. WASTES RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.
4. **CONTAINER DISPOSAL**
DO NOT REUSE CONTAINER (BOTTLE, CANS, JARS)
RINSE THOROUGHLY BEFORE DISCARDING IN TRASH