JUN 1 8 2003

Ms. Elizabeth Tannehill Mason Chemical Company 721 W. Algonquin Road Arlington Heights, IL 60005

SUBJECT:

Maquat DS 1412-10%

EPA Registration Number: 10324-25 Application Dated: April 10, 2003 Receipt Date: April 10, 2003

Dear Ms. Elizabeth Tannehill:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable subject to the conditions listed below.

- Update Disposal Statements
- Update First Aid Statements
- Update Precautionary Statements
- Additional Sites
- Response to Agency letter of 9/12/02

Conditions

- 1. Your proposed Directions for Use are unclear. Revise as follows:
- A. Clarify your Directions for Use. Place the term "Disinfection" to immediately follow the statement: "Do not mix with any other cleaner or detergent."
 - B. Revise the section on page two beginning "Apply this product..."
- 1. To read as follows such that the information is not repeated: "Apply this product to hard non-porous surfaces such as bathroom fixtures, toilet bowl exteriors, showers, locker rooms, glazed tiles, walls, floors, tables..."

| CONCURRENCES | | | | | | | | | | | |
|------------------|--|--|--|--|--|--|----------|--|--|--|--|
| SYMBOL 7510C | | | | | | | | | | | |
| SURNAME NO J. | | | | | | | ******** | | | | |
| DATE 6/11/03 | | | | | | | | | | | |
| ACTION SU C CORV | | | | | | | | | | | |

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2/4

- 2. To be in agreement with the 9/12/02 Agency letter for this product by stating: "Prepare a fresh solution at least daily or when..."
- 3. Add the following statement to be in agreement with the 9/12/02 Agency letter for this product by stating: "When used on surfaces which contact food, follow with a potable water rinse."
- C. Revise the section beginning: "To disinfect heavily contaminated surfaces wet all surfaces thoroughly with a solution of..." to read exactly as follows:

"To disinfect heavily contaminated surfaces, a pre-cleaning is required. It may be necessary to use a brush to remove deeply imbedded soils. Then spray these surfaces to rinse. Wet all surfaces thoroughly with a solution of 1 ounce of this product to each gallon of water. A ten minute contact time is required for disinfection. Let air dry."

Since all of this text is repeated else where on the label, delete the 7th section on page 2 which you had originally proposed beginning: "To disinfect heavily contaminated surfaces, use 1 ounce of this product to each gallon of water..." and ending "...daily or when solution becomes visibly dirty."

D. Revise the directions for "Veterinary Clinics/Animal Life Science Laboratory..." such that they are in agreement with the rates indicated in other directions on your label by stating: "...use a solution of 5 ounces per 5 gallons of water (or equivalent dilution) (780 ppm active quat)..."

General Comments

The <u>efficacy data</u> to support this product appears to be lacking. Please be advised that at the time of reregistration this information will be required by the Agency.

A stamped copy of the accepted labeling is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling. Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,

Velma Noble

Product Manager (31)

Regulatory Management Branch I Antimicrobials Division (7510C)

Enclosure: Stamped Label

| /510C:1.Lantz:6/13/03:10324-25 | | | | CONCURRENCES | | | | | |
|--------------------------------|---|--|--|---|---|--------------|--|---|--|
| SYMBOL | | | | | | | | | |
| SURNAME | N | | | | ļ | | | | |
| DATE | | | | *************************************** | | ************ | | + | |

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS

DANGER KEEP OUT OF REACH OF CHILDREN. Corrosive, Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or tace shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

(If container is 5 gallons or larger the following statement must appear on the label)

ENVIRONMENTAL HAZARD

Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Poliutant Discharge Elimination System (NIPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sawage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with exidizers, anionic seaps and detergents

(if the container is preater than one gallon use the following storage and disposal statements)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of tederal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazandous Waste Representative at the nearest EPA Regional Office for guidance,

CONTAINER DISPOSAL (Larger than 1 gal.) - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Ill container is one gallon or less use the following storage and disposal statements)

STORAGE AND DISPOSAL

Store in original container and place in locked storage area. Keep from freezing. Do not contaminate water, food, or feed by storage or disposal. Small spills may be mopped up or flushed away with water or absorbed on some absorbent material. Wrap container and put in trash. Securely wrap original container in several layers of newspaper and discard in trash.

MAQUAT® DS 1412-10%

DETERGENT/DISINFECTANT

Disinfectant, Detergent, Deodorizer, Germicide: Bactericide

Especially prepared for Restauranta Cserious Hespitals, Institutions, Hotels & Motels in EPA Letter Dated:

ACTIVE INGREDIENTS:

n-Alkyl (50%C14, 40%C12, 10%C18), NN 1 8 $\,^{2003}$

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

See left panel for additional precautionary statements

First Aid

Have the product container or label with you when calling a potson control center or doctor, or going for treatment

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses. If present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advise. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

MASON CHEMICAL COMPANY

"THE QUATERNARY SPECIALISTS" 721 W. Algonquin Road Arlington Heights, IL 60005

847-290-1621 Toll Free: 1-800-362-1855

E.P.A. Rep. No. 10324-25 E.P.A. Est. No. 10324-IL-1

NET CONTENTS

BATCH NO

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.


Do not mix with any other cleaner or detergent.

Apply this product to walfs, floors and other hard non-porous surfaces such as bathroom flutures, showers, locker rooms, glazed tiles, walfs, floors, tables, exterior surfaces of refrigerators and stoves, sinks and garbage cans with a cloth, sponge, mop or mechanical apray device as to thoroughly well all surfaces. A ten minute confact time is required. Let air dry. For heavily solled areas, a precleaning step is required. Prepare a fresh solution daily or when used solution becomes visibly dirty. This product must not be used to clean the following food contact surfaces; utensits, glassware and dishes.

DISINFECTION

To disinfect heavity conteminated surfaces wet all surfaces thoroughly with a solution of 1 oz. of this product to each gallon of water. A ten minute contact time is required for disinfection. Let air dry. For heality soiled areas, a precleaning step is required.

General Disintectant - Non-medical (Floors, walls, garbage cans, refuse rooms, or other hard to reach areas with corners and crecks) - Use garden hose with spray attachment of the type used for lawns and shrubs (portable sprayers may also be used). To disinfect, spray entire area with solution of ½ oz. of this product to 1 gallion of water. Let stand for a tew minutes to loosen dirt. Prepare a fresh solution at least daily or when solution becomes visibly dirty.



At 1 oz. per gallon and in the presence of 5% blood serum for 10 minute contact time, this product was found to be effective against HtV-1 (ALDS Virus).

EFFECTIVE AGAINST HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeliciency Virus Type 1 (HIV-1) (associated with AIDS).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS"

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEOUPIE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Lettve surfaces wet for 10 minutes.

Veterinary Clinics/Animal Life Science Laboratory/Pet Shop/Kennels/Breading and grooming Establishment/Tack Shops Disinfection Directions: For cleaning and disinfecting the following hard nonporous surfaces: Equipment, utensits, instruments, cages, kennets, stables,

stalls and catteries. Remove ... animals and feeds from premises, animal transportation vehicles, crates etc. Remove all litter, droppings and manure from floors, walfa and surfaces of facilities occupied or transversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use solution of 4 ounces per 5 gallons of water (or equivalent dilution) (625 ppm active quat) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, automatic feeders, waterers and other equipment which dispenses food or water with soap or detergent, and rinse with potable water before rause.

FARM PREMISE DISINFECTION DIRECTIONS

For use in Equine, Dairy and Hog Farms.

- Remove all animals and feed from premises, vehicles and enclosures.
- Remove all litter and manure from floors, walls and surfaces of barn, pens, chutes and other facilities and fixtures occupied or transversed by animals.
- Empty all troughs, racks and other feeding and watering appliances.
- 4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
- Saturate all surfaces with the recommended disinfecting or virucidal solution for a period of 10 minutes.
- Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, scrappers used in removing litter and manure.
- Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set and dried.

Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse.

General Deodorization: To deodorize well all surfaces thoroughly with a solution of % oz, of this product to each gallon of water.

Linens, bedsheets, cloth diapers - To decodorize clothing and linens, wash and rinse, then immerse in a solution containing 1 oz. of this product to 2 gallons of water and agitate during the final rinse stage. To render diapers, bedsheets and other linens bacteriostatic, the above solution must contain at least 4 ozs. of this product for each len pounds of clothing. This treatment will retard development of odors from urine in fabrics during use.

General Cleaning: To clean heavily contaminated surfaces wet all surfaces thoroughly with a solution of 1 oz. of this product to each gallon of water. For light cleaning use ½ oz. of this product for each gallon of water.