


2/3

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

ACCEPTED
with COMMENTS
In EPA Letter Dated:

PRECAUTIONARY
STATEMENTS

NOV 09 1987

DANGER

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
MAQUAT is registered for the pesticide
10324-45 MAQUAT MC1412-50%

HAZARDS TO HUMANS
& DOMESTIC ANIMALS

KEEP OUT OF REACH
OF CHILDREN. CORROSIVE

Causes severe eye and skin damage. Do
not get in eyes, on skin, or on clothing.
Wear goggles or face shield and rubber
gloves when handling. Harmful or fatal if
swallowed. Avoid contamination of food.
Wash thoroughly with soap and water after
handling. Remove contaminated clothing
and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide
is toxic to fish. Do not discharge into lakes,
ponds, streams, estuaries, oceans or public
water unless this product is specifically
identified and addressed in an NPDES per-
mit. Do not discharge effluent containing
this product into sewer systems without
previously notifying the sewage treatment
plant authority. For guidance contact your
State Water Board or Regional Office of the
EPA.

PHYSICAL OR CHEMICAL HAZARDS
Do not use or store near heat
or open flame.

DIRECTIONS FOR USE: Do not use water
containing residue from use of this product
to irrigate crops used for food or feed.
It is a violation to use this product in a man-
ner inconsistent with its labeling.

BEST AVAILABLE COPY

INITIAL APPLICATION FOR SWIMMING POOLS

(To A Clean Pool)

26 fluid oz. MAQUAT MC1412-50% to each 50,000
gallons of water or ratio thereof. If Algae growth is visi-
ble apply the initial dose. Vacuum pool after 24 hours to
remove dead algae. If algae is still visible repeat dose as
necessary until pool is free of visible algae.

CONTINUED APPLICATION

8.5 fluid oz. MAQUAT MC1412-50% in 50,000 gallons of
water every 3-5 days or as needed to maintain 2 ppm
active. Quaternary Test Kits are available for this use.

BOOSTER APPLICATION

8.5 fluid oz. MAQUAT MC1412-50% in 50,000 gallons
after a heavy or prolonged rainfall or when there is a
heavy bathing load.

The above directions should be followed even when the
pool is not in use.

If algae growth is noticeable, apply the initial dose.

MAQUAT

MC1412-50%

Concentrated Algaecide
For Control of Algae and Algal Slime
Growth In Swimming Pools.

ACTIVE INGREDIENT:

n-Alkyl (50% C₁₂, 40% C₁₄, 10% C₁₆)
dimethyl benzyl ammonium chloride 50.0%

INERT INGREDIENTS: 50.0%
TOTAL 100.0%

Weight approx. 8 lbs./gallon

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty
of water for at least 15 minutes. For eyes, call a physician.
Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg
whites, gelatin solution; or if these are not available, drink
large quantities of water. Avoid alcohol. Call a physician im-
mediately.

NOTE TO PHYSICIAN: Probable mucosal damage may con-
traindicate the use of gastric lavage. Measures against cir-
culatory shock, as well as oxygen and measures to support
breathing manually or mechanically may be needed.

SEE LEFT PANEL
FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Mason Chemical Company

"The Quaternary Specialists"

5253 WEST BELMONT AVENUE
CHICAGO, ILLINOIS 60641
312/282-0200
OUTSIDE ILLINOIS:
1-800-362-1855

E.P.A. Reg. No. 10324-
E.P.A. Est. No. 10324-NJ-1



STORAGE A

1. STORAGE INSTRU
STORE IN ORIGINAL C
LOCKED STORAGE AREA
KEEP FROM FREEZING.
DO NOT CONTAMINATE
STORAGE OR DISPOSAL

2. SPILL OR LEAK PR
SMALL SPILLS MAY B
AWAY WITH WATER O
SORBENT MATERIAL AN

3. PESTICIDE DISPOS
SECURELY WRAP ORIGI
LAYERS OF NEWSPAPER

4. CONTAINER DISPO
DO NOT REUSE CONTA
RINSE THOROUGHLY BE

MAQUAT MC1412-50%
SWIMMING POOL CHEM
DIRECTED IT IS NOT HA
PLASTIC OR TILE SU
POOL.

MAQUAT MC1412-50%
WILL HELP IMPROV
CLEANLINESS OF THE S

MAQUAT MC1412-50%
OF UNSIGHTLY ALGAE.

MAQUAT MC1412-50%
FOR PROLONGED PERI
ITS EFFECTIVENESS OF

MAQUAT MC1412-50%
MENT FOR TREATING
CORRECT USE-DILUTIO
TO THE POOL IN AN
WATER-CIRCULATION

Net Contents