PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled, swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breath vapor or spray mist. Wear a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix (TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Wear goggles or face shield, protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizer, soap or other anionic materials.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. SPILL OR LEAK PROCEDURES: Small spills may be mopped up, flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained; the material then moved into containers and disposed of by approved methods for hazardous wastes. CONTAINER DISPOSAL: (Larger than 1 gal.) – Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or. if allowed by state and local authorities, by burning. If burned stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For formulation into antimicrobial products for use in agricultural/farm premises, structures, buildings, and equipment; dairy farm milk handling facilities, equipment, houses and sheds; food processing plant, food handling, food distribution equipment and premises; eating establishment premises and equipment; commercial, institutional, and industrial premises and equipment (floors, walls, storage areas); domestic dwellings, food handling areas, bathroom premises (hard surfaces), indoor premises; and medical institutional critical care and noncritical premises and laundry. For formulation into antimicrobial products for use in air conditioner/refrigeration condensate water systems, once-through and recirculating industrial/commercial cooling water systems, and swimming pools. Gas/oil drilling muds/packer fluids, mushroom houses/empty premises equipment, finished wood products, egg handling equipment and rooms, egg washing treatment poultry processing plant equipment/ premises, meat processing plant/equipment, gas oil recovery injection water systems.

Formulators using this product are responsible for providing data for the EPA registration of their formulated products.

- and the second property of the second of the second second second second second second second second second s

ACTIVE INGREDIENTS:

Alkyl (50%C14, 40%C12, 10%C16)	
dimethyl benzyl ammonium chloride	
Octyl decyl dimethyl ammonium chloride	
Dioctyl dimethyl ammonium chloride	•• •• 12.00%
Didecyl dimethyl ammonium chloride	
INERT INGREDIENTS:	
INERT INGREDIENTS:	100.00%

Weight Approx. 8 lbs./gal.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.


IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.


IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.


NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



.

MAQUAT MQ 615M/MQ 624M SERIES Information Sheet





 $R = 50\% C_8, 50\% C_{10}$

R= 50% C₁₄, 40% C₁₂, 10% C₁₆

Chemical Description

n-Alkyl Dimethyl Benzyl Ammonium Chloride (68424-95-3) and Dialkyl Dimethyl Ammonium Chloride (68424-85-1)

MASON

The Guaternery, Specialists

U.S. EPA Registration Number

Maguat MQ 615M 10324-51

Maguat MQ 624M 10324-52

Canadian Registration Number

Maguat MQ 615M 25408

Maguat MQ 624M 25409

Applications

The Maquat MQ 615M/MQ 624M products are highly active, broad-spectrum quaternaries, which are extremely effective in hard water. Maguat MQ 615M/MQ 624M guats are used in disinfectant, deodorizer, fungicidal and sanitizer end use formulations for hospital, nursing homes, public institutions and industry. Maguat MQ 615M and Maguat MQ624M are FDA cleared for use as "indirect food additives" in sanitizing solutions for food contact surfaces, food processing equipment and eating utensils Maguat guats are compatible with cationics, nonionics and amphoterics at the proper pH range as well as alkaline and acid inorganics and most mineral and organic acids.

Active Ingredients	Maquat <u>MQ 615M</u>	Maquat <u>MQ 624M</u>
n-Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Benzyl Ammonium Chloride	20%	32%
Octvl Decvl Dimethyl Ammonium Chloride	15%	24%
Dioctyl Dimethyl Ammonium Chloride	7.5%	12%
Didecyl Dimethyl Ammonium Chloride	7.5%	12%
Inert Ingredients	50%	20%
Total	100%	100%
Typical Properties		
Appearance @25°C	Clear liquid	Clear liquid
Specific Gravity @25°C, g/ml (lbs/U.S.gal)	0.95 (7.9)	0.91 (7.6)
pH, 10% aqueous	7.5	7.5
Color, APHA	80 max	150 max
Free amine and amine hydrochloride, %	1.5	2.0
Average Molecular Weight	342	342
Viscosity, cps @25°C	25	320
Flash Point, PMCC, °C (°F)	37 (99)	49(120)
		3/03

Toxicity

Maguat MQ 615M and Maguat MQ 624M are slightly toxic orally and cause severe skin and extreme eye irritation.

ž

Storage & Handling

Handle Maquat products with care; use away from sparks and open flame. Use in well ventilated area. Do not get in eyes, nose or on skin. Gloves, protective clothing, safety goggles or face shield and respirator must be worn when handling Maquat products. Wash thoroughly after handling material.

Standard Packaging: Maquat MQ 615M and Maquat MQ 624M are available in bulk quantities and in plastic drums (440 lb. for Maquat MQ 615M and 425 lb. for Maquat MQ 624M).

It is recommended that Maquat products be stored in sealed containers and kept in a cool dry place. If material is frozen it should be heated gently and stirred to ensure it is homogeneous before use. Maquat products are not damaged by freezing.

Bulk Storage Information: Maquat quaternaries can be stored in vessels of 316 stainless steel or fiberglass with a corrosion liner. Contact between quaternaries and anionic materials, soap and sulfated oils must be avoided. At use dilution, Maquat quaternaries are non-corrosive to most plastics, natural rubber, stainless steel, monel metal, iron, brass, aluminum, lead and tin; however, Maquat quaternaries as supplied, may be corrosive to the materials listed above.

Maquat products should be stored between 85 – 120°F. An internal hairpin coil of 316 stainless steel with low pressure steam (under 50 psig) should be used if heating is required. On fiberglass tanks an external electric heating blanket can be used. Mild agitation is recommended while storing to maintain homogeneity. Pumps, pipes and transfer lines should be 316 Stainless steel. Hoses made of Teflon or cross-linked polyethylene with 316 Stainless steel fittings are recommended for loading and unloading.

Registration

In the U.S. and Canada all products used on inanimate surfaces, which are sold and claimed to be bacteriostatic, germicidal, algaecidal or to kill or inhibit organisms in any way are required to be registered either with the U.S. Environmental Protection Agency or with Health Canada. Formulators are responsible for any additional data or fees which may be required by local, state or country agencies.