

10324-69

1/7

7/17/2012

Elizabeth Tannehill
Mason Chemical Company
721 W Algonquin Rd
Arlington Heights Il 60005

JUL 17 2012

SUBJECT Maquat^o 4450 P
EPA Registration Number 10324 69
Application Date July 20 2012
Receipt Date July 25 2012

Dear Ms Tannehill

This letter acknowledges receipt of the notification identified above submitted under provisions of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended and PR Notice 98 10 is acceptable

- To add the statement Do not reuse empty container in the Storage and Disposal section of the label

General Comments

Should you have any questions concerning this letter please contact Emilia Oiguenblik at (703) 347 0199 or Velma Noble at (703) 308 6233

Sincerely



Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							



United States
Environmental Protection Agency
Washington DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide Section I

1 Company/Product Number 10324 69	2 EPA Product Manager Noble	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) Maquat 4450 P	PM# 31	
5 Name and Address of Applicant (Include ZIP Code) Mason Chemical Company 721 W Algonquin Rd Arlington Heights IL 60005 <input type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to EPA Reg No _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> Me Too Application
<input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Other Explain below

Explanation Use additional page(s) if necessary (For section I and Section II)

W d d g d h C S d d h m l y f f f h p l y d l
 Th f t h h p I P R N c e 9 5 2 d E P g l O C F R 1 5 2 4 6 d t h g h m d h l b i g h f d t l l m f f l f t d l d t l l f 8 U S C
 S 1 0 1 d l l y m k y f m E P A T u r n i n g d h f h n o t i f i c a t i o n t h m f P R N c e 9 5 2 d O C F R 1 5 2 4 6 h p d y b l f F I F R A l m y b t j m e d
 W f l h N f c a d q f p y m W e u r d t a d h E P A w l h p y f m f d d p f c e p f p p l
 C l f m E l b e t h (L) T h l l @ m q c o m m b e 8 4 2 9 0 1 6 2 1 f m b 8 4 7 2 9 0 1 6 2 5

Section III

1 Material This Product Will Be Packaged In				2 Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes Unit Packaging wgt No per container		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If Yes Package wgt No per container			
3 Location of Net Contents Information <input checked="" type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4 Size(s) Retail Container 1 qt 1 gal 5 gal	5 Location of Label Directions <input type="checkbox"/> On Label		
6 Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)		
Name Elizabeth Tannehill	Title Regulatory Manager	Telephone No (Include Area Code) 847 290 1621
2 Signature 		3 Title Regulatory Manager
4 Typed Name Elizabeth Tannehill		5 Date 6/20/12
Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law		6 Date of Application Received (Stamped)



MASON CHEMICAL COMPANY

"The Quaternary Specialists"

June 20 2012

Velma Noble
Document Processing Desk (AMEND)
Office of Pesticide Programs (7510C) PM31
U S Environmental Protection Agency
Room S4900 One Potomac Yard
2777 S Crystal Dr
Arlington VA 22202

Subject Maquat® 4450 P (10324 69)
Notification

Dear Velma

Enclosed are the following items for notification of our label Maquat® 4450 P (10324 69)

- 1 Application/Notification form

We are making the following changes to our labels

- 1 Page 4 – we have added the statement Do not reuse empty container in the Storage and Disposal section of the label under the small nonrefillable container for swimming pools

This change has been highlighted and is the only change being made to this label

These are NOT a PRIA amendment and do not require payment

If you have any other questions or issues please do not hesitate to contact me at 800 362 1855 or liz@maquat.com Your assistance with this submission is greatly appreciated

Very truly yours

MASON CHEMICAL COMPANY


Elizabeth Tannehill

Enclosures



MASON CHEMICAL COMPANY
The Quaternary Specialists

721 W Algonquin Road | Arlington Heights IL 60005 | 847 290 1621 or 800 362 1855

EPA Reg No 10324 69
EPA Est No 10324 IL 1

MAQUAT® 4450-P

Net Contents

Batch No

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER Keep Out of Reach of Children Corrosive Causes irreversible eye damage and skin burns May be fatal if swallowed or inhaled Harmful if absorbed through the skin Do not breathe vapor Do not get into eyes on skin or on clothing Wear protective eyewear (goggles face shield or safety glasses) rubber gloves and protective clothing when handling Wash thoroughly with soap and water after handling and before eating drinking or using tobacco Remove contaminated clothing and wash clothing before reuse

(If container is larger than 5 gallons the following statement must appear on the label)

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your State Water Board or Regional Office of the EPA

(For containers up to and including 5 gallons use the following environmental hazard)

ENVIRONMENTAL HAZARD

This product is toxic to fish

PHYSICAL OR CHEMICAL HAZARDS

This product is cationic Do not use or store near heat or open flame Do not mix with any other chemicals

First Aid

Have the product container or label with you when calling a poison control center or doctor or going for treatment

IF IN EYES Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice

IF ON SKIN OR CLOTHING Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice

IF SWALLOWED Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person

IF INHALED Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth to mouth if possible Call a poison control center or doctor for further treatment advice

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage

Swimming Pool Algaecide Supplement Effective Against Green Black Blue Green and Mustard Algae Keeps Water Free of Algae and Slime For Control of Algae and Algae Slime Growth in Swimming Pools (Outside) Spas/Whirlpools/Hot Tub Baths (Containerized) Decorative Fountains

(Containerized Outside description and the use site Retort Water Systems not for use in California)

(Product of USA) (Made in the USA)

ACTIVE INGREDIENT

Didecyl dimethyl ammonium chloride

INERT INGREDIENTS

TOTAL

50.00%
50.00%
100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

See left (back) (side) (right) panel (of label) (below) for additional precautionary statements and first aid statements

(Note to Reviewer This information has been verified per DOT regulations It is NOT required to be on the label but is being requested by a customer)

Transportation Information

DOT Hazard Class 8 Corrosive

DOT Proper Shipping Name Disinfectant Liquid Corrosive (Quaternary Ammonium Compound) 8 UN1903 PGII

PELIGRO SI NO PUEDE LEER EN INGLES PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO

DANGER IF YOU CANNOT READ ENGLISH ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT

(Manufacturing and/or Lot no Date)

NOIFICATION

Date Reviewed

Reviewed By

7/17/12
[Signature]

50% Concentration

- Kills and prevents all type of Algae

Kills and prevents algae

Non metallic non foaming

This product efficiently reduces green blue green and square D algae growths in pools It will not harm pool surfaces or equipment and it's compatible with most other pool chemicals

This product is efficient and stable in use dilution

This product is compatible with most chemicals used in pool water and will not damage tile concrete metal or plastics

This product keeps pool water free and sparkling clear of visible green and blue green algae slime and green brown colors

This product improves filter operation and reduces need for other chemicals

This product imparts tone and a pleasant feel to swimming pool water

This product is formulated to complement swimming pool water being treated with normal chlorine systems It is especially effective against growth of algae and being non volatile aids in maintaining pool water clarity and sparkle The residual effectiveness of this algaecide tends to stabilize the total chemical treatment system

This product is compatible with most chemicals normally used in swimming pool maintenance However in its concentrated form this chemical must not come in contact with high concentrations of chlorine or any other oxidizer **DO NOT MIX THIS PRODUCT AND CHLORINE OR ANY OTHER OXIDIZER TOGETHER** before adding to the pool These chemicals must be handled separately

This product was formulated to complement most swimming pool sanitizers This product is not a stand alone product it must be used with either halogen based or non halogen based pool sanitizers This product supports your overall pool chemical maintenance program offering a residual effectiveness that protects your pool against algae formation while keeping your pool water sparkling clear This product protects the unattended pool when you're away (refer to Vacation Treatment section under Directions For Use)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

SWIMMING POOLS

This product requires no special equipment for treating swimming pool water The correct use dilution may be added directly to the pool in any spot or added to the water circulation equipment This product works the best when added by itself directly to pool water

IMPORTANT NOTES

- 1 Do not allow swimming pool for at least 15 minutes after this product has been applied
- 2 Always apply this and other pool treatment chemicals separately **NOTIFICATION** them **7/2/12** Date Reviewed **7/2/12**
- 3 Sunlight rainfall temperature number of swimmers and frequency of use can affect the rate at which unsanitary pool water conditions develop Adjust your pool cleaning and maintenance functions accordingly
- 4 This product may foam and here ore must not be used for spa treatment

BEFORE YOU BEGIN

- 1 Make sure all pool equipment is working properly including pump filter skimmer and heater Allow the filter to run for at least 6 hours after adding algaecide
- 2 Backwash filter following normal procedure for your pools filter
- 3 Check water pH (acidity/alkalinity balance) with a Test Kit following label directions Desired pH range is between 7.2-7.6 If necessary adjust pH by adding pH decriaser to lower pH or pH increaser to raise pH
- 4 Recheck pH and maintain it between 7.2-7.6 for at least 6 hours before adding this product
- 5 Add this product directly into pool by pouring around entire perimeter of pool

INITIAL APPLICATION FOR SWIMMING POOLS

- 1 Vacuum algae debris to waste and thoroughly brush pool
- 2 Add 5/4 ounces of this product to each 10 000 gallons of water or ratio thereof
- 3 Add this product directly into pool by pouring around entire outside perimeter of pool
- 3 Vacuum pool after 24 hours to remove dead algae
- 4 If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free visible algae
- 5 Once algae is under control clean filter and return to normal operation

MAINTENANCE DOSE Add 1/4 fluid ounces of this product to 10 000 gallons of pool water Maintenance dose should be added weekly If high temperatures prevail or pool has unusually heavy use add maintenance dose more frequently Maintenance dose should be added after a heavy or prolonged rainfall

If make up water is added at the rate of more than 10% per week of pool capacity add 1/4 fluid ounce of this product for each 1 000 gallons of fresh make up water added

When swimming season is over add maintenance dose prior to closing pool This dose helps provide a measure of control of algae growth during the winter months This treatment will also help the servicing of the pool before it is returned to use the following season

When this product is used as directed it is effective against *Chlorella pyrenoidosa* (green algae) *Phormidium lundum* (black algae) and *Pleurochlois meiringensis* (mustard algae) and other swimming pool algae and slime producing microorganisms

For persistent algae or slime producing microorganisms growth add 5 7 1/2 ounces of this product into the skimmer with the filter pump running After one minute shut off the pump and allow the system remain off over night The following day re start the filter pump and add 5 7 1/2 ounces of this product to the pool Run the filter continuously for 24-48 hours brushing the sides and bottom of the pool

(OR)

INSTRUCTIONS FOR USE WITH HALOGEN BASED POOL SANITIZERS

This product is formulated to complement most swimming pool sanitizers When using other products as outlined in Directions For Use on those products always follow Directions For Use of those products This product is effective against the growth of algae This product is efficient and non staining when used as directed This product will not evaporate and its algae fighting abilities actually increase as pool water temperature increases

Ensure all pool equipment is working properly Backwash the filter system following manufacturers directions Adjust pH between 7.2-7.6 Adjust chlorine residual to 1-3 ppm in a chlorine treated pool add stabilizer to establish a minimum level of 40-50 ppm to reduce the degradative effects of sunlight upon the chlorine residual Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface

due to metals. Check chlorine residual and adjust to 1.3 ppm. Maintain sanitizer residual in accordance with label directions found on your sanitizer of choice. When using other products as outlined in directions for this product always follow directions on those products.

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period swimmers must not be allowed into the water.

Initial Application for Swimming Pools

- 1 Backwash the filter thoroughly
- 2 Vacuum algae debris and thoroughly brush pool
- 3 Add 26 ounces of this product to each 50 000 gallons of water (5.2 ounces per 10 000 gallons)
- 4 Vacuum pool after 24 hours to remove dead algae
- 5 If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae
- 6 Once algae are under control clean filter and return to normal operation
- 7 Recirculation accomplished by running the filter will assure rapid dispersion of product

Maintenance Application

Add 6.5 ounces of this product in 50 000 gallons of water every 3.5 days or as needed

Booster Application

Add 6.5 ounces of this product in 50 000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load

The above directions must be followed even when the pool is not in use

If algae growth is noticeable apply initial dose

Vacation Treatment

When you are going to be away for one week or more add 4.8 ounces of this product per 10 000 gallons of water for every week unattended. Pour product around the edges of the shallow end of the pool. If shock is also being applied in the deep end of pool

OPTIONAL INSTRUCTIONS FOR USE WITH NON HALOGEN BASED POOL SANITIZERS

This product is formulated to complement swimming pool water being treated with the BioGuard Softswim System Bacquacil and other non halogen systems. When using other products as outlined in Directions For Use for this product always follow Directions For Use of those products. This product is efficient and non staining when used as directed. This product will not evaporate and its algae fighting abilities actually increase as the pool water temperature increases. The residual effectiveness of this product tends to stabilize the total chemical treatment system.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturers directions. Adjust pH between 7.2-7.6. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface due to metals.

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period swimmers must not be allowed into the water.

Initial Application for Swimming Pools

- 1 Backwash the filter thoroughly
- 2 Vacuum algae debris and thoroughly brush pool
- 3 Add 26 ounces of this product to each 50 000 gallons of water (5.2 ounces per 10 000 gallons)

- 4 Vacuum pool after 24 hours to remove dead algae
- 5 If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae
- 6 Once algae are under control clean filter and return to normal operation

Maintenance Application

Add 6.5 fluid ounces of this product in 50 000 gallons of water every 3.5 days or as needed

Booster Application

Add 6.5 ounces of this product in 50 000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load

The above directions must be followed even when the pool is not in use

If algae growth is noticeable apply initial dose

Vacation Treatment

When you are going to be away for one week or more add 4.8 ounces of this product per 10 000 gallons of water for every week unattended. Pour product around the edge of the shallow end of the pool. If shock is also being applied in the deep end of pool

WINTERIZING TREATMENT (not applicable in California)

When swimming pool season is over add 26 ounces of this product per 16 000 gallons (1.6 ounces per 1 000 gallons) (or ratio thereof) of water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

For persistent algae or slime producing organisms add 6.5 ounces of this product into the skimmer with the filter pump running. After one minute shut off pump and allow the system to remain off overnight. The following day restart the filter pump and add 6.5 ounces of this product to the pool. Run filter continuously for 24-48 hours brushing the sides and bottom of the pool frequently.

(Usage chart for quart and one gallon containers)

Swimming Pool Capacity Gallon of Water	Initial Treatment	Maintenance Dose	Booster Dose
5 000	2.6 ounces		0.65 ounces
10 000	5.2 ounces		1.3 ounces
20 000	10.4 ounces		2.6 ounces
25 000	13.0 ounces		3.25 ounces
30 000	15.6 ounces		3.9 ounces
40 000	20.8 ounces		5.2 ounces
50 000	26.0 ounces		6.5 ounces

ALTERNATE WINTERIZATION METHOD (not applicable in California)

This product may be used with the following pool chemicals to form a winterization package

Directions

- 1 Add a maintenance dose of chloride or oxygen shock
- 2 Top up BioGuard Softswim System Bacquacil or other non halogen systems to 50 ppm
- 3 Add 16.0 ounces of this product per 10 000 gallons (6.4 ounces per 4 000) (or ratio thereof) of water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season
- 4 Allow filter to run for several hours after chemical additions for good mixing

Note Before using chlorine or oxygen shock read the Directions for Use and Precautionary Statements specific to that product

TO DETERMINE POOL CAPACITY

Rectangular Pools Length (times) width (times) average depth (in feet) (times) 7.5 (equals) gallons

Round and Oval Pools Long diameter (times) short diameter (times) average depth (in feet) (times) 5.9 (equals) gallons

OTHER

DIRECTIONS FOR USE IN (OUTSIDE) SPAS/WHIRLPOOLS/HOT TUBS

(Outside description not for use in California)

Initial Dose Add 2.6 ounces of this product per 5,000 gallons of water. Initial dose is used upon filling of spa/whirlpool/hot tub bath.

Maintenance Dose Add 0.65 ounces of this product per 5,000 gallons of water. Maintenance dose must be added at 3 day intervals. If high temperatures prevail or outside spa/whirlpool/hot tub bath has unusually heavy use, add maintenance dose more frequently. Drain and clean outside spa/whirlpool/hot tub bath at least once a month or as needed depending upon bather load.

CONTROLLING ALGAE GROWTH

Bird Baths Do not use with fish. Clean to remove algae growth prior to filling birdbath. Then spray all exposed surfaces with a solution of 0.2 ounces of this product per gallon of water. Allow to air dry and brush off dead algae (Or)

INSTRUCTIONS FOR BIRD BATHS

This product is toxic to fish. DO NOT use this product when fish are present.

Initial Dose

1. Drain Bird Bath
2. Wipe mop or spray all exposed surfaces using 0.2 ounces of this product per gallon of water. Spray device must be a mechanical coarse spray device. When applied with spray device, surfaces must be sprayed until thoroughly wetted. Do not rinse.
3. Allow to air dry and brush off dead algae. Repeat if necessary until no algae is visible.
4. Refill Bird Bath with fresh water.

Maintenance Dose Repeat initial treatment when algae growth returns.

ALGAE CONTROL ON WALKWAYS For heavy infestations, spray or swab a solution of 0.2 ounces of this product per gallon of water. Let stand for an hour or more, then brush and wash away dead algae. Soak area again with the solution. Do not rinse. Allow to dry on the surface and repeat application when algae growth returns.

INSTRUCTIONS FOR (CONTAINERIZED) DECORATIVE FOUNTAINS AND POOLS

(Note to Reviewer: Containerized description must be used in California.)

This product is not to be used in open water ways connected to larger watersheds or in waters that serve as natural habitats for aquatic and amphibious organisms. DO NOT use when fish or other wildlife (for example, amphibians) are present. This product is toxic to fish. DO NOT use this product where fish are present.

Initial Dose

1. Remove floating algae by raking, dragging with cable or chain or any other suitable method. It is more economical to remove floating type algae (if possible) before the water is treated.
2. Add this product at any point that is convenient, such as the bowl, pool, or sump.

3. Add 25.6 ounces of this product to each 50,000 gallons (6.4 ounces per 12,500 gallons) or ratio thereof.

Weekly Maintenance Dose Add 6.4 ounces of this product to each 50,000 gallons of water every 3.5 days or as to maintain 0.5 ppm active.

Each month drain and clean bowl. Refill with fresh water and repeat initial treatment. Draining removes airborne dirt, dust, contamination, and alkali buildup.

Decorative Fountain or Pools Capacity in gallons of water	Initial Treatment	Maintenance Dose	Booster Dose
50,000	25.6 ounces	6.4 ounces	6.4 ounces
25,000	12.8 ounces	3.2 ounces	3.2 ounces
12,500	6.4 ounces	1.6 ounces	1.6 ounces
6,250	3.2 ounces	0.8 ounce	0.8 ounce
3,125	1.6 ounces	0.4 ounce	0.4 ounce
1,562	0.8 ounce	0.2 ounce	0.2 ounce
781	0.4 ounce	0.1 ounce	0.1 ounce
390	0.2 ounce	0.05 ounce	0.05 ounce
195	0.1 ounce	0.025 ounce	0.025 ounce

(Note to reviewer: The title and first statement of this section must appear on every label followed by the appropriate Storage and Disposal section.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

(For Swimming Pool Use and Decorative Fountains and Pools in nonrefillable containers up to and including 5 gallons)

Nonrefillable container Store in original container in areas inaccessible to small children. Keep from freezing. Do not reuse empty container. Offer for recycling if available or wrap and discard in trash.

(For Swimming Pool Use and Decorative Fountains and Pools in containers over 5 gallons)

PESTICIDE STORAGE Store in original containers and place in locked storage area. Keep from freezing. Do not contaminate water, food, or feed by storage or disposal.

SPILL OR LEAK PROCEDURES Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL Non-refillable container: Do not reuse container (bottle, cans, jars). Triple rinse (or equivalent). Offer for recycling if available or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Made in USA



[Optional - for use on residential use swimming pool and spa products]



NOTIFICATION
Date Reviewed 7/7/2012
Reviewed By [Signature]