

At 1 gallon this product meets the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1975 Recommendations of the U.S. Public Health Service in water up to 200 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against *Escherichia coli* and *Pseudomonas aeruginosa*.

The odors, soaps and foams of dairy cows can be controlled by washing with a solution of 1 oz. of this product in 4 gallons of warm water. **NO POTABLE WATER RINSE IS REQUIRED.** Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Wash thoroughly with soap and water after handling. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN


Probable mucous damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under lock and key sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by the user according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - (Larger than 1 gal.) - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if accepted by state and local authorities, by burning. If burned, stay out of smoke. (1 gal. and smaller) Do not reuse empty container. Wrap container and put in trash.



Disinfectant-Sanitizer-Fungicide-Virucide* - Deodorizer
with Organic Soil Tolerance for Hospital, Institutional
Industrial, School, Dairy and Other Farm Use

Active Ingredients	
Octyl Decyl Dimethyl Ammonium Chloride	2.25%
Dioctyl Dimethyl Ammonium Chloride	1.125%
Didodecyl Dimethyl Ammonium Chloride	1.125%
Alkyl (C ₁₂ 80%; C ₁₀ 40%; C ₁₄ 10%)	
Dimethyl Benzyl Ammonium Chloride	2.00%
Inert Ingredients	92.50%
	100.00%

EPA Reg. No. 10324-81 EPA Est. No. 10324-72-1

KEEP OUT OF REACH OF CHILDREN
DANGER

Corrosive. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



Mason Chemical Company

"The Quality Specialty"

721 W. ALGONQUIN AVE.
ARLINGTON HEIGHTS, IL 60005
708/290-1621
TOLL FREE:
1-800-362-1855

GEN

It is a violation of Federal law with its labeling.

This product is not to be used (1) if introduced direct contact with the blood body, or (2) contacts in not ordinarily penetrates normally sterile areas of

Apply this disinfectant with a mechanical brush or scrubber thoroughly wetted. Treated solution should be proper dirty.

DISINFECTION IN HOSPITAL CARE INSTITUTIONS. For areas, lavatories, bedrums, non-porous surfaces.

Add 2.5 oz. of this disinfectant to 4.5 gallons of water to clean hard surfaces. A *Pseudomonas aeruginosa* challenge test in the presence of organic material.

***VIRUCIDAL PERFORMANCE** was evaluated in the presence of the following virus (Hong Kong) on inactivated

DISINFECTION IN INSTITUTIONS this product to 4.5 gallons

FUNGICIDAL PERFORMANCE this product is an effective fungicide for control of such as locker rooms, dress rooms, utilizing the AOAC Use-Utilization test.

DISINFECTION OF BATHING combs, brushes, razors, etc. 0.5 oz/gallon solution of

NET CONTENTS:

BEST AVAILABLE COPY

ACCEPTED

JAN 18 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10324-81

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

Apply this disinfectant with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surfaces must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

DISINFECTION IN HOSPITALS, NURSING HOMES AND OTHER HEALTH CARE INSTITUTIONS. For disinfecting floors, walls, countertops, bathing areas, lavatories, bedrooms, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 3.5 oz. of this disinfectant to 4.5 gallons of water. Apply to previously cleaned hard surfaces. At this use level, this product is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 1% blood serum when evaluated by the AOAC Use-Dilution test.

***VIRUCIDAL PERFORMANCE.** At a 2.5 oz./4.5 gallon use level this product was evaluated in the presence of 5% serum and found to be effective against the following viruses: Herpes simplex, Vaccinia, and Influenza A, (Hong Kong) on inanimate environmental surfaces.

DISINFECTION IN INSTITUTIONS, INDUSTRY AND SCHOOLS. Add 2 oz. of this product to 4.5 gallons of water.

FUNGICIDAL PERFORMANCE. At 0.5 oz. to 2.25 gallons of water use level, this product is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and excoriated facilities, utilizing the AOAC Fungicidal Test.

DISINFECTION OF BARBER TOOLS. Pre-cleaned barber tools (such as combs, brushes, razors, and clippers) can be disinfected by immersing in a 2.5 oz./gallon solution of this product.

NET CONTENTS:

**DIRECTIONS FOR USE
(continued)**

DISINFECTION OF POULTRY EQUIPMENT, ANIMAL QUARTERS AND KENNELS. Poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. of this product to 4.5 gallons of water. Small animals should be immersed in this solution. Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD CONTACT LOCATIONS. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink taps, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. NO POTABLE WATER RINSE IS REQUIRED.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. of this sanitizer in 4 gallons of water, (150 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink taps, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. NO POTABLE WATER RINSE IS REQUIRED.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon solution of this product. NO POTABLE WATER RINSE IS REQUIRED.

7-5-11

**Virucide* Deodorizer
Hospital, Institutional
Other Farm Use**

..... 2.250 %
..... 1.125 %
..... 1.125 %
..... 3.000 %
..... 22.500 %
..... 100.00 %

Est. No. 10324-7L-1

CHILDREN

get in eyes, on skin, or on
teeth when handling. Harm-
ful contamination of food.

**OR
STATEMENTS**

ical

allots"
ROAD
L 60005

BEST AVAILABLE COPY