

10324-85

10/1/2014

1/21



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OCT 1 2014

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Magan E. Pletka
Regulatory Consultant
Mason Chemical Company
721 W. Algonquin Rd.
Arlington Height, LI 60005

Subject: **Maquat 86-M**
EPA Registration Number 10324-85
Notification Application Dated September 12, 2014
EPA Received September 12, 2014

Dear Ms. Pletka:

This letter acknowledges receipt of the notification identified above submitted under the provisions of section 3 (c) 9 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended and PR Notice 98-10 and 40 CFR 152.46.

Proposed Notification:

- Revise marketing claims

General Comments:

Based on a review of the submitted information, this notification is acceptable. A copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Drusilla Copeland at (703) 308-6224.

Sincerely,

Drusilla Copeland
Regulatory Management Branch I
Antimicrobials Division (7510P)



MASON CHEMICAL COMPANY
 "The Quaternary Specialists"

721 W. Algonquin Road | Arlington Heights, IL 60005 | 847-290-1621 or 800-362-1855

EPA Reg. No. 10324-85
 EPA Est. No.

MAQUAT® 86-M

Net Contents: Batch No:

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet.

(If container is 5 gallons or larger the following statement must appear on the label.)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and freshwater aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

(If container is less than 5 gallons, the following statement must appear on the label.)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and freshwater aquatic invertebrates.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

NOTIFICATION
 Date Reviewed: 10/11/14
 Reviewed By: [Signature]

(Ready-To-Use) (RTU) Disinfectant, Cleaner, Mildewstat, Fungicide, Sanitizer (non-food contact surfaces) Virucide*, Deodorizer for Hospitals, Nursing Homes, Home, Hotels & Motels, Institutional, Industrial, Schools, Dairy, Equine, Poultry/Turkey, Farm, Veterinary, Restaurant, Food Handling and Process Areas, Federally Inspected Meat and Poultry Plants, Bar and Institutional Kitchen Use and for Harvesting & Handling Equipment.

Small Fly Ovicidal Treatment.
 Athletic Surface Disinfectant.
 Non-Acid Bathroom Cleaner.
 Formulated for effective Poultry Sanitation.
 Formulated for effective Swine Premise Sanitation.
 Formulated for effective Mushroom Farm Sanitation.
 (Product of USA) (Made in the USA)

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , 50%, C ₁₂ , 40%, C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%
Octyl Decyl Dimethyl Ammonium Chloride.....	0.026%
Didecyl Dimethyl Ammonium Chloride.....	0.013%
Diocetyl Dimethyl Ammonium Chloride.....	0.013%
INERT INGREDIENTS:	99.914%
TOTAL	100.000%

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

See (left) (back) (side) (right) panel (of label) (below) for additional precautionary statements (and) (first aid statements).

(See (additional) (sheet) (insert) for (other) (additional) (directions for use) (information) (claims) (organisms).)

(Note to Reviewer: The below statements are optional)

(CUIDADO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.)

CAUTION: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.)

(Note to reviewer: The Table of Contents will not be on any label. This is for our customer's reference only. The page numbers will change as the label changes.)

Description	Page No.
Organism Guide	2
Marketing Claims	2
Use Directions	
General Disinfection	8
Hospital Disinfection	8
Food Processing	9
Animal Premises	10
Barber/Salon	13
Restroom/Bathroom	14
Household	15
Fungicidal/ Mold & Mildew	15
Deodorization/ Cleaning	15
Water/Smoke Damage Restoration	16
Other	17
Storage and Disposal	18

ORGANISM LIST

(Note to reviewer: Brackets [] indicate that one option within the brackets MUST be used in the final label text. Each option within the brackets is enclosed in a set of parenthesis (). All parenthesis indicate optional language.)

DISINFECTION PERFORMANCE (in Institutions, Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions and facilities, Households, Schools, Restaurants, Food Services, Beverage and Food Processing Plants and Other Non-Medical Facilities): This product kills the following bacterial in 10 minutes in the presence of 5% soil on hard, non-porous surfaces:

- Burkholderia cepacia*
- Campylobacter jejuni* (ATCC 29428)
- Corynebacterium ammoniagenes* (ATCC 6871)
- Enterobacter aerogenes* (ATCC 13048)
- Enterobacteriaceae* (with extended beta-lactamase resistance)
- Enterobacter cloacae*
- Enterococcus faecalis* (ATCC 19433)
- Enterococcus faecium* (Vancomycin resistant)
- Escherichia coli* (ATCC 11229)
- Escherichia coli* (Antibiotic resistant)
- Escherichia coli* O157:H7
- Klebsiella pneumoniae* (ATCC 13883)
- Klebsiella pneumoniae* (Antibiotic resistant)
- Legionella pneumophila* (ATCC 33153)
- Listeria monocytogenes* (ATCC 984)
- Proteus mirabilis*
- Proteus vulgaris*
- Pseudomonas aeruginosa* (ATCC 15442)
- Pseudomonas aeruginosa* (Antiflotioc resistant)
- Salmonella enterica* (ATCC 10708)
- Salmonella schottmuelieri* (ATCC 8759)
- Salmonella typhi* (ATCC 6539)
- Serratia marcescens* (ATCC 43861)
- Shigella dysenteriae* (ATCC 9361)
- Shigella flexneri*
- Shigella sonnei*

- Staphylococcus aureus* (ATCC 6538)
- Staphylococcus aureus* (CA MRSA) (Community Acquired Methicillin Resistant)
- Staphylococcus aureus* (Methicillin resistant) (MRSA) (ATCC 33591)
- Staphylococcus epidermidis* (Antibiotic resistant)
- Streptococcus pyogenes* (ATCC 19615)
- Vibrio cholerae*

VIRUCIDAL * PERFORMANCE: This product kills the following viruses in 10 minutes in the presence of 5% soil on hard, non-porous surfaces:

- Avian Influenza A/Turkey/Wisconsin Virus (VR-798)
- Avian Influenza A Virus (H5N1)
- Hantavirus
- Herpes Simplex Type 1 Virus (VR-260)
- Herpes Simplex Type 2 Virus (VR-734)
- HIV-1** (AIDS virus)
- Hepatitis C Virus
- Hepatitis B Virus
- Human Coronavirus
- Influenza A/Brazil Virus
- Influenza A (H1N1) Virus
- Respiratory Syncytial Virus
- Vaccinia Virus

** Indicates a 2-minute contact time is required for this claim.

ANIMAL VIRUCIDAL * PERFORMANCE: This product kills the following viruses in 10 minutes in the presence of 5% soil on hard, non-porous surfaces:

- Avian Influenza A/Turkey/Wisconsin Virus (VR-798)
- Avian Influenza A Virus (H5N1)
- Canine Coronavirus
- Canine Distemper virus
- Infectious Bovine Rhinotracheitis Virus (IBR) (VR-188)
- Newcastle Disease Virus (VR-109)
- Porcine Respiratory & Reproductive Virus (PRRSV)
- Porcine Rotavirus
- Pseudorabies Virus (VR-135)
- Transmissible Gastroenteritis (TGE) Virus

NON-FOOD CONTACT SANITIZING PERFORMANCE: When used on hard, non-porous surfaces this product kills 99.9% of the following organisms in 3 minutes:

- Enterobacter aerogenes* (ATCC 13048)
- Klebsiella pneumoniae* (ATCC 4352)
- Staphylococcus aureus* (ATCC 6538)

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes in the presence of 5% soil on hard, non-porous surfaces:

- Candida albicans*
 - Trichophyton mentagrophytes
- MILDEWSTATIC PERFORMANCE:** This product [(controls)(prevents)(inhibits)] the following fungi in 10 minutes in the presence of 5% soil on hard, non-porous surfaces:
- Aspergillus niger*

MARKETING CLAIMS

(Note to Reviewer: Marketing text is considered optional. Commas and the words "and" or" can be added to phrases to make text grammatically correct

(Note to Reviewer: The locations/surfaces have been grouped for space purposes only; they can be used individually or grouped together in any order. In the case where one or more location/surface is chosen, an "and" & "or" may be used to link locations/surfaces.) This formulation (Maquat® 86-M) is for use on hard, non-porous surfaces in:

- Hospitals, nursing homes, medical and dental offices and clinics, healthcare facilities, physician offices, operating rooms/theaters, radiology rooms, isolation wards, quarantine areas, hospices, and medical research facilities. (For Use In) Clean Rooms and Controlled Areas
- Patient care rooms & facilities, recovery rooms, Emergency Rooms, X-ray cat labs, exam rooms, newborn nurseries, neonatal units, orthopedics, respiratory therapy, surgical centers, out-patient surgical centers, labs, blood collection rooms, central supply, housekeeping & janitorial rooms, ophthalmic/optometric facilities.
- EMS & fire facilities, emergency vehicles, ambulance(s), ambulance equipment/surfaces, police cars, fire trucks.
- Day care centers and nurseries, sick rooms, elder care centers, kindergartens, and preschools.
- Acute care institutions, alternate care institutions, home healthcare institutions.
- Life care retirement communities, elder care facilities.
- Restaurants, restaurants and bars, bars, kitchens, taverns, cafeterias, institutional kitchens, fast food operations and food storage areas.
- Supermarkets, convenience stores, retail and wholesale establishments, department stores, shopping malls, gift shops, video stores, bookstores, dressing rooms and laundries, photocopy centers, bicycle shops, auto repair centers.
- Computer manufacturing sites, toy factories.
- Food establishments, coffee shops, donut shops, bagel stores, pizza parlors, liquor stores.
- Crime scenes and funeral homes, morgues, mortuaries, burial vaults, mausoleums, autopsy rooms, cadaver processing areas.
- Police stations, courthouses, correctional facilities, prisons, jails, municipal government buildings, penitentiaries, correctional institutions, bus stations, train stations.
- Institutional facilities, laboratories, factories, business and office buildings, restrooms, hotels and motels and transportation terminals, maintenance vehicles.
- Public restrooms, public facilities, waysides, travel rest areas, shower rooms, shower stalls, bathrooms, shower and bath areas.
- Hotel, motels, dormitories.
- Kitchens, bathrooms and other household areas.
- Homes (households), condos, apartments, vacation cottages, summer homes.
- Institutions, schools and colleges, commercial and industrial institutions, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, exercise facilities, gyms, gymnasiums, fieldhouses.

- Cosmetic manufacturing facilities, medical device manufacturing facilities, biotechnology firms, pharmaceutical manufacturing facilities, warehouses.
- Health clubs, spas, tanning salons, tanning spas/beds, footbath surfaces, massage/facial salons, hair/nail/pedicure salons, barber/beauty shops, salons, tattoo parlors. (Not for use on needles or other skin piercing instruments.)
- Museums, art galleries, post offices, performance/theater centers, banks, libraries, movie houses, bowling alleys.
- Recycling centers.
- Humidifier water tanks. (Not for use in CA.)
- Campgrounds, playgrounds, recreational facilities, picnic facilities, sports arenas, sports complexes.
- Food processing plants, USDA inspected food-processing facilities, farms, dairy farms, hog farms, equine farms, poultry and turkey farms and egg processing plants, meat/poultry processing plants, meat/poultry producing establishments, mushroom farms, rendering plants, canneries, caterers, bakeries, meat packing plants, hide and leather processing plants.
- Processing facilities for Fish, Milk, Citrus, Wine, Fruit, Vegetable, Ice Cream, and Potatoes and beverage plants.
- Tobacco plant premise and equipment.
- Veterinary clinics, animal life science laboratories, animal laboratories, animal research centers, animal quarantine areas, animal holding areas, animal breeding facilities, kennels, dog/cat animal kennels, breeding and grooming establishments, pet animal quarters, zoos, equine farms, pet shops, tack shops, operating rooms, washing areas, waiting rooms, examination rooms and other animal care facilities.
- Farmhouses, barns, sheds, tool sheds, barns, cattle barns, swine barns, sheep barns, horse barns, brooder houses, seed houses.
- Household and automotive garages, boats, ships, barges, watercraft, campers, RV's, trailers, mobile homes, cars, automobiles, trucks, delivery trucks, boxcars, tankers, tank trucks, buses, trains, taxis, helicopters and airplanes.
- Cruise lines, cruise ships, airline terminals, airports, shipping terminals, public transportation, transportation terminals.
- Commercial florist and flower shops.
- Basements, cellars, bedrooms, attics, living rooms, and porches. (This product) (Maquat® 86-M) (when used as directed) (can be used) (is formulated to disinfect) on (washable) hard, non-porous surfaces such as:
- Food preparation and storage areas.
- Kitchen equipment such as trash compactors.
- Countertops (counters), countertop laminates, stovetops (stoves), (bathroom, kitchen) sinks, tub surfaces, non-food contact surfaces of Slurry® machines, and exterior surfaces of appliances, refrigerators, microwave ovens and ice machines, shelves, racks and carts.
- Hospital beds, bed railings, bedpans, gurneys, traction devices, MRI, CAT, examining tables, scales, paddles, wheelchairs, hard nonporous surfaces of cervical collars and neck braces, spine backboards, stretchers, unit stools, CPR training mannequins, curing lights, light lens covers, slit lamps, operating room lights, operating tables,

- oxygen hoses, dental chairs/ countertops, examination tables, X-ray tables, washing areas, anesthesia, carts, footbath surfaces.
- Highchairs, baby cribs, diaper changing stations, infant bassinets/cribs/warmers/incubators/care equipment, folding tables, hampers, laundry pails.
- Shower stalls, shower doors and curtains, bathtubs and glazed tiles, chrome plated intakes, toilets, toilet seats, toilet bowls, toilet bowl surfaces, urinals, empty diaper pails, portable and chemical toilets and latrine buckets, glazed porcelain, glazed tile and restroom fixtures, bathroom fixtures.
- Glass, laminated surfaces, metal, stainless steel, glazed porcelain, glazed ceramic, sealed granite, sealed marble, plastic (such as polycarbonate, polyvinylchloride, polystyrene or polypropylene), sealed limestone, sealed slate, sealed stone, sealed terra cotta, sealed terrazzo, chrome and vinyl, Plexiglass®, vanity tops.
- Tables, chairs, desks, folding tables, workstations, bed frames, lifts, washable walls, cabinets, doorknobs and garbage cans/pails, trash barrels, trash cans, trash containers, cuspidors and spittoons.
- Enameled surfaces, painted (finished) woodwork, Formica®, vinyl and plastic upholstery, washable wallpaper.
- Sealed foundations, steps, plumbing fixtures, finished baseboards and windowsills.
- Exhaust fans, refrigerated storage and display equipment, coils and drain pans of air conditioning, refrigeration equipment and heat pumps.
- Large, inflatable, non-porous plastic and rubber structures such as animals, promotional items, moonwalks, slides, obstacle course play and exercise equipment.
- Hard, non-porous surfaces of picnic tables and outdoor furniture or Non-wooden Picnic tables and outdoor furniture except cushions and wood frames. (Note: Only one statement will be used on label.)
- Tattoo equipment. (Not for use on needles or other skin piercing instruments.)
- Playground equipment.
- Automobile interiors.
- Maintenance equipment.
- Telephones and telephone booths.
- External Lenses Vision correction including eyeglasses, protective eyewear, goggles, light lens covers, optical instruments/ implements. (Not for use on contact lenses.)
- Hair clippers, cutting implements, plastic rollers, washable nail files.
- Hard hats, headphones.
- Kennel runs, cages, kennel/cage floors, conductive flooring, examination tables, veterinary x-ray tables.
- Hatchers, setters, trays, racks, egg flats, walls, floors, ceilings, chick boxes, egg cases, vans and trash containers, seed houses.
- Wrestling and gymnastic mats, athletic training tables, physical therapy tables, exercise equipment.
- Crypton barrier fabric.
- Drinking fountains.
- Windows and mirrors.

This product contains no phosphorous.

This (container) (bottle) is made of (x)% post-consumer recycled plastic.

Convenient Trigger Spray.

Easy to Use.

Economy size.

Contains no (abrasives) (bleach) (harsh acids) (phosphates) (so it won't scratch surfaces).

Cleans without bleaching.

Fewer products - no need for separate deodorizer.

For disinfecting floors, walls, countertops, bathing areas, lavatories, bed frames, tables, chairs, garbage pails and other hard, non-porous surfaces in hospitals, dental offices, nursing homes and other health care institutions.

This product is a phosphate free formulation designed to provide effective cleaning, deodorizing and disinfection in areas where housekeeping is of prime importance in controlling the hazard of cross contamination on treated surfaces.

This product is an economical (ready-to-use) solution that can be used with trigger sprayers or sponges.

This product can be applied through foaming apparatus, low-pressure sprayers, and wet misting systems. Follow manufacturers' instructions when using this equipment.

Use this product on the multi-touch hard, non-porous surfaces responsible for cross-contamination.

This product is for use as a disinfectant on hard, non-porous surfaces. A potable water rinse is required after application on food contact surfaces.

This is a proven one-step disinfectant, cleaner, sanitizer, fungicide, mildewstat, and virucide*.

Kills (99.9% of) (any disinfection organism listed) (above) (below) (on hard, non-porous surfaces).

Kills (99.9% of) (common) (household) (institutional) (kitchen) germs (on (the) floor(s)).

Kills (99.9% of) (household) (institutional) (kitchen) bacteria -and/or- germs ((that get tracked into your -or- home) (by shoes -and/or- pets -and/or- kids) (from outside) (every day)).

Kills (99.9% of) (kitchen) (bathroom) (household) (institutional) bacteria (on (the) floor(s), (ordinary dish soap can't)).

Kills -and/or- (helps(s)) eliminate(s) -and/or- disinfects -and/or- destroy(s) -and/or- remove(s) -and/or- (help(s)) get(s) rid of -and/or- reduces -and/or- fights -and/or- effective against (99.9% of) (the) (common) (list use site/surface) (bacteria -and/or- viruses*) -or- germs.

Kills -and/or- (helps(s)) eliminate(s) -and/or- disinfects -and/or- destroy(s) -and/or- remove(s) -and/or- (help(s)) get(s) rid of -and/or- reduces -and/or- fights -and/or- effective against (99.9% of) (the) ((bacteria -and/or- viruses*) (and other germs)) -or- germs ((commonly) found in -or- on (the) (list use site/surface)).

Kills -and/or- (helps(s)) eliminate(s) -and/or- disinfects -and/or- destroy(s) -and/or- remove(s) -and/or- (help(s)) get(s) rid of -and/or- reduces -and/or- fights -and/or- effective against (99.9% of) (the) ((bacteria -and/or- viruses*) (and other germs)) -or- germs ((commonly) found on (the) (list use site/surface) surfaces your kids -and/or- pets (may) touch every day.

Kills -and/or- (helps(s)) eliminate(s) -and/or- disinfects -and/or- destroy(s) -and/or- remove(s) -and/or- (help(s)) get(s) rid of -and/or- reduces -and/or- fights -and/or- effective against (99.9% of) (common) (household) (bacteria -and/or- viruses*) (and other germs)) -or- germs (on) (from) (your) (children's) toys.

Kills -and/or- (helps(s)) eliminate(s) -and/or- disinfects -and/or- destroy(s) -and/or- remove(s) -and/or- (help(s)) get(s) rid of -and/or- reduces -and/or- fights -and/or- effective against (99.9% of) (list disinfectant organism) ((commonly) found -in/or- on (the) (list use site/surface)).

Kills -and/or- (helps(s)) eliminate(s) -and/or- disinfects -and/or- destroy(s) -and/or- remove(s) -and/or- (help(s)) get(s) rid of -and/or- reduces -and/or- fights -and/or- effective against (the) (list use site/surface) (from) (99.9% of) (common) (household) ((bacteria -and/or- viruses*) (and other germs)) -or- germs (this season -or- flu season).

Kills bacteria on (the) surfaces (your kids -and/or- pets touch every day). (Kills) (Eliminate(s)) (Remove(s)) (Get(s) rid of) (99.9% of) (the) germs -and/or- bacteria -and/or- viruses* (in your home -and/or- (office -or- work (place) (area) (environment)) (school) (classroom) (kitchen)).

This product meets AOAC efficacy standards for hard non-porous surface, non-food contact sanitizers. This product is an effective one-step (ready-to-use) sanitizer-cleaner for use on hard, non-porous non-food contact surfaces.

One-step cleaner. Cleans and shines. Antibacterial. This product delivers non-acid disinfection performance in an economical ready to use solution.

Cross-contamination is of major housekeeping concern, not only in hospitals, but also in schools, institutions and industry. This product has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but also in schools, institutions and industry.

Effective sanitizer in the presence of 5% serum contamination. (This product is an effective disinfectant/sanitizer in the presence of 5% serum contamination.) Effective sanitizer in the presence of soils. (This product is an effective sanitizer in the presence of soils.)

This product is for use in kitchens, bathrooms, and other household areas. This product is a multi-surface cleaner, deodorizer and disinfectant. Use on windows, mirrors, and other non-food contact glass surfaces.

This product can be used in work areas such as tool rooms and garages for odor control and light duty cleaning. Great for use (on) (in) the (kitchen), (bathroom), (floors) and other household areas. Removes (eliminates) odors. Deodorizes. Will not harm most surfaces.

Will not harm most surfaces. For a cleaner, fresher household. Removes stains. Removes dirt. Non-staining. Clear formula. Disinfects (and Sanitizes) kitchen surfaces (bathroom surfaces and floors). Sanitizes non-food contact kitchen surfaces (bathroom surfaces and floors). Kills germs. Kills household bacteria. A potable water rinse is required after application on food contact surfaces.

Kills common kitchen (bathroom) bacteria (and viruses*). This detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants, food service establishments and other institutions where housekeeping is of prime importance.

This product (formulation) is a one-step (ready to use) (hospital use) disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal*, fungicidal, and will inhibit the growth of mold and mildew and their odors when used as directed. For larger areas such as operating rooms and patient care facilities, this product is designed to provide both general cleaning and disinfection.

Will not cause swelling of transducer membrane or harm compressor plates. Kill Avian Influenza A Virus (H5N1) on pre-cleaned hard, non-porous surfaces.

This product is a one-step disinfectant that is effective against a broad-spectrum of bacteria, is virucidal* (including HIV-1**, HCV & HBV) and inhibits the growth of mold and mildew and their odors when used as directed.

Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A Virus. This product (Product Name) is a broad-spectrum hard surface disinfectant that has been shown to be effective against (Influenza A Virus tested and listed on the label) and is expected to inactivate all Influenza A Viruses including Pandemic 2009 H1N1 (formerly called swine flu).

This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.

This product has demonstrated effectiveness against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu). Kills Pandemic 2009 H1N1 influenza A virus.

Hospital use Disinfectant. Institutional Disinfectant. Non-Food Contact Sanitizer. Efficacy tests have demonstrated that this product is an effective bactericide, virucide* and fungicide in the presence of organic soil (5% blood serum).

This product meets AOAC Use - Dilution Test Standards for hospital disinfectants. This product has passed the Virucidal* Efficacy of a Disinfectant for Use on hard, non-porous surfaces Utilizing (Duck) Hepatitis B Virus.

This product has passed the Virucidal* Effectiveness Test using Bovine Viral Diarrhea Virus (BVDV) (Surrogate for Human Hepatitis C Virus). This product has passed the Virucidal* Efficacy of a Disinfectant for Use on hard, non-porous surfaces Utilizing Human (and Canine) Coronavirus.

This product is a disinfectant and non-food contact surface sanitizer for Cleanroom, and Laboratory areas to disinfect washable, hard, non-porous non-food contact surfaces such as: Laminar-airflow equipment and BioSafety Cabinet work surfaces and exterior surfaces of the following: countertops, sinks, plumbing fixture surfaces, Incubators, Refrigerators and Centrifuge surfaces of metal, stainless steel, glass, plastic (such as polystyrene or polypropylene), Formica®, and vinyl.

This product is a one-step (ready-to-use) (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting, (deodorizing) (and controlling mold and mildew on) (of) hard, non-porous surfaces. This product cleans quickly by removing dirt, grime, mold, mildew, body oils, dead skin, blood and other organic matter commonly found in hospitals (and) (in health care facilities) (on medical surfaces), nursing homes, schools and colleges, (day care centers), (medical) offices, funeral homes, veterinary clinics, pet shops, (equine farms), animal life science laboratories, hotels, motels, public areas and restrooms, foodservice establishments (restaurants) and federally inspected meat and poultry establishments (food [processing] plants). It (also) eliminates odors leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

This product cleans, disinfects and deodorizes (hard, non-porous hospital (medical) surfaces) in a one-step ready-to-use formula (with no rinsing required). Its non-abrasive formula is designed for use on (Use daily on) (the following) hard, non-porous surfaces: vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, stainless steel, brass, copper, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, telephones, fixtures, glazed tile, toilets, toilet bowls, urinals, sinks found in (health care facilities [hospitals]), patient rooms, operating rooms, ICU areas, shower rooms, and locker rooms. It can also be used to pre-clean and disinfect (hospital items: wheelchairs, [hospital] [patient] bed rails and linings, wash basins, bed pans, medical equipment surfaces, food establishments, (restaurants), (commercial kitchens) & restrooms) any washable (food and non-food contact) surface (where disinfection is required). A potable water rinse is required when disinfecting food contact surfaces. Do not use on glasses, dishes, utensils, or interior surfaces of appliances.

This product when used as directed is formulated to sanitize disinfect hard, non-porous surfaces such as screens for electronic devices, including smart phones, tablets and computer screens.

Electronic Screen Sanitizer

Cleans (+) (and) Sanitizes (electronic devices)

Alcohol and ammonia free

Streak-free finish

Use this product to clean, sanitize and disinfectant non-porous ambulance equipment and surfaces by rinsing all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry. (Precaution: Cleaning at 120°F temperature will avoid overheating and distortion of the ambulance equipment and surfaces that would necessitate replacement.)

This product maximizes (improves) labor results by effectively controlling odors.

When used as directed, this product will deodorize surfaces in restroom and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product controls (reduces) (eliminates) (neutralizes) (destroys) odors to make your home (kitchen) (bathroom) sanitary.

This product neutralizes musty odors and tough odors from smoke, pet accidents, and spills on contact.

This product is specially formulated to effectively eliminate offensive odors caused by mold and mildew.

This product is effective against household bacteria

This product is effective against odors caused by animal waste, septic tank or sewage backup, smoke and bathroom and kitchen odors.

This product inhibits bacterial growth on moist surfaces and deodorizes by killing microorganisms that cause offensive odors. (Not for use in CA.)

This product is for use in household and commercial humidifiers. Use of this product will control unpleasant (malodors) odors. (Not for use in CA.)

Humidifier Bacteria-Algae treatment is a bacteriostat which can control the build-up of bacteria and algae in water tanks of portable, (evaporative) humidifiers. (Not for use in CA.)

This product is a one-step cleaner and deodorant (odor counteractant) (odor-neutralizer) designed for general cleaning, (and) disinfecting, (deodorizing) (ar) controlling mold and mildew) on hard, non-porous surfaces.

This product cleans, disinfects and deodorizes surfaces by killing odor causing microorganisms. Its non-abrasive formula is designed for use on (restroom surfaces): glazed ceramic (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms, and locker rooms.

This product is effective at controlling mold and mildew on shower curtains.

This product provides long lasting freshness against tough (pet) odors such as odors from litter boxes and pet accidents.

This product cleans, shines, deodorizes and disinfects all hard non-porous (household) surfaces listed on the label. It inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and fresh smelling.

Eliminates odors caused by bacteria (and) (mildew) (and) (non-fresh foods). Kills odor causing bacteria in the kitchen (bathroom).

This product is for non-scratch cleaning of showers and tubs, shower doors and shower curtains, fixtures and toilet bowls.

This product will not leave a grit or soap scum.

This product is a no-rinse disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step.

Kills Trichophyton mentagrophytes (the agent that causes Athlete's Foot fungus) on bathroom surfaces.

Kills Athlete's Foot fungus on bathroom surfaces.

This product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

This product is a (ready-to-use) non-acid (bowl and) bathroom cleaner, which cleans, disinfects and deodorizes in one easy step. It cleans, disinfects and deodorizes surfaces by killing many odor-causing microorganisms. Its non-abrasive formula is designed for use (Use daily) on hard, non-porous restroom surfaces: glazed ceramic (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

Malodor(s) (Activity) (Odor) (Counteractancy) - eliminates (destroys) odors and odor-causing bacteria in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors). (Not for use in CA.)

This product is a versatile disinfectant/sanitizer for Veterinarian, Veterinary Practice, Animal Care, Animal Laboratory, and Agricultural and Farm Premise applications.

This product cleans by removing dirt, grime, mold, mildew, blood, urine, fecal matter and other common soils found in animal housing facilities, livestock, swine or poultry facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) eliminates odors leaving surfaces smelling clean and fresh.

This product can be used to disinfect, clean and deodorize terrarium and small animal cages, hot rock, substrate and cage furniture (plastic terrarium ornaments, driftwood, heat caves and water dishes). Do not use on porous rocks, hot rocks and driftwood.

This product has passed the Virucidal* Efficacy of a Disinfectant for Use on hard, non-porous surfaces Utilizing Canine Coronavirus.

This product cleans, disinfects and deodorizes (hard, non-porous surfaces) in one step. Its non-abrasive formula is designed for use on (Use daily on) (Use daily to clean and disinfect) (hard, non-porous surfaces): plated or stainless steel, aluminum, chrome, glazed porcelain, glazed tile, laminated surfaces (associated with floors, walls, countertops, cages, kennels, animal equipment) found in (barns, pens and stalls) animal housing facilities.

This product has been designed for veterinarians, animal groomers, hair stylists, barbers and beauticians, for use in disinfecting and maintaining clippers. It acts as a virucide* and bactericide while also cleaning. Regular use will help to maintain blades that operate with reduced friction and with smoother clipping action. Will help to prolong equipment life. This product is designed for use in pet salons, animal hospitals, barber and beauty shops. When used as directed it will disinfect metal clipper blades as well as many other hard, non-porous surfaces.

This product cleans rodent soiled areas.

This product is for use in Poultry Premise Sanitation (Hatcheries):

- Egg Receiving Area
- Egg Holding Area
- Setter Room
- Tray Dumping Area
- Chick Holding Area
- Hatchery Room
- Chick Processing Area
- Chick Loading Area
- Poultry Buildings

This product is for use in Swine Premise Sanitation:

- Farrowing Barns and Areas
- Waters and Feeders
- Hauling Equipment
- Dressing Plants
- Loading Equipment
- Nursery
- Blocks
- Creep Area
- Chutes

Kill (Avian) Influenza A Virus (H5N1) on pre-cleaned hard, non-porous surfaces.

This product is an effective antimicrobial cleaner designed for use by wholesale and retail florists, shippers and greenhouses.

When used as directed, this product will disinfect hard, non-porous surfaces, such as flower buckets, floors and walls of coolers, design and packing benches, and countertops.

This product can be relied on to deodorize coolers, buckets, garbage pails and other areas where obnoxious odors may develop.

Use this product to clean, disinfect and deodorize flower buckets, walls, floors of coolers, shippers, greenhouse packing areas, garbage pails and other areas where obnoxious odors may develop.

This product can be used as a general purpose antimicrobial detergent in florist shops, wholesale florist, shippers, green house packing areas and other commercial floriculture places for efficient cleaning and antimicrobial action against certain bacteria which cause: (Not for use in CA.)

1. Plugging of stems with slime, which reduces uptake of water for various flowers including roses, chrysanthemums, gladioli and tulips.
2. Production of ethylene gas, which may injure blooms of the various sensitive flowers including carnations, snapdragons, some orchids, baby's breath, sweet peas, freesia and alstroemeria.

Use this product to disinfect and sanitize non-porous salon/barber tools and instruments such as combs, clippers, plastic rollers, brushes, trimmers, razors, scissors, blades, tweezers, and baths and manicure/pedicure instruments.

Use this product to disinfect non-porous salon/barber tools and instruments such as combs, clippers, plastic rollers, brushes, trimmers, razors, scissors, blades, tweezers and manicure/pedicure instruments and footbath surfaces.

Use this product to clean, sanitize and disinfect hard non-porous surfaces of personal protective safety equipment, protective headgear, athletic helmets, wrestling/boxing headgear, athletic shoe soles, hard hats, headphones, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, hearing protectors and ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry. (Precaution: Cleaning at 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.)

Use to clean and disinfect non-medical (i.e. industrial and fire-fighting) respirators in industrial, commercial and institutional premises.

Use (on) (to clean and disinfect) non-porous athletic mats, wrestling mats, gymnastic mats, exercise equipment and training tables.

Floor cleaner.

This product is formulated to provide effective cleaning strength that will not dull high gloss floor finishes with repeated use.

This product provides effective cleaning strength that will not dull most metal-interior floor finishes, and does not require a rinse prior to recoat.

Cleans everyday kitchen messes.

Cleans non-food contact kitchen surfaces and food preparation areas.

Cleans everyday kitchen messes like dirt, grease and food stains. Cuts through tough grease and grime.

For use in:

Federally inspected meat and poultry plants on all hard, non-porous surfaces in inedible product processing areas, non-processing areas and/or exterior areas. All surfaces must be thoroughly rinsed with potable water.

Federally inspected meat and poultry plants as a floor and wall cleaner for use in all departments. Food products and packaging material must be removed from the room or carefully protected. All surfaces must be thoroughly rinsed with potable water.

Federally inspected meat and poultry plants as a disinfectant agent for use in all departments. Food products and packaging material must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

Escherichia coli (E. coli), *Salmonella enterica (Salmonella)*, and *Staphylococcus aureus (Staph)* are common bacteria found where food is prepared and stored. This product kills these bacteria and helps prevent cross-contamination on treated non-food contact kitchen surfaces listed on this label. A potable water rinse is required after application on food contact surfaces. This product is not for use on dishes, glassware or eating utensils.

This product cleans by removing dirt, grime and food soils in food preparation and processing areas. Its non-abrasive formula will not harm (scratch) surfaces. It cleans, disinfects and eliminates odors leaving surfaces smelling clean and fresh. Use where odors are a problem.

This product is effective against the control of small flies on non-food contact surfaces such as floors, walls, drains, countertops, metal surfaces, painted surfaces, glazed porcelain, glazed tile, glass, chrome, rubber, and plastic in restaurants, kitchens, dishwashing areas, and bar and wait station areas.

Use this product on finished floors, high speed burnished floors, conductive flooring, washable walls, tables, chairs, bathroom bowls, sinks, basins, shower stalls, tubs, glazed tiles, toilet, countertops, stove tops; exterior surfaces of appliances and refrigerators, cabinets, garbage cans, outdoor furniture (except cushions and wood frames), desks, telephones, door knobs and handles, and glass surfaces including windows and mirrors.

Disinfects, cleans, and deodorizes the following hard, non-porous surfaces: floors, walls, (non-medical) metal surfaces, (non-medical) stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.).

Its non-abrasive formula is designed for use on (Use daily on) (hard, non-porous surfaces): vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, stainless steel, aluminum, brass, copper, laminated surfaces and baked enamel surfaces (associated with floors, walls, ceiling, tables, chairs, countertops, telephones, fixtures, glazed tile, toilets (toilet bowls), urinals, sinks found in food establishments, (restaurants), (commercial kitchens) & restrooms, shower rooms and locker rooms (areas) - any washable (food and non-food contact) surface where disinfection is required. This product's non-dulling formula eliminates the time and labor normally required for rinsing floors. A potable water rinse is required for food contact surfaces. Do not use this product to clean or disinfect utensils, glassware, dishes or interior surfaces of appliances.

- Neutral (Neutral pH).
- Disinfects (Disinfectant).
- Cleans (Cleaner).
- Deodorizes (Deodorizer).

For use in households.

Will not harm sealed stone, sealed grout, or glazed tile.

This product is a complete, chemically balanced disinfectant (sanitizer) that provides a clear solution even in the presence of hard water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL DISINFECTION

DISINFECTION/FUNGICIDAL/IRUCIDAL* DIRECTIONS: Pre-clean heavily soiled areas. Apply this (undiluted) (ready-to-use) (full strength) product undiluted to walls, floors and other hard, non-porous surfaces such as Crypton barrier fabric, tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a brush, cloth, sponge or mechanical spray device so as to thoroughly wet surfaces. If mechanical spray device is used, spray must be coarse. Spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes and then let air dry or wipe up excess liquid. Rinse food contact surfaces with potable water after use. Rinsing is not necessary unless floors are to be coated with finish or restorer. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

OR

Apply this product to hard, non-porous surfaces with a cloth or mechanical spray device. For heavily soiled areas, a preliminary cleaning is required. When applied with a mechanical spray device, surfaces must be sprayed until thoroughly wetted. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface and rub with brush, sponge or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes.

CLEANING AND DISINFECTION: Pre-clean heavily soiled areas. Apply (undiluted) (ready-to-use) (full strength) solution with a brush, cloth, sponge or mechanical spray device so as to wet all surfaces thoroughly to be cleaned and disinfected. For sprayer applications, use a coarse pump or trigger spray device. Spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for 10 minutes and then air dry or wipe up excess liquid. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)]. (OR)

FOR USE AS A ONE-STEP CLEANER/DISINFECTANT:

1. Pre-clean heavily soiled areas.
2. Apply (undiluted) (ready-to-use) (full strength) solution to hard, non-porous surfaces using a sponge, brush, cloth or mechanical spray device.
3. To disinfect, all surfaces must remain wet for [(ten) (10)] minutes.
4. Wipe surfaces (and let air dry).
5. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

Note: Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

HOSPITAL/INSTITUTIONAL DISINFECTION

(Note for reviewer: For labels that list medical premises and metal and/or stainless steel surfaces, one of the following statements must be used.)

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

(OR)

Not for use on medical devices or medical equipment surfaces. (Alternate statement: This product is not for use on Medical device surfaces.)

INSTITUTIONAL DISINFECTANT DIRECTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions): Pre-clean heavily soiled areas. Apply (undiluted) (ready-to-use) (full strength) solution to disinfect hard, non-porous surfaces, thoroughly wetting surfaces with a brush, cloth, sponge or mechanical spray device. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Rinse or allow to air dry. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)]. **Note:** With spray applications cover or remove all food products.

VIRUCIDAL * PERFORMANCE: Pre-clean heavily soiled areas. Apply (undiluted) (ready-to-use) (full strength) solution to treated surfaces, thoroughly wetting surfaces with a brush, cloth, sponge or mechanical spray device. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for ten minutes. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A (H5N1) VIRUS: For use in homes, hospitals, hotels, motels and schools, follow the disinfection directions. (OR) For use in animal housing facilities follow the animal premise directions.

HEPATITIS B VIRUS: With a 10 minute contact time this product was found to be effective against (Duck) Hepatitis B Virus.

HEPATITIS C VIRUS: With a 10 minute contact time, this product was found to be effective against Bovine viral diarrhea virus (BVDV) (Surrogate for human Hepatitis C virus).

HIV (AIDS VIRUS): With a 2 minute contact time, this product was found to be effective against HIV-1 (AIDS virus).

***KILLS HIV, HCV AND HBV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1** (HIV-1) (associated with AIDS), (Duck) Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Clean-up must always be done wearing protective latex gloves, gowns, masks and eye protection. (Alternate statement: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, and eye protection.)

Cleaning Procedure: Blood and other body fluids (containing HIV-1, HBV & HCV) must be thoroughly cleaned from surfaces and objects before application of this product (the disinfectant).

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: For HIV, let surface remain wet for 2 minutes with (undiluted) (ready-to-use) (full strength) solution. For HBV, HCV and all other organisms listed on label, a 10 minute contact time is required.

SURGICAL INSTRUMENT PRE-SOAK: Pour (undiluted) (ready-to-use) (full strength) solution into container. Place pre-cleaned instruments in solution to pre-soak surgical instruments for a minimum of 10 minutes, then proceed with normal sterilization procedure. Replace product if it becomes [(diluted) (soiled) (visibly dirty)].

Note: Plastic instruments can remain immersed until sterilization. Metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle until sterilization. Prolonged soaking will cause damage to metal instruments. Surgical instruments must be sterilized before use.

CLEANING AND DISINFECTING HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS): Pre-clean equipment if heavily soiled to ensure proper surface contact. Apply (undiluted) (ready-to-use) (full strength) solution to hard, non-porous surfaces of the respirator with a brush, coarse spray device, sponge or by immersion. Thoroughly wet all surfaces to be disinfected. Treated surfaces must remain wet for 10 minutes. Remove excess solution from equipment prior to storage. The user must comply with all OSHA regulations including cleaning respiratory protection equipment (29 CFR § 1910.134).

SANITIZER DIRECTIONS FOR NON-FOOD CONTACT SURFACES (IN INSTITUTIONAL FACILITIES)

TO SANITIZE (AND DEODORIZE): Apply (undiluted) (ready-to-use) (full strength) solution to hard, non-porous surfaces, thoroughly wetting surfaces as required, with a brush, cloth, sponge or mechanical spray device or by immersion. Pre-clean heavily soiled areas. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Do not breathe spray. Let stand for 3 minutes. Then wipe. Allow to air dry. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

SANITIZATION OF HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS): Pre-clean heavily soiled areas. Apply (undiluted) (ready-to-use) (full strength) solution to hard, non-porous surfaces of the respirator with a brush, coarse spray device, sponge or by immersion. Thoroughly wet all surfaces to be disinfected. Treated surfaces must remain wet for [(three) (3)] minutes. Remove excess solution from equipment prior to storage

FOOD PROCESSING PREMISES

Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

OR

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from room or carefully protected. A potable water rinse is required.

DIRECTIONS FOR FOOD PROCESSING PLANTS: For use on non-food contact surfaces such as floors, walls, tables, garbage cans and disposal areas. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Follow Disinfection directions.

DIRECTIONS FOR FOOD STORAGE AREAS: For use on non-food contact surfaces such as shelves, floors, walls and tables. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Then follow Disinfection directions.

FOR USE AS A CLEANER/DISINFECTANT IN FOOD PROCESSING PLANTS:

1. Before using this product in food processing areas, food products and packaging materials must be removed from the room or carefully protected.
2. Apply (undiluted) (ready-to-use) (full strength) solution evenly over surface using a brush, cloth, sponge or mechanical spray device. For sprayer applications, use a coarse spray device. Be sure to wet all surfaces thoroughly. Do not breathe spray.
3. Allow product to remain on surface for [(ten) (10)] minutes.
4. Wipe with clean cloth, sponge or paper towel.
5. For heavily soiled areas, thoroughly clean surface prior to disinfecting.
6. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to clean the following surfaces: utensils, glassware and dishes or interior surfaces of processing equipment.
7. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

TO DISINFECT FOOD-PROCESSING (AND TOBACCO PREMISES): Before using this product, food products and packaging materials must be removed from area or carefully protected. For use on floors, walls and storage areas. Pre-clean heavily soiled areas. Apply (undiluted) (ready-to-use) (full strength) solution with a brush, cloth, sponge or (hand pump trigger spray device) (mechanical spray device) so as to wet all surfaces thoroughly. For sprayer applications, use a coarse spray device. Allow surface to remain wet for 10 minutes, then remove excess liquid. After use, all surfaces in the area must be thoroughly rinsed with potable water. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

TO DISINFECT FOOD SERVICE ESTABLISHMENT FOOD CONTACT SURFACES (For countertops, exterior surfaces of appliances, and tables): Before using this product, food products and packaging materials must be removed from area or carefully protected. Pre-clean heavily soiled areas. Apply (undiluted) (ready-to-use) (full strength) solution with a brush, cloth, sponge or (hand pump trigger spray device) (mechanical spray device) so as to wet all surfaces thoroughly. For sprayer applications, use a coarse spray device. Allow surface to remain wet for 10 minutes. Then remove excess liquid and rinse the surface with potable water. (Alternate statement: After use, all surfaces in the area must be thoroughly rinsed with potable water. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)]. This product is not for use on dishes, glassware, interior surfaces of appliances or eating utensils or interior surfaces of processing equipment.

FOR USE ON NON-FOOD CONTACT SURFACES AS A GENERAL DISINFECTANT IN THE BREWERY INDUSTRY: Apply (undiluted) (ready-to-use) (full strength) solution with a cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Follow the general disinfectant directions above.

DISINFECTING POTATO STORAGE AREA AND EQUIPMENT: Remove all potatoes prior to disinfection of potato storage area and equipment. Pre-clean hard, non-porous surfaces by removing heavy soils or gross filth. Follow general disinfecting directions as outlined in that section. All treated surfaces must be thoroughly rinsed with potable water prior to reuse.

SANITIZING NON-FOOD CONTACT SURFACE DIRECTIONS IN FOOD PROCESSING FACILITIES

[(SHOE) (BOOT)] BATH SANITIZER DIRECTIONS: To prevent cross contamination [(from area to area.) (in animal areas,) (and) (entryways) (the packaging and storage areas of food plants)], shoe baths containing one inch of fresh (undiluted) (ready-to-use) (full strength) solution must be placed at all entrances to buildings, hatcheries, and at all the entrances to the production and packaging rooms. Scrape waterproof shoes and place in the solution (or allow to remain wet) for 3 minutes prior to entering area. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

SHOE FOAM DIRECTIONS: To prevent cross contamination from [(area to area.) (in animal areas), (and) (entryways) (the packaging and storage areas of food plants)], apply a foam layer approximately 0.5 to 2 inches thick of (undiluted) (ready-to-use) (full strength) solution at all entrances to buildings, hatcheries, production and packaging rooms by using a foam generating machine or aerator to apply foam layer. Follow the foaming directions as specified by the manufacturer of the foam generator/aerator. Scrape waterproof shoes. Stand and/or walk through foamed area (or allow to remain wet) for 3 minutes prior to entering area. Foam area must be washed and replaced, least daily or when it appears [(diluted) (soiled) (visibly dirty)].

(For food processing or other facilities that have installed entryway sanitizing systems.)

ENTRYWAY SANITIZING SYSTEMS: To prevent cross contamination from area to area, set the system to deliver (undiluted) (ready-to-use) (full strength) sanitizing solution. The [(spray) (foam)] must cover the entire path of the doorway. Set the system so that a continuous wet blanket of sanitizer solution is delivered to the floor.

Do not mix other foam additives to the sanitizing solution.

ANIMAL PREMISES

PRE-CLEANING DIRECTIONS: The first step in any on-going sanitation program must be the removal of gross contamination and debris. This can be accomplished using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of even the most efficient germicidal cleaner is reduced in the presence of heavy organic matter. Once the heavy debris is eliminated thoroughly clean all surfaces with soap or detergent and rinse with water.

Prior to use of this product, remove all animals and feeds from [(premises) (areas to be treated)], vehicles (trucks, cars), and enclosures (coops, crates, kennels, stables). Remove all litter, droppings and manure from floors, walls and surfaces of barns, pen, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water.

Saturate surfaces with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse. Replace product if it becomes [(diluted) (soiled) (visibly dirty)].

VETERINARY PRACTICE ((CLINICS)/ANIMAL CARE FACILITIES/ANIMAL LABORATORY/ANIMAL LIFE SCIENCE LABORATORY/ANIMAL RESEARCH CENTERS/ANIMAL QUARTANTINE AREAS/ZOO/PET SHOP/KENNELS/ANIMAL HUSBANDRY/ANIMAL BREEDING FACILITIES/BREEDING AND GROOMING ESTABLISHMENT/TACK SHOPS) DISINFECTION DIRECTIONS: For cleaning and disinfecting the following hard, non-porous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Follow pre-cleaning instructions. [(Saturate surfaces with) (Use) (Apply)] (undiluted) (ready-to-use) product and allow to remain wet for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used in removing litter and manure. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed set or dried. Thoroughly scrub all treated feed racks, automatic feeders, waterers and other equipment that dispenses food or water with soap or detergent and rinse with potable water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

FOR USE FOR TREATMENT OF ANIMAL HOUSING FACILITIES:

1. Remove all animals and feed from [(premises) (areas to be treated)], vehicles and enclosures.
2. Remove all litter and manure from floors, walls and surfaces of barn, pens, stalls, stables, chutes and other facilities and fixtures occupied or traversed by animals.
3. Empty all troughs, racks and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate all surfaces (floors, walls, cages and other washable hard, non-porous surfaces) with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. For smaller surfaces, use a trigger spray bottle to spray all surfaces with solution until wet.
6. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, scrapers used in removing litter and manure.
7. Ventilate buildings, cars, trucks, boats and other closed spaces.
8. Do not house [(animals) (livestock)] or employ equipment until [(treatment has been absorbed, set and dried) (surface has dried)].
9. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers and other hard, non-porous surfaces with soap or detergent and rinse with potable water before reuse.
10. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)]

DRESSING AND RENDERING PLANT USE (RENDERING PLANT/DRESSING PLANT) DISINFECTANT DIRECTIONS:

Cover or remove all food and packaging materials. Remove all gross soils. Disinfect walls and floors in poultry and animal dressing plants. Disinfect ofal rooms, exterior walls and loading platforms of dressing plants. Saturate all surfaces with (undiluted) (ready-to-use) (full strength) solution. Scrub to loosen all soils. Allow to soak for 10 minutes and thoroughly rinse all wetted and cleaned surfaces with potable water. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

RENDERING PLANT/DRESSING PLANT DISINFECTANT/FUNGICIDE/VIROCIDE*

DIRECTIONS: Cover or remove all food packaging material before disinfection. Remove gross soils. Apply to walls and floors in poultry and animal dressing plants with (undiluted) (ready-to-use) (full strength) solution. All surfaces must remain wet for 10 minutes. Disinfect all rooms, exterior walls and loading platforms of dressing plants.

Thoroughly rinse all wetted and cleaned surfaces with potable water. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

FARM PREMISE DISINFECTION DIRECTIONS: Do not use in milking stalls, milking parlors or milk houses. Remove all animals and feed from (premises) (areas to be treated), vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, stables, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. [(Saturate all surfaces with) (Use) (Apply)] this (undiluted) (ready-to-use) product and allow to remain wet for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used in removing litter and manure. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

(OR)

FOR USE IN EQUINE, DAIRY AND HOG FARMS:

1. Remove all animals and feed from [(premises) (areas to be treated)], vehicles and enclosures.
2. Remove all litter and manure from floors, walls and surfaces of barn, pens, stalls, stables, chutes and other facilities and fixtures occupied or traversed by animals.
3. Empty all troughs, racks and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. [(Saturate all surfaces with) (Use) (Apply)] this (undiluted) (ready-to-use) product for a period of 10 minutes.
6. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, scrapers used in removing litter and manure.
7. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set and dried.
8. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse.
9. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

VEAL, CALVING, HOG, CATTLE AND HORSE OPERATIONS: Between depopulations of facilities, cleaning and disinfection of pens, hutches, aisles and other hard, non-porous surfaces can be required. Flush soils from these areas. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with (undiluted) (ready-to-use) (full strength) solution and allow to remain wet for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used in removing litter and manure. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

SPECIAL INSTRUCTIONS FOR INACTIVATING AVIAN INFLUENZA A (H5N1) VIRUS: Remove all poultry and feeds from [(premises) (areas to be treated)], trucks, coops, and crates. Remove all litter and droppings from floors, walls, and surfaces of facilities occupied or traversed by poultry. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, scrapers used in removing litter and manure. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse. Replace product if it becomes [(diluted) (soiled) (visibly dirty)].

DISINFECTION OF POULTRY/TURKEY EQUIPMENT, SWINE QUARTERS, LIVESTOCK FARMS, EQUINE QUARTERS, ANIMAL QUARTERS AND KENNELS: Prior to disinfection, remove all poultry, other animals and their feed from [(premises) (areas to be treated)], vehicles (trucks and cars), and enclosures (coops, crates, kennels, stables). Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Apply (undiluted) (ready-to-use) (full strength) solution with a cloth, sponge or hand pump trigger sprayer. Saturate surfaces with the disinfecting solution for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

All treated equipment that will contact feed or drinking water (racks, troughs, automatic feeders, fountains and waterers) must be thoroughly scrubbed with soap or detergent then rinsed with potable water before reuse.

DISINFECTION/FUNGICIDE/VIRUCIDE* OF POULTRY/TURKEY EQUIPMENT, SWINE QUARTERS, LIVESTOCK FARMS, EQUINE QUARTERS, ANIMAL QUARTERS AND KENNELS DIRECTIONS: Prior to disinfection, remove all poultry, other animals and their feed from [(premises) (areas to be treated)], vehicles (trucks and cars) and enclosures (coops, crates, kennels, stables). Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Apply (undiluted) (ready-to-use) (full strength) solution with a cloth, sponge or hand pump trigger sprayer. Saturate surfaces with the disinfecting solution for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

After application, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

All treated equipment that will contact feed or drinking water (racks, troughs, automatic feeders, fountains and waterers) must be thoroughly scrubbed with soap or detergent, then rinsed with potable water before reuse.

HATCHERIES: Use this product undiluted to treat the following hard, non-porous surfaces: hatchers, setters, trays, racks, egg flats, walls, floors, ceilings, chickboxes, egg cases, trash containers, carts, sexing tables, delivery trucks, vans and other hard non-porous surfaces. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Rinse surfaces with potable water before reuse. Allow surfaces to air dry. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

VEHICLES: Clean all vehicles including mats, crates, cabs, and wheels with high-pressure water and this product. For sprayer applications, use a coarse spray device. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Allow to air dry. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

FOR USE IN LIVESTOCK, POULTRY AND TURKEY HOUSES:

1. Remove all animals and feed from [(premises) (areas to be treated)], vehicles and enclosures.
2. Remove all litter and manure from floors, walls and surfaces of barn, pens, stalls, stables, chutes and other facilities and fixtures occupied or traversed by animals.
3. Empty all troughs, racks and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate all surfaces with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes.
6. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, scrapers used in removing litter and manure.
7. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set and dried.
8. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse.
9. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

DISINFECTANT DIRECTIONS FOR CHICK VANS, EGG TRUCKS HATCHERY and FARM VEHICLES: Clean all vehicles including mats, crates, cabs, and wheels with high-pressure water and this product. Use this product undiluted to treat all vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. For sprayer applications, use a coarse spray device. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

DISINFECTANT/VIRUCIDAL* DIRECTIONS TO TREAT HARD NON-POROUS, NON-FOOD CONTACT SURFACES OF AUTOMATED TRAY, RACK AND BUGC WASHERS: Remove all litter and manure from surfaces to be treated. Treat hard non-porous, non-food contact surfaces of automated trays, racks and buggy washers with this (undiluted) (ready-to-use) (full strength) solution for 10 minutes. Thoroughly clean all surfaces with soap or detergent and rinse with water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

DISINFECTANT/VIRUCIDAL* DIRECTIONS TO TREAT HARD NON-POROUS, NON-FOOD CONTACT SURFACES IN EGG RECEIVING AND EGG HOLDING AREAS: Remove all litter and manure from surfaces to be treated. Saturate hard non-porous, non-food surfaces with this (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. Apply by sponge, cloth, brush or mechanical spray device. For sprayer applications, use a coarse spray device. Thoroughly clean all surfaces with soap or detergent and rinse with water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

MEAT PACKING PLANTS: Use this (undiluted) (ready-to-use) (full strength) product to disinfect hard, non-porous surfaces associated with the following sites: livestock vehicles and holding pens, receiving areas and delivery chutes, slaughter areas and conveyors, hand, rub and guide rails, post knock cabinets, stands and flooring surfaces, chains and moving process lines, surfaces of equipment for hide operations consisting of brine curing, hide transfer bin surfaces, chutes, conveyors, tallow and animal feed production hard, non-porous surfaces, processed products and offal equipment surfaces, fabrication and processing areas covering cold storage areas, all stainless steel cut out and prep tables, counter tops, conveyors, chains, tables, floors, walls and all stainless surfaces. Pre-clean all surfaces prior to use to remove gross soils. Surfaces must remain wet for 10 minutes, then thoroughly rinsed with potable water before operations are resumed. All treated equipment that will contact animal feed or food surfaces must be thoroughly scrubbed with soap or detergent then rinsed with potable water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

HIDE/LEATHER PROCESSING PLANTS: To use as a disinfectant/fungicide on hard, non-porous surfaces, apply this (undiluted) (ready-to-use) (full strength) solution. The product can be used on hide storage bins, holding tanks, chill tanks, serpentine tanks and chains, machine and tannery equipment surfaces, conveyors and trolleys, hide press, grading and storage areas and scales, etc. Pre-clean all surfaces prior to use to remove gross soils. Thoroughly wet all hard, non-porous surfaces by evenly applying the (undiluted) (ready-to-use) (full strength) solution. Apply (undiluted). (ready-to-use) (full strength) solution with a brush, cloth, sponge, mechanical spray device or by immersion, thoroughly wetting surfaces. For sprayer applications, use a coarse spray device at 6-8" from surfaces. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Wipe dry or allow to air dry. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

SPECIAL INSTRUCTIONS FOR CLEANING AND DISINFECTING AREAS WHICH MAY BE INFESTED WITH HANTAVIRUS: Infection with Hantavirus occurs by inhalation of infectious materials. CDC recommends that persons involved with cleanup must wear coveralls, (disposable, if possible), rubber boots or disposable shoe covers, rubber or plastic gloves, protective goggles, and a half mask air purifying, negative pressure respirator with a high efficiency particulate air (HEPA) filter respirator or a powered air-purifying respirator (PAPR) with HEPA filter. Disinfect Personal Protective gear upon removal at the end of the day. If the coveralls are not disposable, they must be laundered on site. If no laundry facilities are available, the coveralls must be immersed in liquid disinfectant until they can be washed.

All potentially infective waste material (including respirator filter) from cleanup operations that cannot be burned or deep buried on site must be double bagged in appropriate plastic bags. The bagged material must then be labeled as infectious (if it is to be transported) and disposed of in accordance with local requirements for infectious waste.

Rodent droppings and visible dust may be reservoirs for Hantavirus. If you are cleaning out a building that has been closed up, such as a cabin, shed or garage:

1. Air out the building for at least 30 minutes by opening windows and doors.
2. Leave the building while it is airing out.
3. Do not vacuum, sweep or dust. This can spread the virus through the air.
4. Thoroughly wet the contaminated areas with the product and allow solution to stand undisturbed for contact time specified by the manufacturer's label.
5. Carefully remove contaminated material and dispose by burial or burning. Contact your local and state health department for additional disposal methods.

6. Treat the surface again following the manufacturer's label directions and allow solution to stand undisturbed for 10 minutes.

TERRARIUM AND SMALL ANIMAL CAGE AND CAGE FURNITURE DISINFECTION: (Animals frequently defecate on hot rocks and other hard, non-porous cage furniture items inside your terrarium. This can result in high bacteria and ammonia levels that can lead to possible infection/disease in your animals. When used regularly this product can eliminate these high bacterial/ammonia levels in your cage and on your cage furniture items.) [(Do not use on porous rocks, hot rocks and driftwood.)]

1. Remove all animals.
2. Thoroughly clean all surfaces and objects (hot rocks, caves, cage furniture, feeding and watering dishes, and appliances) including the substrate in the terrarium or cage with soap or detergent and rinse with water.
3. Saturate all surfaces (floors, walls, cages and other washable hard, non-porous surfaces) with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. For smaller surfaces, use a trigger spray bottle to spray all surfaces with solution until wet. Then wipe surfaces dry.
4. Saturate gravel as above and let stand for 10 minutes. Place in bucket of clean water and swirl for 15-30 seconds. Thoroughly air dry before returning to terrarium.
5. Do not return animals to the habitat until it is dry and ventilated.
6. Thoroughly scrub all treated surfaces with soap or detergent and rinse with potable water before reuse.
7. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)]. Clean terrarium at least once weekly or more as needed.

Note: Do not apply this product directly onto the small animal. If this product comes into contact with the small animal's skin, then immediately wash the material off of the animal with lukewarm water. If the small animal ingests this product, contact your veterinarian immediately. Substrates for desert terrariums (i.e. gravel) must be completely dry before returning to terrarium to avoid high humidity levels. Always replace substrate if a foul odor persists.

REPTILE TANK CLEANING AND DISINFECTION DIRECTIONS: Remove all reptiles from the [(enclosure) (tank)] prior to cleaning and disinfecting. Remove all litter or droppings from surfaces. Empty all equipment used for feeding or watering reptiles. Thoroughly clean all surfaces with soap or detergent and rinse with water. Apply the disinfecting and virucidal* (ready-to-use) (undiluted) (full strength) solution to the surfaces of the [(enclosure) (tank)] until thoroughly wet. Allow surfaces to remain wet for 10 minutes. Wipe dry. Rinse all surfaces that come in contact with food with potable water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)]. Allow the [(enclosure) (tank)] to ventilate for a minimum of 10-15 minutes before replacing the reptiles.

Note: Do not apply this product directly onto the reptile. If this product comes into contact with the reptile's skin, then immediately wash the material off of the animal with lukewarm water. If the reptile ingests this product, contact your veterinarian immediately.

SANITIZER DIRECTIONS FOR NON-FOOD CONTACT SURFACES IN ANIMAL PREMISES

POULTRY (AND SWINE) PREMISE SANITATION Site Preparation: The first step in any on-going sanitation program should be the removal of gross contamination and debris. This can be accomplished using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of even the most efficient germicidal cleaner is reduced in the presence of heavy organic matter.

Once the heavy debris is eliminated thoroughly clean all surfaces with soap or detergent and rinse with water.

APPLICATION ON POULTRY (AND SWINE) PREMISES: Remove all animals and feeds from [(premises) (areas to be treated)], vehicles (trucks, cars), and enclosures (coops, crates, kennels, stables). Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

TO SANITIZE HOOF TRIMMING EQUIPMENT: Prior to application, pre-clean hoof trimming equipment and utensils before and after use on each animal with detergent and warm water or compatible cleaner to remove soil using a pre-scrape, pre-flush, or when necessary, pre-soak followed by a potable water rinse. Apply (undiluted) (ready-to-use) (full strength) solution to pre-cleaned hard surfaces using a brush, cloth, sponge or mechanical spray device or by immersion to thoroughly wet surfaces. Allow surfaces to remain wet for at least 3 minutes followed by adequate draining or air drying. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

BARBER/SALON

FOR USE AS A DISINFECTANT/FUNGICIDE/IRUCIDE* FOR BARBER/SALON TOOLS: Immerse pre-cleaned barber/salon tools, such as combs, brushes, plastic rollers, razors, manicure/pedicure tools, clippers, tweezers, clipper and trimmer blades, and scissors and other hard non-porous salon instruments and tools, in (undiluted) (ready-to-use) (full strength) solution. Completely immerse instruments and tools for at least 10 minutes. Rinse thoroughly and dry before use. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

(OR)

FOR USE TO CLEAN AND DISINFECT BARBER AND BEAUTY/MANICURE INSTRUMENTS AND TOOLS:

1. Pre-clean heavily soiled items.
2. Completely immerse pre-cleaned combs, scissors, plastic rollers, clipper blades, razors, manicure implements and other non-porous instruments in (undiluted) (ready-to-use) (full strength) solution so that surfaces remain wet for [(ten) (10)] minutes.
3. Rinse surfaces thoroughly and let air dry before reuse.
4. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)](OR)

FOR USE AS A DISINFECTANT/FUNGICIDE/IRUCIDE* OF GROOMING CLIPPERS: Turn the clipper off occasionally during use and spray between the teeth of blades with (undiluted) (ready-to-use) (full strength) solution. Allow surface to remain wet for at least 10 minutes. Remove hair, dandruff and dust particles prior to disinfecting the blades. Rinse surfaces thoroughly. Then wipe dry with a clean soft cloth. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

(OR)

CLEANING HAIR CLIPPERS AND ELECTRIC SHEARS: While clipper/shear is running, hold in the downward position and spray (undiluted) (ready-to-use) (full strength) solution directly onto the blades two or three times to thoroughly wet the blades. Do not spray on the clipper case or drip into clipper housing. Turn off clipper/shear. Allow surface to remain wet for at least 10 minutes. Rinse surfaces thoroughly. Then wipe dry with a clean soft cloth. Lubricate as per clipper/shear manufacturer's instructions. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

(OR)

CLEANING BARBER/SALON SHEARS AND OTHER IMPLEMENTS: Spray shear/implement until thoroughly wet. Wipe away visible debris using a soft bristle brush or cloth. Turn off clipper/shear. Immerse pre-cleaned shear/implement into a container of this (undiluted) (ready-to-use) (full strength) solution for at least 10 minutes. Rinse surfaces thoroughly. Remove shear/implement and wipe dry. No rinsing is necessary. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

(Note to Reviewer: The following statement will be used with all above Barber/Salon Directions for Use).

Note: Plastic instruments can remain immersed until ready to use. Stainless steel shears and other metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle. Prolonged soaking will cause damage to metal instruments.

FOR USE AS A DISINFECTANT/FUNGICIDE/IRUCIDE* OF HARD, NON-POROUS SURFACES IN FOOTBATHS: To remove body oils, dead tissue, soil and all other buildups or organic matter on hard, non-porous surfaces after using the footbath, drain the water and thoroughly clean all hard, non-porous surfaces with soap or detergent, then rinse with water. Using (undiluted) (ready-to-use) (full strength) solution to saturate exposed surfaces with a brush, cloth, sponge or mechanical spray device. Brush or swab thoroughly and allow solution to stand for 10 minutes. For spray applications, use a coarse pump or trigger spray device. Do not breathe spray. After the unit has been thoroughly disinfected, rinse all cleaned surfaces with fresh water. Do not breathe spray. Do not use equipment until treatment has been absorbed, set or dried. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

RESTROOM/BATHROOM

FOR USE AS A NON-ACID BOWL CLEANER/DISINFECTANT IN TOILET BOWLS:

1. Pre-clean heavily soiled areas.
2. Remove water from toilet bowl.
3. Add 1-2 ounces of (undiluted) (ready-to-use) (full strength) solution directly into toilet bowl.
4. Swab entire surface area especially under the rim.
5. Repeat and allow entire surface to remain wet for ten (10) minutes.
6. Flush toilet and rinse swab applicator thoroughly.
7. Refill toilet bowl with water.

TO DISINFECT URINAL:

1. Remove gross filth and heavy soil deposits.
2. Empty urinal of water.
3. Apply solution of 1-2 ounces of this (undiluted) (ready-to-use) (full strength) product directly to urinal surfaces including water outlets area for general cleaning.
4. Then pour additional (undiluted) (ready-to-use) (full strength) solution on applicator.
5. Clean entire unit, especially under rim at water outlets, with applicator.

6. Remove screen trap to deodorize drain and apply 1 ounce directly on edge and into drain.
7. Wait 10 minutes, flush and rinse applicator.
8. Refill urinal with water.

DISINFECTION AND CLEANING TOILET BOWLS AND URINALS:

1. Preliminary cleaning is required for heavily soiled surfaces.
2. With a swab applicator, remove water from bowl by forcing out trap.
3. Press swab against side of bowl to remove excess water from applicator.
4. Apply 1-2 oz. of this (undiluted) (ready-to-use) (full strength) product evenly onto surface to be cleaned and disinfected.
5. Swab entire surface area especially under the rim where outlets are located.
6. Allow this product to remain wet on surfaces at least 10 minutes.
7. Flush toilet or urinal and rinse applicator thoroughly.
8. Refill bowl with water.

DEEP CLEANING/DISINFECTING WATERFREE (WATERLESS) URINALS: Preliminary cleaning is required for heavily soiled surfaces. Remove and properly dispose of cartridge according to manufacturer's directions. Deep clean or disinfect the entire urinal by applying 1-2 ounces of the (undiluted) (ready-to-use) (full strength) solution directly onto surface. [(Brush (Scrub))] surfaces and let solution stand for 10 minutes. Dry surface with a soft cloth. Do not pour excess or soiled water down waterless urinal trap.

TO DISINFECT TOILET BOWLS:

1. Remove gross filth and heavy soil deposits.
2. Remove water from toilet bowl.
3. Apply 1-2 ounces of this product to swab applicator, cloth, sponge, or directly to surface.
4. Swab entire surface area, especially under the rim.
5. Allow entire surface to remain wet for ten (10) minutes.
6. Flush toilet and rinse swab applicator thoroughly.
7. Refill toilet bowl with water.

TO DISINFECT TUBS, SHOWER STALLS, SINKS, FAUCETS: Swab area and remove gross filth and heavy soil. Apply 1-2 ounces of (undiluted) (ready-to-use) (full strength) [(solution) (product name)] directly onto surface to be cleaned or apply with cloth or sponge to wet all surfaces thoroughly and allow surface to remain wet for at least 10 minutes. Wipe around with damp cloth or sponge. Do not allow solution to dry on surface. Rinse thoroughly with water. Replace solution if it becomes [(diluted) (soiled)] (visibly dirty)].

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS:

1. Pre-clean heavily soiled areas.
2. Apply (undiluted) (ready-to-use) (full strength) solution to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for [(ten) (10)] minutes.
Special instructions for foam guns: Pour (undiluted) (ready-to-use) (full strength) solution into foam gun bottle and attach nozzle to spray nozzle and ensure gun is attached to hose. (Note: See foam gun instructions for more information. Once in place, squeeze the handle to disperse foam solution. To disinfect, all surfaces must remain wet for [(ten) (10)] minutes. (Foam guns not for use in CA.)
3. Scrub surface using a deck brush or other coarse material as necessary.
4. Rinse surfaces thoroughly and let air dry.

5. Replace solution if it becomes [(diluted) (soiled)] (visibly dirty)].

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces, such as appliances and kitchen countertops, must be rinsed with potable water. Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

HOUSEHOLD USES

DISINFECT/DEODORIZE HOUSEHOLD SURFACES: For heavily soiled areas, a pre-cleaning step is required. To disinfect hard, non-porous surfaces such as floors, walls, counters, sinks, tubs, toilets, glazed tile, exterior surfaces of appliances, refrigerators or freezers, microwave exteriors, stove tops and hoods, tables, garbage pails and faucets apply as is with cloth, sponge or mechanical spray device. If a mechanical spray is used, spray must be coarse. Hold container 6 inches to 8 inches from surface and spray until thoroughly wet. Do not breathe spray. Treated surface must remain wet for 10 minutes before wiping. For heavily soiled areas a pre-cleaning step is required. The pre-clean step must be done according to the instructions under Kitchen/Bathroom/Household Cleaning. Rinse with potable water after use on surface that come in contact with food.

KITCHEN/BATHROOM/HOUSEHOLD CLEANING: Apply this (ready-to-use) (full strength) product undiluted with a brush, cloth, sponge or directly on surface with a mechanical spray device. If a mechanical spray is used spray must be coarse. Hold container 6 inches to 8 inches from surface and spray until thoroughly wet. Do not breathe spray. Do not use on paint or acrylic plastics. Wipe the soiled area clean. This product is not to be used on dishware, glasses or eating utensils.

SANITIZATION OF EXTERIOR HOUSEHOLD SURFACES DIRECTIONS

Preparation of Use Solution: Add (undiluted) (ready-to-use) (full strength) solution to sanitize hard, non-porous exterior surfaces such as vinyl, plastic, sealed concrete, painted or sealed woodwork, and sealed stucco. Surfaces to be treated include house siding, decks, patios, walkways and driveways.

Application: Pre-clean surfaces. Apply (undiluted) (ready-to-use) (full strength) solution with a brush, cloth, sponge, mechanical spray device, or with a low-pressure (less than 60 psi) airless sprayer so as to wet all surfaces thoroughly. Treated surfaces must remain wet for 3 minutes. For sprayer applications, use a coarse spray device. Wearing suitable respiratory protective equipment and protective eyewear to control exposure to spray, pressure wash surfaces to thoroughly clean all treated areas using a high pressure spray. Do not breathe spray. One-half gallon of undiluted product will treat 200-300 sq. ft. of surface. User must wear protective eyewear as well as respiratory protective equipment.

FUNGICIDAL/MOLD & MILDEW

TO KILL FUNGI: Pre-clean heavily soiled surfaces. Apply this (ready-to-use) (full strength) (undiluted) product to hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes. Allow surfaces to air dry.

MOLD AND MILDEW CONTROL DIRECTIONS: This product will effectively inhibit the growth of mold and mildew and their odors on hard, non-porous surfaces. To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply this (ready-to-use) (full strength) (undiluted) product. Thoroughly wet all treated surfaces completely. Allow surface to remain wet for 10 minutes. Let surface air dry. Repeat application weekly or when growth or odor reappears.

TO CONTROL THE GROWTH OF MOLD AND MILDEW ON LARGE, INFLATABLE, NON-POROUS PLASTIC AND RUBBER STRUCTURES (animals, promotional items, moonwalks, slides, obstacle course play and exercise equipment): Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not use equipment until treatment has been absorbed, set or dried.

TO CONTROL THE GROWTH OF MOLD AND MILDEW ON NON-POROUS ATHLETIC EQUIPMENT: For use on wrestling and gymnastic mats, athletic mats, exercise equipment, athletic training tables, physical therapy tables, athletic helmets, wrestling/boxing headgear, athletic shoe soles. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with (undiluted) (ready-to-use) (full strength) solution for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not use equipment until treatment has been absorbed, set or dried.

HUMIDIFIER DIRECTIONS: Formulated for use in portable humidifiers. Thoroughly clean the hard non-porous surfaces of the water tank and filters (before each heating season, or sooner if necessary). Add 1 ounce of this product to the tank. When you refill the tank, add 2 ounces of this product. Not for use in heat or atomizing type humidifiers. (Not for use in CA)

HUMIDIFIER BACTERIA/ALGAE TREATMENT: Formulated for use in portable (evaporative) humidifiers. Thoroughly clean water tank and filters before each heating season, or sooner if necessary. Add 1 ounce of this product. When you refill the tank, add 1 ounce of this product. Not for use in heat vaporizing or atomizing type vaporizing humidifiers. (Not for use in CA.)

DEODORIZATION/CLEANING

GENERAL DEODORIZATION: To deodorize, apply this (ready-to-use) (full strength) product undiluted. Excess material must be wiped up or allowed to air dry.

CLEANING/DEODORIZING DIRECTIONS: Apply (undiluted) (ready-to-use) (full strength) solution to clean and deodorize windows, mirrors and other surfaces with a brush, cloth, sponge or mechanical spray device so as to wet all surfaces thoroughly. If mechanical spray device is used, spray must be coarse. Spray 6-8 inches from surface. Do not breathe spray. Rub with sponge or cloth. Allow to air dry or wipe up excess liquid.

(OR)
FOR USE AS A (GENERAL) CLEANER AND/OR DEODORIZER: Apply 1 oz of undiluted (ready-to-use) (full strength) solution to surfaces. Wipe surfaces (and let air dry).

FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND GARBAGE HANDLING EQUIPMENT: It is especially important to pre-clean for the product to perform properly. Apply a wetting solution of this product.

FOR DEODORIZING SEPTIC STORAGE TANKS: Pre-clean heavily soiled areas. When tanks are empty, pour (undiluted) (ready-to-use) (full strength) solution into septic storage tank on recreational vehicles, campers and boats to control odors. As tank fills with sewage and the vehicle is moving, this solution will mix and provide an adequate deodorizing solution for this use. This product is to be used on gray and black water tanks only. Check with local, state, or federal authorities before disposing of sewage in accordance to federal, state and local regulations for waste disposal. (Not for use in CA.)

AIR FRESHENER/AUTOMOTIVE USES: Effective on smoking and food odors (garlic, fish, onions, etc.), automobile odors from tobacco, musty carpet smell, and beverage smells will be eliminated. This product will effectively neutralize odors. Spray or apply onto seats, carpets, headliner and ashtray or into trunk and all vents to eliminate odors from tobacco, food, beverage spills and musty carpet. For sprayer applications, use a coarse spray device. Allow to air dry. (Not for use in CA.)

RV HOLDING TANKS/RECREATIONAL VEHICLES: For toilet waste and hold tanks, cover bottom of holding tank with water and 1 to 2 ounces of (undiluted) (ready-to-use) (full strength) solution to deodorize. If odors return before time to empty, add 1-2 ounces to the tank. For kitchen waste, add 1 to 2 ounces to gray water tank as needed to control malodors created by dirty dishwasher. (Not for use in CA.)

FOR ODORS CAUSED BY DOGS, CATS AND OTHER DOMESTIC ANIMALS: Use on rugs, floors, walls, tile, cages, crates, mats, litter boxes, floor coverings, or any surface soiled by a pet. Test a small inconspicuous area first. Blot problem area. Then follow directions for "General Deodorization". (Not for use in CA.)

GLASS CLEANING/DEODORIZING DIRECTIONS: Use (undiluted) (ready-to-use) (full strength) solution to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. Spray 6-8 inches from surface. Do not breathe spray. Rub with sponge or cloth.

CARPET CLEANING

SPECIAL INSTRUCTIONS FOR CLEANING CARPET AGAINST ODOR CAUSED BY BACTERIA: This (undiluted) (ready-to-use) (full strength) product can be used to deodorize carpets in industrial and institutional, commercial and residential areas such as homes, motels & hotel chains, nursing homes, schools and hospital. For use on wet cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness.

Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this (undiluted) (ready-to-use) (full strength) product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

CARPET CLEANING/DEODORIZER AGAINST ODOR CAUSED BY BACTERIA, FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE

This (undiluted) (ready-to-use) (full strength) product cleans and deodorizes the carpet by eliminating odors caused by bacteria. It can be used in industrial and institutional, commercial and residential areas such as homes, motels, hotels chains, nursing homes and hospitals.

Vacuum carpet thoroughly prior to application. Follow the Injection and/or Extraction procedures as specified for any conventional steam cleaning equipment you are using. For rotary floor machines, spray on carpet at a rate of 300-500 sq. ft. per gallon.

For use (Use this product) on washable synthetic fibers. Do not use on wool. Test color fastness of carpet before use. Apply product to a small concealed spot, then rub with a clean white cloth. If color changes or transfers to the cloth, a water-based product must not be used.

After using the product, set carpet pile in one direction with a stiff brush. Place aluminum foil under the legs of furniture while carpet is drying. Over-wetting can cause carpet to shrink. Manufacturer assumes no responsibility for over-wetting misuse.

Note: This product must not be mixed with other cleaning products.

WATER AND SMOKE DAMAGE RESTORATION (Not for use in CA.)

WATER AND SMOKE DAMAGE RESTORATION: Effective against odor caused by water (and) (or) smoke for home, institutional, industrial and hospital use. This (undiluted) (ready-to-use) (full strength) product is particularly suitable for use in water damage restoration situations against odor caused by water on the following porous and semi-porous materials: carpets, carpet cushion, sub floors, drywall, trim, frame lumber, tackless strip and paneling. Saturate affected materials with enough (undiluted) (ready-to-use) (full strength) product to remain wet for at least 10 minutes. Use proper ventilation.

SMOKE DAMAGE RESTORATION: Effective against odor caused by smoke for home, institutional, industrial and hospital use. This (undiluted) (ready-to-use) (full strength) product is particularly suitable for use in smoke damage restoration situations against odor caused by smoke on the following porous and semi-porous materials: carpets, carpet cushion, upholstery, drapes, sub floors, drywall, trim, and frame lumber, tackless strip and paneling. Follow directions as outlined in the Water Damage Restoration section. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

SEWER BACKUP & RIVER FLOODING: During mitigation procedures, remove gross filth or heavy soil along with non-salvageable materials. To rid affected area of odors caused by sewer backup and river flooding, saturate all affective areas with (undiluted) (ready-to-use) (full strength) product using a sprayer using a coarse spray tip, before and after cleaning and extraction.

CARPETS, CARPET CUSHIONS AND OTHER POROUS MATERIALS SUCH AS SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING: Effective against odor caused by water damage. For water damage from a clean water source, extract excess water. Test hidden area for colorfastness. Remove gross filth or heavy soil. Apply (undiluted) (ready-to-use) (full strength) product directly with a sprayer using a coarse spray tip, to fully saturate affected materials. Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

OTHER USES

ELECTRONICS SCREEN SANITIZING PERFORMANCE: This product is an effective (ready-to-use) sanitizer on hard, non-porous surfaces against the following organisms.

Enterobacter aerogenes (ATCC 13048)

Klebsiella pneumoniae (ATCC 4352)

Staphylococcus aureus (ATCC 6538)

TO SANITIZE (ELECTRONIC DEVICES): Apply (undiluted) (ready-to-use) (full strength) solution to hard, non-porous surfaces, such as screens for electronic devices for 3 minutes. Spray sparingly 6-8 inches from the screen and wipe off with a clean dry cloth. For heavily soiled areas, a preliminary cleaning may be required.

FOR USE AS A (SCREEN) CLEANER: Spray sparingly 6-8 inches from the screen and wipe off with a clean dry cloth.

FOR CONTROL OF THE DROSOPHILA SPP. AND PHORIDAE FAMILY OF FLIES ON NON-FOOD CONTACT SURFACES: To control flies on non-food contact surfaces such as floors, walls, countertops, metal surfaces, painted surfaces, glazed porcelain, glazed tile, glass, chrome, rubber, and plastic in restaurants, kitchens, dishwash areas, and bar and wait station areas. Remove food and food packaging prior to use. Cover exposed food-handling surfaces. After removing gross filth, apply (undiluted) (ready-to-use) (full strength) solution to surfaces and locations where flies breed. Spray surfaces thoroughly or apply by pouring or sponging onto the surface. Repeat application 1-2 times per week or as needed. Do not contaminate food and food packaging.

FOR CONTROL OF SMALL FLIES IN DRAINS: For control of small flies: *Drosophila* spp. and the Phoridae family. Spray or pour (undiluted) (ready-to-use) (full strength) solution into drain during time of lowest level of drain use. Add 14 ounces of (undiluted) (ready-to-use) (full strength) solution daily to each drain to maintain fly control. Apply around the edge of the drain and coat all sides of inside of drain.

MUSHROOM FARM INDUSTRY USE DIRECTIONS

This product is effective against:

Dactylium dendroides (ATCC 6676)

Site Preparation: The first step in any ongoing sanitation program should be the removal of gross contamination and debris. This can be accomplished by using a shovel, broom, or vacuum, depending on the area to be disinfected.

Disinfection: Wet all surfaces thoroughly. Treated surfaces must be allowed to remain wet for 10 minutes. Let air-dry. For heavily soiled areas, pre-clean first. Use a fresh (undiluted) (ready-to-use) (full strength) solution for each use.

For Heavy Duty Cleaning: When greater cleaning is desired, heavily soiled areas will require repeated cleaning before treatment.

DO NOT APPLY TO THE MUSHROOM CROP, COMPOST OR CASING. Rinse treated surfaces with potable water before they contact the crop, compost or casing.

FOR DISINFECTING BAGLESS VACUUM CLEANERS: Turn off and unplug vacuum cleaner. Remove the hard, non-porous container that houses collected material from vacuum cleaner. Empty contents into a waste receptacle. Rinse collection container with water and wipe clean to remove any additional collected material. Apply 1 to 2 oz. of this (undiluted) (ready-to-use) (full strength) product to collection container with a cloth, sponge, or mechanical spray device so as to wet all surfaces thoroughly. For sprayer applications, use a coarse spray device. Allow surfaces to remain wet for 10 minutes. Then remove excess liquid. Wipe and let surface air dry. Reattach container to vacuum cleaner.

COMMERCIAL FLORIST USE DIRECTIONS: To clean, disinfect and deodorize hard non-porous surfaces in one step, remove all leaves, petals, garbage and refuse. Pre-clean surfaces using pressurized water where possible. Apply (undiluted) (ready-to-use) (full strength) solution to hard non-porous surfaces, thoroughly wetting surfaces as required, with a cloth, brush, sponge or mechanical spray device. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse pump or trigger spray device. Spray 6-8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

WORK AREAS AND BENCHES: Spray or swab working surface with this (undiluted) (ready-to-use) (full strength) product for 10 minutes before each work period and again after each plant is completed to help control transfer of diseases such as *Botrytis*, crown rot, downy mildew, *Erwinia* and root rot[†]. To apply solution as a sprayer application, use as a coarse spray only. ([†]Not for use in CA.)

POTS, FLATS AND FLOWER BUCKETS: Brush or wash used pots and flats, then soak in 1-2 oz. of this (undiluted) (ready-to-use) (full strength) product for 10 minutes to help control transfer of diseases such as anthracnose, blight, *Botrytis*, crown rot, *Erwinia*, mildew, root rot[†], and rust. ([†]Not for use in CA.)

CUTTING TOOLS: Soak cutting edge of tool for 10 minutes in 1-2 oz. of this (undiluted) (ready-to-use) (full strength) product before use to help control transfer of diseases such as *Botrytis*, *Erwinia*, root[†] and stem rots, and Tobacco Mosaic Virus (TMV). Dry and oil tools at the end of each workday. ([†]Not for use in CA.)

CLEANSING OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS: To cleanse away skin secretions and accompanying malodor, to insure the removal of all soil and bloodstains, apply this (ready-to-use) (full strength) product undiluted to the surfaces and body openings, natural or artificial. Bathe the entire body using sponge or washcloth. A soft brush may be employed on surfaces other than the face. Allow a 10 minute contact time for optimal results. Replace solution if it becomes [(diluted) (soiled) (visibly dirty)].

DIRECTIONS FOR ALTERNATE CONTAINERS
SPRAY USE INSTRUCTIONS:

How to Assemble Extendable Trigger

1. Remove sprayer from bottle.
2. Insert end of tube into bottle until new cap meets bottle.
3. Twist cap onto bottle until secure.
4. Twist pump up handle so it unlocks and raise up.
5. To prime sprayer, pump up and down. **Note:** Keeping sprayer head below the level of liquid in bottle will make priming easier. When priming, hold sprayer level to the ground. If held at an angle, sprayer will not prime.

How to Spray

1. Unlock nozzle. Adjust nozzle to ON (**Note to Reviewer:** *There will be an ON symbol here*) position as indicated on nozzle.
2. Direct nozzle toward surface to be treated and squeeze trigger several times until liquid is seen through the length of the tube.

After Use

1. Turn nozzle to OFF (**Note to Reviewer:** *There will be an OFF symbol here*) position and return to holster.
(*Spray Cap container language*)

Shake Well. Remove sticker. Open flip cap. Firmly insert red hose tip.

REFILLS

To Refill From Large Containers Into Smaller Containers: This product can be used to fill and refill clean, properly labeled containers for use elsewhere within your facility. Make sure the small container has been cleaned, dried and properly labeled according to state and local regulations. Also make sure other items (funnels or hand pumps) are properly cleaned and dried. To refill, simply pour (or pump product) from the larger container directly into the smaller one being careful not to spill any product. Keep both containers sealed when not in use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

(PESTICIDE) STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

(Note to Reviewer: *One or more of the following paragraphs for Container Handling will be selected, depending on packaging use/type.*)

(*For residential/household use ONLY*)

Non-Refillable Container. Do not reuse or refill this container. Offer for recycling if available or place in trash.

(*For products with industrial, institutional, commercial use - May choose appropriate non-refillable/refillable statement.*)

(*For non-refillable containers equal to or less than 5 gal.*)

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

(For non-refillable containers greater than 5 gal.)
Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.





(For sealed containers - **Note to Reviewer:** sealed containers are designed to reduce worker exposure. None of these types of containers can be triple rinsed because they are closed, welded, sealed containers.)

Non-Refillable Container. Do not reuse or refill this container. Wrap empty container and put in trash or offer for recycling.



(Refillable Containers)

Refillable Container. Refill this container with this product only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal empty the remaining contents from this container into application equipment or a mix tank. Fill container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

(Note to Reviewer: These are representative icons for use sites/application methods that may appear on the label with the appropriate directions for use, PPE or package type.)



**CHILDREN CAN FALL INTO BUCKET AND DROWN
 KEEP CHILDREN AWAY FROM BUCKETS WITH EVEN A SMALL AMOUNT OF WATER**
 Niños pueden caer adentro de el balde y ahogarse.
 Retire los niños de el balde aunque solamente tenga un poco de agua




Tropical/Fresh Scent



Mint/Wintergreen Scent



Lemon/Cherry/Apple Scent



cleans **sanitizes** electronic devices




(Note to Reviewer: These are representative icons/descriptions that will appear on the label with the appropriate formula fragrance.)

Floral Scent



Lemon/Lime/Orange/Citrus Scent



Pine Scent

