UNIT STATES ENVIRONMENTAL PROTECTIC AGENCY

如何有的资源 化十分的复数

DEC 11

Elizabeth Tannehill Regulatory Manager Mason Chemical Company 721 W. Algonquin Road Arlington Heights, IL 60005

SUBJECT:

74-134

Maquat 256-1010N EPA Registration Number: 10324-134 Application Date: November 11, 2009 Receipt Date: November 16, 2009

Maquat 128-1010N EPA Registration Number: 10324-146 Application Date: November 11, 2009 Receipt Date: November 16, 2009

Maquat 64-1010N EPA Registration Number: 10324-147 Application Date: November 11, 2009 Receipt Date: November 16, 2009

Maquat 710-M EPA Registration Number: 10324-117 Application Date: November 3, 2009 Receipt Date: November 12, 2009

Dear Ms. Tannehill:

This letter acknowledges receipt of the notifications identified above submitted under the provisions of section 3 (c) 9 the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended:

Add H1N1 Claims as per Agency guidance.

Based on a review of the submitted information, these notifications are acceptable. Your proposed label language is in agreement with the Agency Guidance for Testing and Labeling Claims against Pandemic 2009 H1N1 Influenza A Virus (Formerly

	Tobting and	0	.0					
	called Swin	e Flu). These	notifications	Wathcurashc	eart of the re	cord for thes	e producis.	
SYMBOL	75108						* * , %* * * * * * * * * * * * * * * *	
SJRNAME	Jours							
DATE	12/10/09				·			

EPA Form 1320-1A (1/90)

OFFICIAL FILE COPY

UNIT STATES ENVIRONMENTAL PROTECTI AGENCY

General Comments

Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,

for

Velma Noble Product Manager (31) Regulatory Management Branch I Antimicrobials Division (7510P)

7510P:T.Lantz:12/10/09:10324-134, -146, -147, -117 notific

	· •	 			
	 	CONCURRENC	ZES	 •	
SYMBOL				,	· · · · · · · · · · · · · · · · · · ·
SJRNAME				•••••	
DATE			·		

OFFICIAL FILE COPY

7081

\$¢EPA	Environmenta	United States II Protectio lington, DC 204				Registra Amendr Other		OPP Id	entifier Num	ber
		Applicatio	n for Pestic	ide - Se	ction	1				
1. Company/Product Nur \$10324-134	mber			Product Ma	anager		3. P	roposed C	lassification	
4. Company/Product (Na	(me)		Noble				[-⁄	None	Rest	icte
Maquat 256-1010N	······		31							
Mason Chemical C 721 W. Algonquin Arlington Heights,	Rd. IL 60005	ode)	(b)(i), to:	my produc:	t is sim	In accorda ilar or ident	ical in co	mpositio	in and label	
Check if	this is a new address		Prod	uct Name						
			Section -	11						
Amendment - Exp Resubmission in r	response to Agency letter	r dated		Final print Agency le "Me Too" Other - Ex	etter date Applice	ition.	• to 			
		21 fax number 847-290-162	5							
1. Material This Product	Will Be Packaged In:		section -		;					
Child-Resistant Packagin Yes V No * Certification must	g Unit Packaging Yes V No	No. per				2. Type of	Metal Plastic Glass Paper	, Specify)		
Child-Resistant Packagin Yes Vo No Certification must be submitted	g Unit Packaging Yes Vo If "Yes" Unit Packaging wgt	No. per	Section -	Packaging No. per	187		Metal Plastic Glass Paper Other (S	Specify)		
Child-Resistant Packagin Yes Vo No Certification must be submitted	g Unit Packaging Yes Vo If "Yes" Unit Packaging wgt	No. per . conteiner 4. Size(s) Reta	Section -	Packaging No. per contain	187		Metal Plastic Glass Paper Other (el Directio	Specify)		
Child-Resistant Packagin Yes Vo No Certification must be submitted 3. Location of Net Conter U Label	g Unit Packaging Yes Vo If "Yes" Unit Packaging wgt nts Information	No. per . conteiner 4. Size(s) Reta	Section - Water Soluble Yes No If "Yes" Package wgt il Conteiner 1 gal., 5 gal., 55 aph jued	Packaging No. per contain	S. Loc	cation of Lab	Metal Plastic Glass Paper Other (S	Specify)		
Child-Resistant Packagin Yes Vo * Certification must be submitted 3. Location of Net Conter [1] Label [1] 6. Manner in Which Labe	g Unit Packaging Yes Vo If "Yes" Unit Packaging wgt Its Information	No. per container 4. Size(s) Reta 1 qt., 4. Size(s) Reta 2 stencile	Section - Water Soluble Yes No If "Yes" Package wgt ail Conteiner 1 gal., 5 gal., 55 aph jued ed Section - I	Packaging No. per contain gal. Oth	5. Loc	cation of Lab	Metal Plastic Glass Paper Other (el Directio	Specify) ons		
Child-Resistant Packagin Yes No * Certification must be submitted 3. Location of Net Conter [1] Label [1] 6. Manner in Which Labe 1. Contact Point (Compl Name	g Unit Packaging Yes Vo If "Yes" Unit Packaging wgt nts Information	No. per container 4. Size(s) Reta 1 qt., J Lithogr J Stencile for identification	Section - Water Soluble Yes No If "Yes" Package wgt ill Container 1 gal., 5 gal., 55 aph glued ed Section - I a f individual to I	Packaging No. per contain gal. Oth V	5. Loc	Cation of Lab	Metal Plastic Glass Paper Other (el Direction del Directi	Specify) ons a <i>applicatio</i> e No. (Inc		
Child-Resistant Packagin Yes No Certification must be submitted 3. Location of Net Conter [1. Contact Point (Compl Name Elizabeth Tannehill	g Unit Packaging Yes No If "Yes" Unit Packaging wgt Ontainer Container I is Affixed to Product	No. per container 4. Size(s) Reta 1 qt., 4. Size(s) Reta 1 qt., 4. Size(s) Reta 1 qt., 5 Stencile for identification Certificat	Section - Water Soluble Yes No If "Yes" Package wgt il Container 1 gal., 5 gal., 55 aph plued ed Section - I Title Regulatory Man- ion all attachments th	Packaging No. per contain gal. Oth No contacted ager	5. Loc	ation of Lab	Metal Plastic Glass Paper Other (el Direction cess this Telephon 847-290-	Specify) ons e application e No. (Inc 1621 6. Date a Recei	on.) lude Area Co Application	
Child-Resistant Packagin Yes No * Certification must be submitted 3. Location of Net Conter [✓] Label [✓ 6. Manner in Which Labe Label [✓ 1. Contact Point /Comp/ Name Elizabeth Tannehill Lecrtify that the st I certify that the st	g Unit Packaging Yes No If "Yes" Unit Packaging wgt Ontainer Container I is Affixed to Product	No. per container 4. Size(s) Reta 1 qt., 2 Lithogra Paper p 5 Stencile for identification Certificat a this form and a misleading stat	Section - Water Soluble Yes No If "Yes" Package wgt il Container 1 gal., 5 gal., 55 aph plued ed Section - I Title Regulatory Man- ion all attachments th	Packaging No. per contain gal. Oth V be contacted ager hereto are tru nishable by	5. Loc	ation of Lab	Metal Plastic Glass Paper Other (el Direction cess this Telephon 847-290-	Specify) ons e application e No. (Inc 1621 6. Date a Recei	on.) lude Area Co Application ved	(ebc

mal gates the subject of the way a strate whether the

Velma Noble

Novembe

Document Processing Desk (AMEND) Office of Pesticide Programs (7510C), PM31 U.S. Environmental Protection Agency Room S4900, One Potomac Yard 2777 S. Crystal Dr. Arlington, VA 22202

MASO

Subject: Maquat[®] 256-1010N (10324-134), Maquat[®] 128-1010N (10324-146), Maquat[®] 64-1010N (10324-147) H1N1 Language Notification

Dear Velma:

Enclosed are the following items for amending of our labels Maquat[®] 256-1010N (10324-134), Maquat[®] 128-1010N (10324-146), Maquat[®] 64-1010N (10324-147):

- 1. Application/Notification form with Notification Statement 3 included
- 2. One (1) copy of label 3 labels included

We are adding H1N1 language to our label. This language is exactly as is per the EPA guidance document.

This is a notification and does NOT require a fee.

If you have any other questions or issues, please do not hesitate to contact me at 800-362-1855 or liz@maquat.com. Your assistance with this submission is greatly appreciated.

Very truly yours,

MASON CHEMICAL COMPANY

Elizabeth Tannehill

Enclosures

....

0000 0000 00

0000



MASON CHEMICAL COMPANY

"The Quaternary Speedallate"

E.P.A. Reg. No. 10324-134 E.P.A. Est. No. 10324-11-1

721 W. Alconeuta Road I Adheton Hatelits, IL 60005 | 847-290-1621 or 800-832-1833

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful is absorbed through skin or swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles, safety glasses or face shield and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing before reuse.

(If container is 5 gallons or larger the following statement must appear on the label.)

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide*, Deodorizer for Hospitals, Nursing Home, Institutional and Industrial Use.

MAQUAT[®] 256-1010N

Betch No:

Effective in hard water up to 250 ppm hardness (Calculated as $CaCO_3$) in the presence of 5% serum contamination.

Net Contents

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride	
INERT INGREDIENTS:	
TOTAL	

KIEEP OUT OF REACH OF CHILDREN

DANGER

See left penel for additional precentionary statements.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mout to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Cross-contamination is of major housekeeping concern not only in hospitals, but also in schools, institutions and industry. This formulation has been formulated to aid in the reduction of cross-contamination on treated surfaces.

This product is a one-step neutral disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1), fungicidal and inhibits the growth of mold and mildew and their odors when used as directed.

When used as directed, this product will deodorize surfaces in rest room and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on hard non-porous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

This formulation is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, food processing plants, food storage areas, kitchens, restaurants and bars, airports, transportation terminals, hotels and motels. For use in households.

This product contains no phosphorous.

This product is a no rinse neutral pH disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step.

This product can be used with a mop and bucket, trigger sprayers, sponge or by soaking.

This product provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat.

This product improves labor results by effectively controlling odors.

This product cleans, shines, deodorizes and disinfects hard non-porous surfaces. Inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and smelling fresh.

This product is recommended for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls.

This product is for use in kitchens, bathrooms and other household areas.

This product is a neutral pH multi surface cleaner, deodorizer and disinfectant. Use on windows, mirrors, and other non-food contact glass surfaces.

Use this product on the multi-touch surfaces responsible for cross-contamination.

Use this product on finished floors, high speed burnished floors, conductive flooring, washable walls, tables, chairs, bathroom bowls, sinks, basins, shower stalls, tubs, glazed tiles, toilet, countertops, stove tops, exteriors surfaces of appliances and refrigerators, cabinets, garbage cans, tables, outdoor furniture, chairs, desks, telephones, door knobs and handles, and glass surfaces including windows and mirrors.

This product is recommended for Poultry Premise Sanitation (Hatcheries):

Egg Receiving Area	Tray Dumping Area	Chick Processing Area
Egg Holding Area	Chick Holding Area	Chick Loading Area
Setter Room	Hatchery Room	Poultry Buildings

This product is recommended for Swine Premise Sanitation:

Dressing Plants	Blocks
Loading Equipment	Creep Area
Nursery	Chutes
	 , , ,

*Respiratory illnesses attributable to Pandemic 2009 H1N1are caused by influenza A virus. This product (Product Name) is a broad-spectrum hard surface disinfectant that has been shown to be effective against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

*This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.

*This product has demonstrated effectiveness against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

*Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

*Kills Pandemic 2009 H1N1 influenza A virus.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with ite labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

(Or use the following sentence if not used on medical devices or medical equipment.) Not for use on medical devices or medical equipment surfaces.

This product is a Hospital Disinfectant at $\frac{1}{2}$ ounce per gallon (4 milliliters per liter), (1:256 dilution), modified in the presence of 250 ppm hard water with a 10 minute contact time.

This product is Bactericidal according to the AOAC Use Dilution Test method, Virucidal* according to the virucidal qualification on hard inanimate surfaces, Fungicidal according to the AOAC fungicidal test, modified in the presence of 5% organic serum against:

<u>Bacteria</u>

Enterobacter aerogenes ATCC#15038 Enterococcus faecalis Antibiotic Resistant ATCC#51575 Enterococcus faecalis Vancomycin Resistant (VRE) ATCC#51299 Enterococcus faecium Antibiotic Resistant ATCC#51559 Escherichia coli O157:H7 ATCC#35150 Klebsiella pneumoniae ATCC#4352 Klebsiella pneumoniae Antibiotic Resistant ATCC#700603 Listeria monocytogenes ATCC#19117 Pseudomonas aeruginosa ATCC#15442 Salmonella choleraesuis ATCC#10708 Salmonella schottmuelleri ATCC#8759 Salmonella typhi ATCC#6539 Serratia marcescens ATCC#14756 Shigella dysenteriae ATCC#13313 Staphylococcus aureus ATCC#6538 Staphylococcus aureus-MRSA ATCC#33592 Staphylococcus aureus-VISA HIP 5836 Staphylococcus epidermidis ATCC#35983 Staphylococcus epidermidis Antibiotic Resistant ATCC#51625 Streptococcus pyogenes "Flesh Eating Strain" Bird M#-Clinical Isolate

Viruses

Bovine Viral Diarrhea NADL Strain Canine Coronavirus Hepatitis B Virus (HBV) HIV Type 1 HTLV-III_B Human Coronavirus Influenza A Beijing virus H₁N₁ Strain Hepatitis C Virus (HCV) Herpes simplex virus Type 1 ATCC#VR-733 Herpes simplex virus Type 2 ATCC#VR-734 Influenza A Hong Kong virus ATCC#VR-544 Influenza B virus ATCC#VR-823 Vaccinia virus ATCC#VR-119

Trichophyton mentagrophytes ATCC#9533

Fungi and Mold

Aspergillus niger ATCC#16404 (no soil used in testing) Candida albicans ATCC#10231

Hepatitis Virus

At $\frac{1}{2}$ ounce of this product per gallon of water (or equivalent use dilution) in the presence of 400 ppm hard water (CaCO₃) and 5% serum this product was proven to be effective against Hepatitis B and Hepatitis C Virus with a contact time of 10 minutes.

Disinfection/Virucidal/Fungicidal: For water hardness up to 250 ppm add ½ ounce per gallon (4 milliliters per liter) of water (1:256) to disinfect hard non-porous surfaces OR mix a 2 ounce packet with 4 gallons of water. Treated surfaces must remain wet for 10 minutes.

For heavy-duty use add 2 ounces per gallon (16 milliliters per liter) of water (1:64), to disinfectant hard non-porous surfaces.

Apply at $\frac{1}{2}$ ounce per gallon of water to hard inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer.

For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray.

Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution at least daily or when use solution becomes diluted or soiled.

Rinse all surfaces which come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product is not for use to disinfect or clean eating utensils, glassware and dishes.

Mold and Mildew Control Directions: To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply at ½ ounce per gallon of water to thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

*KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, (HIV-1) (associated with AIDS), Hepatitis B and Hepatitis C Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean up should always be done wearing protective latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV, HBV and/or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Leave surface wet for 10 minutes with $\frac{1}{2}$ ounce per gallon (4 milliliters per liter) use solution.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

NON-ACID TOILET BOWL DISINFECTANT/CLEANER DIRECTIONS Preclean to remove heavy soil.

From Concentrate: Add $\frac{1}{2}$ ounce (4 milliliters per liter) to the toilet bowl and mix: Brush thoroughly over exposed surfaces and under the rim. Allow to stand for 10 minutes and flush.

From Use Solution: Empty toilet bowl or urinal and apply $\frac{1}{2}$ ounce per gallon (4 milliliters per liter) use solution to exposed surfaces, including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 2 ounces per gallon (16 milliliters per liter) use solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

Glass Cleaning/Deodorizing Directions: Add ¼ to 1 ounce per gallon (2-8 milliliters per liter) of water to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. Spray 6-8 inches from surface. Rub with sponge or cloth. Do no breathe spray.

Directions for Food Processing Plants: Before using this product, food products and packaging materials must be removed from the room or carefully protected. For use on non-food contact surfaces such as floors, walls, tables, garbage cans and disposal areas. Follow disinfection directions.

Directions for Food Storage Areas: For use on non-food contact surfaces such as shelves, floors, walls and tables. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Then follow disinfection directions.

POULTRY (and SWINE) PREMISE SANITATION

Site Preparation: The first step in any on-going sanitation program is the removal of gross contamination and debris. This may be accomplished using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of even the most efficient germicidal cleaner is reduced in the presence of heavy organic matter. Once the heavy debris is eliminated, disinfection can be accomplished in one easy step.

APPLICATIONS AND USE DILUTION POULTRY (and SWINE) PREMISE

Remove all animals and feeds from premises, trucks, cars, coops and crates. Remove all litter, droppings and manure from floors, wails and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use ½ ounce of this product per gallon of water. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other equipment that may contact food or water with soap or detergent, and rinse with potable water before reuse. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

HATCHERIES: Use ½ ounce of this product per gallon of water to treat the following hard non-porous surfaces: hatchers, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Rinse with potable water before reuse. Then allow to air dry.

VEHICLES: lean all vehicles including mats, crates, cabs, and wheels with high pressure water and this product. For sprayer applications, se a coarse spray device. Use ½ ounce per gallon to treat all vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more.

SHOE BATHS: Shoe baths containing one inch of freshly made solution (½ ounce per gallon of water) should be placed at all entrances to buildings and hatcheries and at all the entrances to the production and packaging rooms. Change the solution in the bath daily or sooner if solution appears dirty.

DRESSING PLANT USE: Disinfect equipment, walls and floors in poultry and animal dressing plants. Disinfect offal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all gross soils. Saturate all surfaces with the recommended use solution, ½ ounce of this product per gallon of water, Scrub to loosen all soils. Allow to soak for 10 minutes and thoroughly rinse all wetted and cleaned surfaces with potable water.

(**Note to reviewer:** The title and first statement of this section must appear on every label, followed by the appropriate Storage and Disposal section.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

(FOR USE ON NON-REFILLABLE CONTAINERS WITH HOUSEHOLD/RESIDENTIAL USES) **STORAGE AND DISPOSAL:** Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Wrap and putin trash or offer for recycling if available.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON NON-REFILLABLE CONTAINERS WITH NO HOUSEHOLD OR RESIDENTIAL USES. USE ON CONTAINERS WITH INSTITUTIONAL/COMMERCIAL/INDUSTRIAL PUBLIC HEALTH USES ONLY)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Triple rinse (or equivalent). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS (For containers less than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (*For containers greater than 5 gallons*): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Follow Pesticie Disposal instructions for rinsate disposal. Repeat this procedure two more times.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON NON-REFILLABLE CONTAINERS WITH WITH INSTITUTIONAL/COMMERCIAL/INDUSTRIAL NON-PUBLIC HEALTH USES ONLY)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed

of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS (For containers less than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store for later use or disposal. Repeat this procedure two more times.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON REFILLABLE CONTAINERS – 5 gallon and 55 gallon containers) **PESTICIDE STORAGE:** Open dumping is prohibited. Store only in original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Triple rinse (or equivalent). Refill this container with this product only. Do not reuse this container for any other purpose.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons with Industrial/Commercial Non-public Health Uses): Cleaning the container before final disposal is to responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons with Industrial/Commercial Public Health Uses): Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, Triple rinse container or equivalent) promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times.

OUNCE PACKET LABEL TO BE USED WITH MAST CONTAINER LABEL	ER		
MIX EACH PACKET WITH 4 GALLONS OF WATER FOR DISINFECTION			
MAQUAT [®] 256-1010N			
E.P.A. Reg. No. 10324-134 E.P.A. Est. No. 10324-IL-1			
NET CONTENTS: 2 FLUID OZ.			
ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium Chloride			
KEEP OUT OF REACH OF CHILDREN			
DANGER SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS			
DISPOSAL: Do not reuse container. Wrap and put in trash collection.			
MASON CHEMICAL COMPANY "THE QUATERNARY SPECIALISTS" 721 W. Algonquin Road Arlington Heights, IL 60005 847-290-1621 C Toll Free: 1-800-362-1855			
· ·			