



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> x </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 10324-147	Date of Issuance: 08 19 2004
	Term of Issuance: CONDITIONAL	
	Name of Pesticide Product: Maquat 64-1010N	
Name and Address of Registrant (include ZIP Code): Mason Chemical Company 721 Algonquin Road Arlington Heights, IL 60005		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Add the phrase EPA Registration Number "EPA Reg. No. 10324-147". 		
Signature of Approving Official:  Velma Noble Regulatory Management Branch 1 Antimicrobial Division (7510C)	Date: 08 19 2004	

EPA Form 8570-6

CONCURRENCES

SYMBOL	7510C						
SURNAME	J. [Signature]						
DATE	8/19/04						

2/0

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

EPA Reg. No. 10324-147

3. Correct your label by revising the Precautionary Statements to include the following: "...Harmful if absorbed through the skin or swallowed..."

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the final printed label prior to the release of the product for shipment. If you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,

Velma Noble
Product Manager 31
Regulatory Management Branch 1
Antimicrobial Division (7510C)

Enclosure: stamped label
7510C:T.Lantz:8/19/04:10324-147

CONCURRENCES							
SYMBOL							
BJRNAME							
DATE							

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through skin or swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles, safety glasses or face shield and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing before reuse.

(If container is 5 gallons or larger the following statement must appear on the label.)

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.

(If the container is greater than one gallon use the following storage and disposal statements.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Larger than 1 gal.): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(If container is one gallon or less use the following storage and disposal statements.)

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10324-147

MAQUAT[®] 64-1010N

Disinfectant - Cleaner - Mildewstat - Fungicide - Virucide* - Deodorizer for Hospitals, Nursing Home, Institutional and Industrial Use.

Effective in hard water up to 250 ppm hardness (Calculated as CaCO₃) in the presence of 5% serum contamination.

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride 3.84%

INERT INGREDIENTS: 96.16%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

See left panel for additional precautionary statements.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

MASON CHEMICAL COMPANY

"THE QUATERNARY SPECIALISTS"

721 W. Algonquin Road
Arlington Heights, IL 60005

847-290-1621

Toll Free:

1-800-362-1855

E.P.A. Reg. No. 10324-XXX*

E.P.A. Est. No. 10324-IL-1



NET CONTENTS

BATCH NO.

3/0

Cross-contamination is of major housekeeping concern not only in hospitals, but also in schools, institutions and industry. This formulation has been formulated to aid in the reduction of cross-contamination on treated surfaces.

This product is a one-step neutral disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, HBV and HCV), fungicidal and inhibits the growth of mold and mildew and their odors when used as directed.

When used as directed, this product will deodorize surfaces in rest room and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on hard non-porous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

This formulation is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, food processing plants, food storage areas, kitchens, restaurants and bars, airports, transportation terminals, hotels and motels. For use in households.

This product contains no phosphorous.

This product is a no rinse neutral pH disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step.

This product can be used with a mop and bucket, trigger sprayers, sponge or by soaking.

This product provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat.

This product improves labor results by effectively controlling odors.

This product cleans, shines, deodorizes and disinfects hard non-porous surfaces. Inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and smelling fresh.

This product is recommended for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls.

This product is for use in kitchens, bathrooms and other household areas.

This product is a neutral pH multi surface cleaner, deodorizer and disinfectant. Use on windows, mirrors, and other non-food contact glass surfaces.

Use this product on the multi-touch surfaces responsible for cross-contamination.

Use this product on finished floors, high speed burnished floors, conductive flooring, washable walls, tables, chairs, bathroom bowls, sinks, basins, shower stalls, tubs, glazed tiles, toilet, countertops, stove tops, exteriors surfaces of appliances and refrigerators, cabinets, garbage cans, tables, outdoor furniture, chairs, desks, telephones, door knobs and handles, and glass surfaces including windows and mirrors.

This product is recommended for Poultry Premise Sanitation (Hatcheries):

Egg Receiving Area	Tray Dumping Area	Chick Processing Area
Egg Holding Area	Chick Holding Area	Chick Loading Area
Setter Room	Hatchery Room	Poultry Buildings

This product is recommended for Swine Premise Sanitation:

Farrowing Barns and Areas	Dressing Plants	Blocks
Waterers and Feeders	Loading Equipment	Creep Area
Hauling Equipment	Nursery	Chutes

This product is a Hospital Disinfectant at 2 ounces per gallon, (1:64 dilution), modified in the presence of 250 ppm hard water with a 10 minute contact time.

This product is Bactericidal according to the AOAC Use Dilution Test method, Virucidal* according to the virucidal qualification on hard inanimate surfaces, Fungicidal according to the AOAC fungicidal test, modified in the presence of 5% organic serum against:

Bacteria

Enterobacter aerogenes ATCC#15038
Enterococcus faecalis Antibiotic Resistance ATCC#51575
Enterococcus faecalis Vancomycin Resistance (VRE) ATCC#51299
Enterococcus faecium Antibiotic Resistance ATCC#51559
Escherichia coli O157:H7 ATCC#35150
Klebsiella pneumoniae ATCC#4352
Klebsiella pneumoniae Antibiotic Resistance ATCC#700603
Listeria monocytogenes ATCC#19117
Pseudomonas aeruginosa ATCC#15442
Salmonella choleraesuis ATCC#10708
Salmonella schottmuelleri ATCC#8759
Salmonella typhi ATCC#6539
Serratia marcescens ATCC#14756
Shigella dysenteriae ATCC#13313
Staphylococcus aureus ATCC#6538
Staphylococcus aureus-MRSA ATCC#33592
Staphylococcus aureus-GISA HIP 5836
Staphylococcus epidermidis ATCC#35983
Staphylococcus epidermidis Antibiotic Resistance ATCC#51625
Streptococcus pyogenes "Flesh Eating Strain" Bird M#-Clinical Isolate

Viruses

Bovine Viral Diarrhea NADL Strain	HIV Type 1 HTLV-III _b
Canine Coronavirus	Human Coronavirus
Hepatitis B Virus (HBV)	Influenza A Beijing virus H ₁ N ₁ Strain
Hepatitis C Virus (HCV)	Influenza A Hong Kong virus ATCC#VR-544
Herpes simplex virus Type 1 ATCC#VR-733	Influenza B virus ATCC#VR-823
Herpes simplex virus Type 2 ATCC#VR-734	Vaccinia virus ATCC#VR-119

Fungi and Mold

Aspergillus niger ATCC#16404 (no soil used in testing) *Trichophyton mentagrophytes* ATCC#9533
Candida albicans ATCC#10231

Hepatitis Virus

At 2 ounces of this product per gallon of water (or equivalent use dilution) in the presence of 400 ppm hard water (CaCO₃) and 5% serum this product was proven to be effective against Hepatitis B and Hepatitis C Virus with a contact time of 10 minutes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

(Or use the following sentence if not used on medical devices or medical equipment.)

Not for use on medical devices or medical equipment surfaces.

Disinfection/Virucidal/Fungicidal: For water hardness up to 250 ppm add 2 ounces per gallon of water (1:64) to disinfect hard non-porous surfaces OR mix a 8 ounce packet with 4 gallons of water. Treated surfaces must remain wet for 10 minutes.

4/10

For heavy-duty use add 8 ounces per gallon of water (1:16), to disinfectant hard non-porous surfaces.

Apply at 2 ounces per gallon of water to hard inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer.

For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray.

Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution at least daily or when use solution becomes diluted or soiled.

Rinse all surfaces which come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product is not for use to disinfect or clean eating utensils, glassware and dishes.

Mold and Mildew Control Directions: To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply at 2 ounces per gallon of water to thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

***KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, (HIV-1) (associated with AIDS), Hepatitis B and Hepatitis C Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean up should always be done wearing protective latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV, HBV and/or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Leave surface wet for 10 minutes with 2 ounces per gallon use solution.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

NON-ACID TOILET BOWL DISINFECTANT/CLEANER DIRECTIONS

Preclean to remove heavy soil.

From Concentrate: Add 2 ounces to the toilet bowl and mix. Brush thoroughly over exposed surfaces and under the rim. Allow to stand for 10 minutes and flush.

From Use Solution: Empty toilet bowl or urinal and apply 2 ounces per gallon use solution to exposed surfaces, including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces per gallon use solution to exposed surfaces including under the rim with a cloth, mop, sponge or

sprayer, brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

Glass Cleaning/Deodorizing Directions: Add 1 to 4 ounces per gallon of water to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. Spray 6-8 inches from surface. Rub with sponge or cloth. Do not breathe spray.

Directions for Food Processing Plants: Before using this product, food products and packaging materials must be removed from the room or carefully protected. For use on non-food contact surfaces such as floors, walls, tables, garbage cans and disposal areas. Follow disinfection directions.

Directions for Food Storage Areas: For use on non-food contact surfaces such as shelves, floors, walls and tables. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Then follow disinfection directions.

POULTRY (and SWINE) PREMISE SANITATION

Site Preparation: The first step in any on-going sanitation program is the removal of gross contamination and debris. This may be accomplished using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of even the most efficient germicidal cleaner is reduced in the presence of heavy organic matter. Once the heavy debris is eliminated, disinfection can be accomplished in one easy step.

APPLICATIONS AND USE DILUTION

POULTRY (and SWINE) PREMISE

Remove all animals and feeds from premises, trucks, cars, coops and crates. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use 2 ounces of this product per gallon of water. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other equipment that may contact food or water with soap or detergent, and rinse with potable water before reuse. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

HATCHERIES: Use 2 ounces of this product per gallon of water to treat the following hard non-porous surfaces: hatching, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Rinse with potable water before reuse. Then allow to air dry.

VEHICLES: Clean all vehicles including mats, crates, cabs, and wheels with high-pressure water and this product. For sprayer applications, use a coarse spray device. Use 2 ounces per gallon to treat all vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more.

SHOE BATHS: Shoe baths containing one inch of freshly made solution (2 ounces per gallon of water) should be placed at all entrances to buildings and hatcheries and at all the entrances to the production and packaging rooms. Change the solution in the bath daily or sooner if solution appears dirty.

DRESSING PLANT USE: Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect offal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all gross soils. Saturate all surfaces with the recommended use solution, 2 ounces of this product

516

per gallon of water, Scrub to loosen all soils. Allow to soak for 10 minutes and thoroughly rinse all wetted and cleaned surfaces with potable water.

**8 OUNCE PACKET LABEL TO BE USED WITH MASTER
CONTAINER LABEL**

MIX EACH PACKET WITH 4 GALLONS OF WATER FOR
DISINFECTION

MAQUAT[®] 64-1010N

E.P.A. Reg. No. 10324-XXX E.P.A. Est. No. 10324-IL-1

NET CONTENTS: 8 FLUID OZ.

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride..... 3.84%

INERT INGREDIENTS:..... 96.16%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

**SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND
USE DIRECTIONS**

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

MASON CHEMICAL COMPANY

"THE QUATERNARY SPECIALISTS"

721 W. Algonquin Road
Arlington Heights, IL 60005



847-290-1621

Toll Free:
1-800-362-1855

2/10