STATES ENVIRONMENTAL PROT



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

OCT '28 2009

Elizabeth Tannehill Regulatory Manager Mason Chemical Company 721 W. Algonquin Rd. Arlington Heights, IL 60005

Subject:

Maguat 64-1010N

EPA Reg. No. 10324-147

Application Dated: Sept 14, 2009

Receipt Date: Oct 1, 2009

Dear Elizabeth Tannehill

The following notification submitted in connection with registration under the provisions of PR Notice 98-10, Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9 is acceptable.

Proposed Notification

Revise the "Storage and Disposal" Directions

General Comments

Based on a review of the material submitted, the following comments apply: This application for notification to revise the storage and disposal directions is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble

Product Manager (31)

Regulatory Management Branch1

Antimicrobial Division (7510) CONCURRENCES SYMBOL

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

Please rèse instructions on reverse before	completing form	Form An	proved JMR No. 2070	-0060. Approval expires 2-28-9
O EDA	United States Nental Protection Washington, DC 2046	n Agency	Registration Amendmen Other	n OPP Identifier Number
	Application	n for Pesticide - Sec	tion I	
1. Company/Product Number 10324-147		2. EPA Product Mar Noble	nager	3. Proposed Classification ✓ None Restricted
4. Company/Product (Name) Maquat® 64-1010N		PM# 31		The instances
5. Name and Address of Applicant <i>(Include</i> Mason Chemical Company 721 W. Algonquin Rd. Arlington Heights, IL 60005 Check if this is a new eddr		(b)(i), my product to: EPA Reg. No.	is similar or identical i	with FIFRA Section 3(c)(3) in composition and labeling 36-204 Lonza Formulation DC-110N
		Section - II		
Amendment - Explain below. Resubmission in response to Agence Notification - Explain below. Explanation: Use additional page(s) if not we are changing the storage and disposal statements on our label per 40CFR156. This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations. I further understand state this politication is not consistent with the terms of PR Notice 95-1878. We feel this is a Notification and requires no fee payment. We understand the EPA will on	at 40 CFR 152.46, and no other changes have be 5-2 and 40 CFR 152.46, this product may be in vi	Agency let "Me Too" Other - Exp I and Section II.) sen made to the labeling or the confidential statement of formulations of FIFRA and I may be subject to enforcement action as	Application. Plain below. I of this product. I understand that it is a violation of	ට උට of 18 U.S.C. Sec. [100] to willfully make any laise statement to EPA. ටෙටට ට ට ටටට ට
Contact Information: Elizabeth (Liz) Tannehiti, iz@maqual.com voice number 847-290-			00000	0 0
		Section - III	0 0 0 0 0	0 0
1. Material This Product Will Be Packaged	In:		. 00	•
Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Ves Vos Vos Unit Packaging Unit Packaging Vos Vos Vos Vos Vos Vos Vos Vo	No. per	Water Soluble Packaging Yes ✓ No If "Yes" No. per Package wgt containe	Gla Par	oainer Stal OOOO Stic OOOOO
3. Location of Net Contents Information	4. Size(s) Retai	l Container t. 1 gal. 5 gal. 55 gal.	5. Location of Label Di	rections

Lithograph Paper glued Stenciled 6. Manner in Which Label is Affixed to Product Other Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (Include Area Code) 847-290-1621 Elizabeth Tannehill Regulatory Manager 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature 3. Title Regulatory Manager 4. Typed Name 5. Date Elizabeth Tannehill 9/14/09 EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete. White - EPA File Copy (original) Yellow - Applicant Copy EPA ROD (10. 1092)+KF EPA ES (10. 1092)-[L-1]

MAQUAT® 64-1010N

Material feld

මන්මෝ Not

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through skin or swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles, safety glasses or face shield and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing before reuse.

(If container is 5 gallons or larger the following statement must appear on the label.)

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide*, Deodorizer for Hospitals, Nursing Home, Institutional and Industrial Use.

Effective in hard water up to 250 ppm hardness (Calculated as CaCO₃) in the presence of 5% serum contamination.

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride	3.84%
INERT INGREDIENTS:	<u>96.16%</u>
TOTAL	100.00%



First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatmen advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

o IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a apoison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Cross-contamination is of major housekeeping concern not only in hospitals, but also in schools, institutions and industry. This formulation has been formulated to aid in the reduction of cross-contamination on treated surfaces.

This product is a one-step neutral disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, HBV and HCV), fungicidal and inhibits the growth of mold and mildew and their odors when used as directed.

When used as directed, this product will deodorize surfaces in rest room and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on hard non-porous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

This formulation is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, food processing plants, food storage areas, kitchens, restaurants and bars, airports, transportation terminals, hotels and motels. For use in households.

This product contains no phosphorous.

This product is a no rinse neutral pH disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step.

This product can be used with a mop and bucket, trigger sprayers, sponge or by soaking.

This product provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat.

This product improves labor results by effectively controlling odors.

This product cleans, shines, deodorizes and disinfects hard non-porous surfaces. Inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and smelling fresh.

This product is recommended for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls.

This product is for use in kitchens, bathrooms and other household areas.

This product is a neutral pH multi surface cleaner, deodorizer and disinfectant. Use on windows, mirrors, and other non-food contact glass surfaces.

Use this product on the multi-touch surfaces responsible for cross-contamination.

Use this product on finished floors, high speed burnished floors, conductive flooring, washable walls, tables, chairs, bathroom bowls, sinks, basins, shower stalls, tubs, glazed tiles, toilet, countertops, stove tops, exteriors surfaces of appliances and refrigerators, cabinets, garbage cans, tables, outdoor furniture, chairs desks telephones, door knobs and handles, and glass surfaces including windows and

This product is recommended for Poultry Premise Sanitation (Hatcheries):

Egg Receiving Area Egg Holding Area Setter Room

Tray Dumping Area Chick Holding Area Hatchery Room

Chick Processing Areas --Chick Loading Area Poultry Bûiloings 🖁 🖰

This product is recommended for Swine Premise Sanitation:

Farrowing Barns and Areas Dressing Plants Waterers and Feeders Hauling Equipment

Loading Equipment Nursery

Blocks Creep Area Chutes

This product is a Hospital Disinfectant at 2 ounces per gallon, (1:64 dilution), modified inthe presence of 250 ppm hard water with a 10 minute contact time.

This product is Bactericidal according to the AOAC Use Dilution Test method, Virucidal* according to the virucidal qualification on hard inanimate surfaces. Fungicidal according to the AOAC fungicidal test, modified in the presence of 5% organic serum against:

Bacteria

Enterobacter aerogenes ATCC#15038

Enterococcus faecalis Antibiotic Resistance ATCC#51575

Enterococcus faecalis Vancomycin Resistance (VRE) ATCC#51299

Enterococcus faecium Antibiotic Resistance ATCC#51559

Escherichia coli O157:H7 ATCC#35150

Klebsiella pneumoniae ATCC#4352

Klebsiella pneumoniae Antibiotic Resistance ATCC#700603

Listeria monocytogenes ATCC#19117 Pseudomonas aeruginosa ATCC#15442

Salmonella choleraesuis ATCC#10708

Salmonella schottmuelleri ATCC#8759 Salmonella typhi ATCC#6539

Serratia marcescens ATCC#14756

Shigella dysenteriae ATCC#13313

Staphylococcus aureus ATCC#6538

Staphylococcus aureus-MRSA ATCC#33592

Staphylococcus aureus-VISA HIP 5836

Staphylococcus epidermidis ATCC#35983

Staphylococcus epidermidis Antibiotic Resistance ATCC#51625 Streptococcus pyogenes "Flesh Eating Strain" Bird M#-Clinical Isolate

Viruses

Bovine Viral Diarrhea NADL Strain

Canine Coronavirus

Hepatitis B Virus (HBV)

Hepatitis C Virus (HCV)

Herpes simplex virus Type 1 ATCC#VR-733

HIV Type 1 HTLV-III_B **Human Coronavirus** Influenza A Beijing virus H₁N₁ Strain

Influenza A Hong Kong virus ATCC#VR-544

Influenza B virus ATCC#VR-823

Herpes simplex virus Type 2 ATCC#VR-734 Vaccinia virus ATCC#VR-119

Fungi and Mold

Asperaillus niger ATCC#16404 (no soil used in testing) Candida albicans ATCC#10231

Trichophyton mentagrophytes ATCC#9533

Hepatitis Virus

At 2 ounces of this product per gallon of water (or equivalent use dilution) in the presence of 400 ppm hard water (CaCO₃) and 5% serum this product was proven to be effective against Hepatitis B and Hepatitis C Virus with a contact time of 10 minutes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

° ♀ ♀ (O} use the following sentence if not used on medical devices or medical equipment.) No? for use on medical devices or medical equipment surfaces.

Disinfection/Virucidal/Fungicidal: For water hardness up to 250 ppm add 2 ounces per gallon of water (1:64) to disinfect hard non-porous surfaces OR mix a 8 ounce packet with 4 gallons of water. Treated surfaces must remain wet for 10 minutes.

For heavy-duty use add 8 ounces per gallon of water (1:16), to disinfectant hard nonporous surfaces.

Apply at 2 ounces per gallon of water to hard inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer.

For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray.

Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution at least daily or when use solution becomes diluted or soiled.

Rinse all surfaces which come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product is not for use to disinfect or clean eating utensils, glassware and dishes.

Mold and Mildew Control Directions: To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply at 2 ounces per gallon of water to thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

*KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, (HIV-1) (associated with AIDS), Hepatitis B and Hepatitis C Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean up should always be done wearing protective latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV, HBV and/or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Leave surface wet for 10 minutes with 2 ounces per gallon use solution.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

NON-ACID TOILET BOWL DISINFECTANT/CLEANER DIRECTIONS

Preclean to remove heavy soil.

From Concentrate: Add 2 ounces to the toilet bowl and mix. Brush thoroughly over exposed surfaces and under the rim. Allow to stand for 10 minutes and flush.

From Use Solution: Empty toilet bowl or urinal and apply 2 ounces per gallon use solution to exposed surfaces, including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

For Heavy Duty Cleaning: Empty toilet bowl or urinal and apply 8 ounces per gallon use solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

Glass Cleaning/Deodorizing Directions: Add 1 to 4 ounces per gallon of water to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. Spray 6-8 inches from surface. Rub with sponge or cloth. Do not breathe spray.

Directions for Food Processing Plants: Before using this product, food products and packaging materials must be removed from the room or carefully protected. For use on non-food contact surfaces such as floors, walls, tables, garbage cans and disposal areas. Follow disinfection directions.

Directions for Food Storage Areas: For use on non-food contact surfaces such as shelves, floors, walls and tables. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Then follow disinfection directions.

POULTRY (and SWINE) PREMISE SANITATION

Site Preparation: The first step in any on-going sanitation program is the removal of gross contamination and debris. This may be accomplished using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of even the most efficient germicidal cleaner is reduced in the presence of heavy organic matter. Once the heav debris is eliminated, disinfection can be accomplished in one easy step.

APPLICATIONS AND USE DILUTION POULTRY (and SWINE) PREMISE

Remove all animals and feeds from premises, trucks, cars, coops and crates. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks and other feeding end watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use 2 ounces of this product per gallon of water. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other equipment that may contact food or water with soap or detergent, and rinse with potable water before reuse. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

HATCHERIES: Use 2 ounces of this product per gallon of water to treat the following hard non-porous surfaces: hatchers, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more. Rinse with potable water before reuse. Then allowed to air dry.

VEHICLES: Clean all vehicles including mats, crates, cabs, and wheels with high-pressure water and this product. For sprayer applications, use a coarse spray device. Use 2 ounces per gallon to treat all vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes or more.

SHOE BATHS: Shoe baths containing one inch of freshly made solution (2 ounces per gallon of water) should be placed at all entrances to buildings and hatcheries and at all the entrances to the production and packaging rooms. Change the solution in the bath daily or sooner if solution appears dirty.

ERESSING PLANT USE: Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect offal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all gross soils. Saturate all surfaces with the recommended use solution, 2 ounces of this product per gallon of water, Scrub to loosen all soils. Allow to soak for 10 minutes and thoroughly rinse all wetted and cleaned surfaces with potable water.

7/5

(Note to reviewer: The title and first statement of this section must appear on every label, followed by the appropriate Storage and Disposal section.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

(FOR USE ON NON-REFILLABLE CONTAINERS WITH HOUSEHOLD/RESIDENTIAL USES) STORAGE AND DISPOSAL: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Wrap and putin trash or offer for recycling if available.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON NON-REFILLABLE CONTAINERS WITH NO HOUSEHOLD OR RESIDENTIAL USES. USE ON CONTAINERS WITH INSTITUTIONAL/COMMERCIAL/INDUSTRIAL PUBLIC HEALTH USES ONLY)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Triple rinse (or equivalent). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS (For containers less than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Follow Pestigie Disposal instructions for rinsate disposal. Repeat this procedure two more times.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON NON-REFILLABLE CONTAINERS WITH WITH

INSTITUTIONAL/COMMERCIAL/INDUSTRIAL NON-PUBLIC HEALTH USES_ONLY). OPESTICIDE STORAGE: Open dumping is prohibited. Store only in original confainer. Do not container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed

of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS (For containers less than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times:

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complet revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store for later use or disposal. Repeat this procedure two more times.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON REFILLABLE CONTAINERS – 5 gallon and 55 gallon containers)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this

pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Triple rinse (or equivalent). Refill this container with this product only. Do not reuse this container for any other purpose.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons with Industrial/Commercial Non-public Health Uses): Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Empty remaining contents into application equipment or a mix tank. Fill the container 1/2 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons with @distrieuronamercial Public Health Uses): Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, Triple rinse container or equivalent) promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times.

8 OUNCE PACKET LABEL TO BE USED WITH MASTER CONTAINER LABEL

MIX EACH PACKET WITH 4 GALLONS OF WATER FOR DISINFECTION

MAQUAT® 64-1010N

E.P.A. Reg. No. 10324-147 E.P.A. Est. No. 10324-IL-1

NET CONTENTS: 8 FLUID OZ.

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

MASON CHEMICAL COMPANY "THE QUATERNARY SPECIALISTS"

721 W. Algonquin Road Arlington Heights, IL 60005

847-290-1621

Toll Free: 1-800-362-1855



00000	0000000	0 00000
000	000	0000