



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 1, 2020

Ryan Connair
Registration Specialist
Mason Chemical Company
2744 E. Kemper Road
Cincinnati, OH 4521

Subject: PRIA Label and CSF Amendment – To update product label for revised Organism List and directions, update inert ingredients and physical/chemical properties on CSFs

Product Name: Maquat® 2420-Citrus
EPA Registration Number: 10324-162
Application Date: June 1, 2020
Decision Number: 563409

Dear Mr. Connair:

The amended label and CSF(s) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF(s):

- Basic CSF dated 11/13/2019
- Alternate CSF #s 5, 6, and 7 dated 11/13/2019

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the

website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Emilia Oiguenblik by phone at 703 347 0199, or via email at Oiguenblik.emilia@epa.gov or Eric Miederhoff by phone at 703 347 8028, or via email at Miederhoff.eric@epa.gov.



Eric Miederhoff
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure: Stamped label, Chemistry review, Efficacy review

MAQUAT[®] 2420-CITRUS

(Note to Reviewer: Marketing claims may be used on the front panel.)

**Cleaner • {Hatchery} Disinfectant • {Non-Food Contact} Sanitizer
• Deodorizer • {Pathogenic} Fungicide • Mildewstat • Virucide***


ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride13.02%
Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)

dimethyl benzyl ammonium chloride8.68%

OTHER INGREDIENTS:78.30%

TOTAL:.....100.00%



KEEP OUT OF REACH OF CHILDREN

DANGER {PELIGRO}

{See [{left} {back} {side} {right} {insert} {panel} {of label} {below}] for {additional} precautionary statements}

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

{For [{chemical} {and} {or} {medical} {and} {or} {environmental}] emergencies, call {insert name and/or number of emergency contact} {hours of operation} {24 hours a day} {7 days a week}.}



(Note to Reviewer: This referral statement may be organized in any order to be grammatically correct.)

{{Consult} {See} {additional} {sheet} {insert} {inside} {outer container} {Product Information} {Bulletin} {for} {other} {directions for use} {and} {information} {claims} {organisms} {applications}.}

Net Contents:

{{[Batch] {Lot}] No.} {Manufacturing Date:}
{Product of USA} {Made in the USA}

MAQUAT[®] 2420-CITRUS

ORGANISM LIST

(Note to Reviewer: The list of organisms can be formatted into paragraph form using a comma to separate organisms.)

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 1 oz. per gal. of water {(1700 ppm active)} and 5% soil on hard, non-porous surfaces:

Salmonella enterica {(ATCC 10708)}
Staphylococcus aureus {(ATCC 6538)}

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1 oz. per gal. of water {(1700 ppm active)} and 5% soil on hard, non-porous surfaces:

Avian Adenovirus {(VR-280)}
Avian Infectious Bronchitis Virus {(Beaudette IB42)}
Avian Influenza A {(H3N2)} Virus {(VR-2072)}
Avian Reovirus {(VR-2449)}
Newcastle Disease Virus {(LaSota)}
Porcine Respiratory & Reproductive Syndrome Virus {(PRRSV)}
{(Strain NVSL)}
Porcine Rotavirus {(VR-893)}
Pseudorabies Virus {(VR-135)}
Swine Influenza A {(H1N1)} Virus {(VR-333)}
Transmissible Gastroenteritis Virus {(TGE)}
Vesicular Stomatitis Virus {(VR-158)}

This product kills the following viruses in 10 minutes at 1.5 oz. per gal. of water {(2550 ppm active)} and 5% soil on hard, non-porous surfaces:

Infectious Bursal Disease Virus {(IBDV)}

NON-FOOD CONTACT SURFACE SANITIZING PERFORMANCE: This product is an effective one-step sanitizer against the following bacteria in 2 minutes at 0.5 oz. per gal. of water {(850 ppm active)} and 5% soil on hard, non-porous surfaces:

Staphylococcus aureus {(ATCC 6538)}
Enterobacter aerogenes {(ATCC 13048)}

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 1 oz. per gal. of water {(1700 ppm active)} and 5% soil on hard, non-porous surfaces:

Aspergillus fumigatus {(ATCC 36607)}
Candida albicans {(ATCC 10231)}
Trichophyton interdigitale {(ATCC 9533)} {(Athlete's foot fungus)} {(a cause of Ringworm)} {(formerly known as *Trichophyton mentagrophytes*)}

MILDEWSTATIC PERFORMANCE: This product controls the following mold/mildew at 1 oz. per gal. of water {(1700 ppm active)} and 5% soil on hard, non-porous surfaces for up to 7 days:

Aspergillus niger {(ATCC 6275)}

TABLE OF CONTENTS

(Note to Reviewer: The Table of Contents is optional and may appear on labeling with the page numbers altered as necessary to reflect the pagination of the final printed label.)

ORGANISM LIST	2
MARKETING CLAIMS	4
DIRECTIONS FOR USE	9
GENERAL DISINFECTION.....	10
SANITIZING	10
FOOD PROCESSING PREMISES	11
FUNGICIDAL/MOLD/MILDEW.....	11
ANIMAL PREMISES	12
FOGGING	13
BARBER/SALON	14
RESTROOM/BATHROOM.....	15
DEODORIZATION/CLEANING.....	15
WATER AND SMOKE DAMAGE RESTORATION.....	17
OTHER USES.....	17
ALTERNATE CONTAINER/DELIVERY SYSTEMS.....	18
STORAGE AND DISPOSAL	20
PRECAUTIONARY STATEMENTS.....	20
ENVIRONMENTAL HAZARDS.....	20
{SPANISH ADVISORY STATEMENT}	21
GRAPHICS AND ICONS	21

MARKETING CLAIMS

(Note to Reviewer: Marketing text is considered optional. Commas and the words “and” “or” can be added to phrases to make text grammatically correct.)

(Note to Reviewer: In the case where a location, surface, or marketing claim is not registered in the State of California the statement “(Not for use in CA.)” may be added to the relevant text).

{LOCATIONS/SURFACES}

*(Note to Reviewer: The locations/surfaces have been grouped for space purposes only; they can be used individually or grouped together in any order however at least **one** location/surface must appear on the label. In the case where one or more location/surface is chosen, an “and” “&” “or” may be used to link locations/surfaces.)*

This product is for use on hard, non-porous surfaces in *(insert location)*

This product [{when used as directed} {can be used} {is formulated to} [{disinfect} {clean} {sanitize} {deodorize}]] {is formulated for use} [{on} {{washable} hard, non-porous surfaces such as:} *(insert location/surface)*

For use {in} {on} *(insert location/surface)*.

{With organic soil {load} {for} *(insert location/surface)*.

{LOCATIONS}

- Airline terminals, airports, bus stations, train stations, transportation terminals, public facilities, shipping terminals, travel rest areas, waysides
- Automobiles, cars, trucks, campers, RVs, trailers, automotive garages, auto repair centers, bicycle shops
- Boats, ships, barges, cruise lines, cruise ships, watercraft
- Boxcars, tankers, and tank trucks
- Buses, public transportation, trains, taxis, airplanes, helicopters
- Delivery trucks, garbage trucks, maintenance vehicles
- EMS & fire facilities, emergency vehicles, ambulances, police cars, fire trucks
- Police stations, crime scenes, courthouses, correctional facilities, municipal government buildings, prisons, jails, penitentiaries, correctional institutions
- Recycling centers

- Athletic facilities, locker rooms, exercise rooms, exercise facilities, gyms, gymnasiums, field houses
- Banks, churches, libraries, post offices
- Campgrounds, playgrounds, recreational facilities, picnic facilities
- Day care centers, {children’s} nurseries, kindergartens, and preschools
- Funeral homes, morgues, mortuaries, burial vaults, mausoleums, cadaver processing areas
- Health clubs, spas, tanning salons, tanning spas, tanning beds, massage/facial salons, hair/nail/pedicure salons, barber/beauty shops, salons, foot spas, tattoo parlors *(Not for use on needles or other skin piercing instruments.)*
- Hotels, motels
- Museums, art galleries, performance/theater centers, movie houses, bowling alleys
- Schools, colleges, dormitories, classrooms, community colleges, universities
- Sports arenas, sports complexes
- Supermarkets, convenience stores, retail and wholesale establishments, department stores, shopping malls, gift shops, video stores, bookstores, dressing rooms, photocopy centers
- Restaurants, bars, kitchens, taverns, cafeterias, institutional kitchens, fast food operations, food storage areas, catering, bakeries
- Veterinary clinics, animal life science laboratories, animal laboratories, animal research centers, animal quarantine areas, animal holding areas, equine farms, {dog} {cat} {animal} kennels, animal breeding facilities, breeding establishments, animal husbandry establishments, grooming establishments, pet animal quarters, animal housing facilities, zoos, tack shops, pet shops, operating rooms, washing areas, waiting rooms, examination rooms, and other animal care facilities

- Office buildings, workstations, break rooms, public restrooms, housekeeping, janitorial rooms
- Commercial florist and flower shops
- Cosmetic manufacturing facilities, medical device manufacturing facilities, biotechnology firms, pharmaceutical manufacturing facilities
- Factories, computer manufacturing sites, toy factories, warehouses
- Institutional, commercial, industrial, institutions, commercial sites, industrial sites, institutional facilities, public places
- Laboratories

- Basements, cellars, bedrooms, attics, garages, living rooms, and porches
- Bathrooms, restrooms, shower rooms, shower and bath areas
- Homes, households, condos, apartments, mobile homes, vacation cottages, summer homes
- Kitchens, bathrooms, and other household areas

- Breweries, canneries, cheese factories
- Bottle washing premises
- Dairy, equine, poultry/turkey farms
- Farmhouses, barns, sheds, tool sheds, {cattle} {swine} {sheep} {horse} barns, pens and stalls, swine quarters, livestock farms, equine quarters, brooder houses, seed houses and veal, calving, hog, cattle and horse operations, chick vans, egg trucks, hatchery and farm vehicles
- Food handling and processing areas
- Food processing plants, food-processing facilities, meat and poultry plants, egg processing plants, poultry and turkey farms, farms, dairy farms, hog farms, meat/poultry processing plants, mushroom farms, rendering plants, poultry and animal dressing plants, canneries, meat packing plants, hide and leather processing plants
- Poultry premises {(hatcheries {and breeder/growout houses})}:

Egg Receiving Area	Tray Dumping Area	Chick Processing Area
Egg Holding Area	Chick Holding Area	Chick Loading Area
Setter Room	Hatchery Room	Poultry Buildings
Incubators	Growout Houses	Broiler Houses
- Processing facilities for fish, milk, citrus, wine, fruit, vegetable, ice cream, potato, and beverage plants
- Swine premises:

Farrowing Barns and Areas	Dressing Plants	Blocks
Waterers and Feeders	Loading Equipment	Creep Area
Hauling Equipment	Nursery	Chutes
- Tobacco plant premises

{SURFACES}

- {Countertops} {counters}, countertop laminates, stovetops {stoves}, {bathroom} {kitchen} sinks, tub surfaces, shelves, racks, carts, appliances, refrigerators, microwave ovens
- Sealed floors, finished floors, high speed burnished floors, conductive flooring, walls, ceilings, fixtures
- Glass surfaces, aluminum, brass, copper, laminated surfaces, metal, plated steel, stainless steel, glazed porcelain, glazed {restroom} tile, glazed {restroom} ceramic, sealed granite, sealed marble, plastic {such as polycarbonate, polyvinylchloride, polystyrene or polypropylene}, sealed limestone, sealed slate, sealed stone, sealed terra cotta, sealed terrazzo, chrome, Plexiglas®, enameled surfaces, painted {finished} woodwork, Formica®, vinyl and plastic upholstery, washable wallpaper, windows, mirrors, painted surfaces
- Highchairs, baby cribs, diaper changing stations, infant bassinets/cribs/warmers/incubators/care equipment, folding tables, hampers, laundry pails, empty diaper pails
- Shower stalls, shower doors and curtains, bathtubs and glazed tiles, chrome plated intakes, toilets, toilet seats, toilet bowls, toilet bowl surfaces, urinals, portable and chemical toilets and latrine buckets, vanity tops, and restroom fixtures, bathroom fixtures, bathroom bowls, basins, tubs
- Tables, chairs, desks, folding tables, bed frames, lifts, washable walls, cabinets, doorknobs and garbage cans/pails, trash barrels, trash cans, trash containers, industrial waste receptacles and garbage handling equipment, shelves, racks and carts, door knobs and handles
- Sealed foundations, steps, plumbing fixtures, finished baseboards and windowsills
- And other hard, non-porous, non-food contact surfaces
- Automobile interiors, mats, crates, cabs, and wheels
- Commercial florist pots, flats and flower buckets, work areas and benches
- Crypton® barrier fabric
- Footbath surfaces
- Hair clippers, cutting implements, plastic rollers, washable nail files
- Hard hats, headphones
- Hard, non-porous surfaces of picnic tables and outdoor furniture
- Kennel runs, cages, kennel/cage floors, conductive flooring, examination tables, veterinary x-ray tables, loading platforms, animal equipment
- Large inflatable, non-porous plastic and rubber structures such as animals, promotional items, moonwalks, slides, obstacle course play and exercise equipment
- Maintenance equipment
- Playground equipment
- Tanning beds, tanning equipment
- Tattoo equipment (*Not for use on needles or other skin piercing instruments*)
- Telephones and telephone booths
- Ultrasonic baths, whirlpools, whirlpool bathtubs
- Wrestling and gymnastic mats, athletic mats, athletic training tables, physical therapy tables, exercise equipment, athletic helmets, wrestling/boxing headgear, athletic shoe soles, and locker rooms {areas}

- Beer fermentation and holding tanks, bottling or pre-mix dispensing equipment
 - Citrus processing equipment and holding tanks
 - Food {preparation} {and} {storage} areas
 - Hatchers, setters, trays, racks, egg flats, chick boxes, egg cases, vans and trash containers seed houses, poultry/turkey equipment, carts, sexing tables, and automated tray, rack and buggy washers, egg receiving and egg holding areas
 - Harvesting & handling equipment
 - Hide/leather processing surfaces such as hide storage bins, holding tanks, chill tanks, serpentine tanks and chains, machine and tannery equipment surfaces, conveyors and trolleys, hide press, grading and storage areas and scales
 - Ice machines
 - Kitchen equipment such as food processors, blenders, cutlery, trash compactors and other utensils
 - Hard, non-porous meat packing plant surfaces such as livestock vehicles and holding pens, receiving areas and delivery chutes, slaughter areas and conveyors, hand, rub and guide rails, post knock cabinets, stands and flooring surfaces, chains and moving process lines, chutes, conveyors, tallow and animal feed production surfaces, processed product and offal equipment surfaces, fabrication and processing areas covering cold storage areas, {stainless steel} cut out and prep tables, and other [{stainless steel} {hard, non-porous}] surfaces
 - Tobacco plant equipment
 - Wine processing equipment and holding tanks
- External lenses, vision correction devices including eyeglasses, protective eyewear, goggles, light lens covers, optical instruments/implements (*Not for use on contact lenses.*)
 - Exhaust fans, refrigerated storage and display equipment, coils and drain pans of air conditioning, refrigeration equipment and heat pumps

DISINFECTION MARKETING CLAIMS

(Note to Reviewer: *The following marketing claims may be used with the prefix “This product {is} {a} {an}”.*)

- Can be used on any hard, non-porous surface in the hatchery not harmed by water.
- Can be used to disinfect, clean, and deodorize terrariums and small animal cages, substrate, and other hard, non-porous [{cage {equipment} {furniture}}] {plastic terrarium ornaments} {heat caves} {and} {water dishes}. (Do not use on porous rocks, hot rocks, and driftwood.)
- Cleans, disinfects, and deodorizes {on} hard, non-porous surfaces {by killing {many} odor-causing microorganisms {and controlling mold and mildew}} {leaving surfaces smelling fresh and clean}.
- Cleans, disinfects, and deodorizes hard, non-porous surfaces such as flower buckets, walls, floors of coolers, shippers, greenhouse packing areas, garbage pails, design and packing benches, countertops, and other areas where obnoxious odors develop.
- Cleans and disinfects non-medical (e.g. industrial and firefighting) respirators in industrial, commercial, and institutional premises.
- Cleans, sanitizes, and disinfects hard, non-porous surfaces of personal protective safety equipment, protective headgear, athletic helmets, wrestling/boxing headgear, athletic shoe soles, hard hats, headphones, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, hearing protectors and ear muffs.
- Cleans, shines, deodorizes, and disinfects all hard, non-porous {non-food contact household} surfaces {listed on the label}.
- Delivers non-acid disinfection performance in an economical concentrate.
- {Disinfects} {Disinfectant}.
- Is a {concentrated} non-acid {bowl and} bathroom cleaner, which cleans, disinfects, and deodorizes
- Is a disinfectant and non-food contact surface sanitizer for cleanroom and laboratory areas on washable, hard, non-porous non-food contact surfaces such as: laminar-airflow equipment and BioSafety cabinet work surfaces and exterior surfaces of the following: countertops, sinks, plumbing fixture surfaces, and incubators, refrigerators and centrifuge surfaces of metal, stainless steel, glass, plastic {such as polystyrene or polypropylene}, Formica®, and vinyl.
- {Is} an effective disinfectant on hard, non-porous surfaces against a broad spectrum of [{{Gram-positive} {and} {Gram negative} bacteria} {and} {viruses*}] that [{are poultry pathogens} {or} {can affect chick quality and hatchability}].
- {Is} {an effective} disinfectant {/cleaner} {/sanitizer} that helps to limit the spread of contamination from treated area to treated area in the hatchery during the cleaning process.
- {Is} {an effective} disinfectant {/sanitizer} {/virucide*} for use in hatchery cleaning. {Effectively removes hatchery soils {even in hard water up to 400 ppm hardness as CaCO₃}.} {Soil emulsifiers, wetting agents, citrus solvent dispersing agents, detergent builders, and sequestrants assure good cleaning.}
- Is a multi-purpose cleaner, deodorizer, and disinfectant.
- Is a {detergent} germicidal {disinfectant} cleaner {{and} [{deodorant} {odor-counteractant} {odor neutralizer}]} designed for general cleaning, {and} disinfecting, {deodorizing} {and controlling mold and mildew on} {of} hard, non-porous, non-food contact surfaces.
- Is a one-step {detergent} germicidal disinfectant designed for hard, non-porous, non-food contact surfaces.
- Is a phosphate-free formulation designed to provide effective cleaning, deodorizing, and disinfection in areas where housekeeping is of prime importance in reducing cross-contamination on treated surfaces.
- Is a one-step non-food contact surface {detergent} disinfectant {cleaner} that is effective against a broad spectrum of bacteria, is virucidal*, and inhibits the growth of mold and mildew and their odors when used according to the directions for disinfection.
- Is a proven disinfectant, cleaner, sanitizer, mildewstat, and virucide*.

- Is a versatile cleaner, sanitizer and broad-spectrum disinfectant formulated for use on hard, non-porous bath and therapy equipment {{whirlpools}}.
- Is a versatile disinfectant and sanitizer for veterinarian, veterinary practice, animal care, animal laboratory, and agricultural and farm premise applications.
- Is an effective [{{bactericide}} {and} {virucide*} {disinfectant} {fungicide} {non-food contact sanitizer}] in the presence of [{{organic soil}} {5% {blood} serum}].
- Is an effective fungicide against *Trichophyton interdigitale* {{the athlete's foot fungus}} when used on hard, non-porous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, and exercise facilities.
- Is designed to provide both general cleaning and disinfection.
- Is for use as a disinfectant on hard, non-porous, non-food contact surfaces {at 1700 ppm active}.
- Is for use in meat and poultry plants {on all hard, non-porous surfaces} {in inedible product processing areas,} {non-processing areas and/or exterior areas,} {as a floor and wall cleaner} {and} {as a disinfectant} {for use in all departments}.
- Is used to disinfect hard, non-porous salon/barber tools and instruments such as combs, clippers, plastic rollers, brushes, trimmers, razors, scissors, blades, tweezers, baths, manicure instruments, pedicure instruments, and footbath surfaces.
- Is a versatile sanitizer and broad-spectrum disinfectant formulated for use on hard, non-porous surfaces in [{{ultrasonic baths}} {ultrasonic cleaning units}].
- Kills *(insert virus* name from approved organism listing for this product)*.
- Kills {99.9% of} *(insert any disinfection organism listed)* {and *(any fungicide organism listed)*} {on hard, non-porous, non-food contact surfaces}.
- Kills {Avian} Influenza A {Flu} Virus {{H1N1}} {{H3N2}}.
- Kills [{{Gram-negative}} {and} {Gram positive} bacteria] {viruses*} {and} {fungi} {germs} associated with [{{the avian hatchery industry}} [{{poultry}} {swine} {and} {livestock}}] premises} {laboratory animal facilities} {and} {kennels}}.
- Kills {kitchen} {bathroom} {household} [{{germs}} {bacteria} {and} {viruses*}].
- Kills germs.
- Minimizes the spread of contamination on treated surfaces by both cleaning and disinfecting.
- {Detergent} Disinfectant {Cleaner}.
- {One-Step Non-Food Contact} {Detergent} Disinfectant
- When used as directed, will disinfect metal clipper blades as well as many other hard, non-porous surfaces.

SANITIZATION MARKETING CLAIMS

(Note to Reviewer: The following marketing claims may be used with the prefix "This product".)

- Is a hard, non-porous, non-food contact surface sanitizer.
- Is an effective non-food contact sanitizer {in the presence of [{{soils}} {5% serum contamination}]} on hard, non-porous, non-food contact surfaces.
- Is [{{for use as a}} {an effective}] non-food contact sanitizer {and cleaner} on hard, non-porous, non-food contact surfaces {{850 ppm active}}.
- Is [{{for use as a}} {an effective one-step}] non-food contact sanitizer on hard, non-porous surfaces {{850 ppm active}}.
- Kills {99.9% of}:
 - {household} {institutional} {kitchen} germs {on {the} sealed and hard, non-porous floor{s}}.
 - {household} {institutional} {kitchen} [{{bacteria}} {and} {germs}] {{that get} tracked into your home} {by [{{shoes}} {pets} {and} {or} {kids}]} {from outside} {every day}.
 - {kitchen} {bathroom} {household} {institutional} bacteria {on {the} sealed and hard, non-porous floor{s}} {ordinary dish soap can't}.
- Sanitizes hard, non-porous, non-food contact surfaces {and floors}.

HOUSEHOLD MARKETING CLAIMS

(Note to Reviewer: The following marketing claims may be used with the prefix "This product".)

- Is effective against household [{{germs}} {bacteria}].
- Is great for use [{{on}} {in the}] [{{kitchen}}, {bathroom}, {floors} {and} {other household areas}].
- For a cleaner, fresher household.

GENERAL MARKETING CLAIMS

(Note to Reviewer: The following marketing claims may be used with the prefix "This product" or "This product is {a} {an}").

- Antimicrobial.
- Can be applied through low-pressure sprayer systems. Follow manufacturers' instructions when using this equipment.
- Clear formula. **(Note to Reviewer: To be used only when no dyes are present.)**
- Contains no phosphorous.
- Contains no [{{abrasives}} {bleach} {acids} {phosphates}] {so it won't scratch surfaces}.
- Contains sequestering agents to prevent the precipitation of minerals and metals from hard water.
- [{{Controls}} {Prevents} {Inhibits}] the growth of mold and mildew {{Aspergillus niger}} {and the odors caused by them} {when applied to hard, non-porous surfaces}.
- For use in the poultry industry.
- Formulated for use in mushroom farms.
- Formulated for use in poultry premises.
- Formulated for use in swine premises.

- Formulated for use in [[poultry] {chicken} {duck} {quail} {ostrich} {emu} {and other}] avian hatcheries.
- Has been designed specifically for areas where housekeeping is of prime importance.
- Helps to maintain blades that operate with reduced friction and with smoother clipping action.
- Is an economical concentrate that can be used with a mop and bucket, trigger sprayer, sponge, or by soaking.
- Is designed for use in pet salons, animal hospitals, barber and beauty shops.
- Is non-staining.
- Non-abrasive formula will not [[harm] {scratch}] surfaces.
- Non-dulling formula eliminates the time and labor normally required for rinsing floors.
- {To control mold and mildew} {controls {and} {prevents} {inhibits} the growth of mold and mildew} {(Aspergillus niger)} {(ATCC 6275)} {and the odors caused by them when applied to hard, non-porous, non-food contact surfaces.}
- Use this product to treat hard, non-porous multi-touch surfaces that may be responsible for cross-contamination.
- Will not harm sealed stone, sealed grout, or glazed tile.
- Will not harm most surfaces.
- Will not leave grit or soap scum.

CLEANING AND DEODORIZATION MARKETING CLAIMS

(Note to Reviewer: The following marketing claims may be used with the prefix "This product {is} {a} {an}").

- {Also} eliminates odors leaving surfaces smelling clean and fresh.
- {Also} [[removes] {eliminates}] odors {caused by [[bacteria] {and} {mildew} {mold and mildew} {and} {non-fresh foods}]} {leaving {restroom} {kitchen} surfaces smelling clean and fresh}.
- {Cleans} {Cleaner}
- Cleans {and shines} {without bleaching} {by removing} {dirt} {grime} {and} {food soils in food preparation and processing areas} {everyday kitchen messes {like dirt, grease, and food stains}} {{on} non-food contact kitchen surfaces and food preparation areas}.
- Cleans by removing dirt, grime, mold, mildew, blood, urine, fecal matter, and other common soils found in animal housing facilities; livestock, swine, or poultry facilities; grooming facilities; farms; kennels; pet stores; veterinary clinics; laboratories; or other small animal facilities.
- Cleans rodent-soiled areas.
- Cleans without bleaching.
- Cleans quickly by removing dirt, grime, mold, mildew, food residue, body oils, dead skin, blood, and other organic matter commonly found in *(insert site from Locations/Surfaces)*.
- {Deodorizes} {Deodorant}.
- Deodorizes moist hard, non-porous surfaces by killing microorganisms that cause offensive odors. (Not for use in CA.)
- Fewer products - no need for separate deodorizer.
- Is a cleaner and [[deodorant] {odor-counteractant} {odor-neutralizer}] designed for [[general cleaning], {and} {disinfecting}, {deodorizing} {and controlling mold and mildew}] on hard, non-porous surfaces.
- Is a floor cleaner.
- Is an effective antimicrobial cleaner designed for use by wholesale and retail florists, shippers, and greenhouses.
- Is effective against bathroom and kitchen odors and odors caused by animal waste, septic tank or sewage backup, and smoke. (Not for use in CA.)
- Is effective at controlling [[mold and mildew] {odor}] on shower curtains.
- Is for non-scratch cleaning of showers and tubs, shower doors and shower curtains, fixtures, and toilet bowls.
- Is for use as a [[cleaner] {deodorizer}] on rugs, floors, walls, tile, cages, crates, mats, litter boxes, floor coverings, or any hard, non-porous surfaces soiled by a pet.
- Is formulated to provide effective cleaning strength that will not dull high gloss floor finishes with repeated use.
- Is for use in work areas such as tool rooms and garages for odor control and light duty cleaning.
- Kills odor causing bacteria in the [[kitchen] {bathroom} {household}].
- [[Malodor Activity] {Odor} {Counteractant}] - [[eliminates] {destroys}] odors {and odor-causing bacteria on hard, non-porous surfaces in restroom areas, behind and under sinks and counters, and storage areas {and other {hard, non-porous} surfaces} where bacterial growth can cause malodors.}
- [[Maximizes] {Improves}] labor results by effectively controlling odors.
- Neutralizes musty odors and tough odors from smoke, pet accidents, and spills on contact.
- Non-acid bathroom cleaner.
- Provides effective cleaning strength that will not dull most metal-interlock floor finishes and does not require a rinse prior to recoat.
- Provides long lasting freshness against tough {pet} odors such as odors from litter boxes and pet accidents.
- Removes dirt.
- Removes stains.
- Use of this product will control unpleasant [[malodors] {odors}].

PACKAGING CLAIMS

- Concentrate{d}.
- Convenient trigger spray. (**Note to Reviewer:** To be used on applicable container)
- {Dilution System trade name}
- Easy to use.
- Economy size. (**Note to Reviewer:** To be used on applicable container.)
- Is for use in [{automated dilution systems} {automated} {dilution systems} {(dilution system trade name)}].
- Makes (insert value) [{gallons} {quarts} {containers}]
- Squeeze {measure} and pour.
- This [{container} {bottle}] is made of {at least} (x) % post-consumer recycled plastic.

(Note to Reviewer (General Considerations): Numbered instructions will be used if label space permits, otherwise they may appear in paragraph format. Unit abbreviations can be spelled out. When choosing optional text, appropriate punctuation can be inserted or deleted. Equivalent use dilution ratios may be substituted within the directions.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

{Please read entire label and use strictly in accordance with precautionary statements and directions.}

(Note to Reviewer: The following statement is to be used if any food premise locations are listed on the final label.)

{Before using this product {in [{meat and poultry} {food}] processing plants and dairies}, food products and packaging materials must be removed from the room or carefully protected.}

(Note to Reviewer: For labels that list stainless-steel surfaces, the following FDA/EPA Memorandum of Understanding statements must be used.)

{This product is not for use on medical device surfaces.}

(Note to Reviewer: Appropriate dilution rates may be substituted as long as they are equivalent dilution rates.)

{DILUTION TABLE: (Note to Reviewer: This DILUTION TABLE is optional.)}

Use	Dilution	Contact Time
For {General} Disinfectant claims	1 oz./gal. water	10 minutes
For {Animal} Virucidal* claims	1 oz./gal. water	10 minutes
For Non-Food Contact Surface Sanitizing claims	0.5 oz./gal. water	2 minutes
For Fungicidal claims	1 oz./gal. water	10 minutes
For Mold and Mildew Control claims	1 oz./gal. water	Up to 7 days

GENERAL DISINFECTION

FOR USE AS A {ONE-STEP} {GENERAL} DISINFECTANT {/VIRUCIDE*} {/FUNGICIDE} {CLEANER} ON HARD, NON-POROUS SURFACES:

1. Pre-clean visibly soiled areas.
2. Apply {use solution of} [{1 oz.} {one 1-oz. packet}] of this product per gal. of water {(or equivalent use dilution)} {(1700 ppm active)} to hard, non-porous, non-food contact surfaces using a sponge, brush, cloth, mop, {by immersion}, {auto scrubber}, {{mechanical spray device,} {{{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray).
3. Treated surfaces must remain wet for 10 minutes.
4. [{Wipe dry} {with a clean cloth} {or} {Allow to air dry}].
5. Prepare a fresh solution daily or when visibly dirty.

FOR USE AS A {ONE-STEP NON-FOOD CONTACT SURFACE} {GENERAL} DISINFECTANT {/VIRUCIDE*} {/FUNGICIDE} {CLEANER} ON HARD, NON-POROUS SURFACES:

1. Pre-clean visibly soiled areas.
2. Apply {use solution of} [{1 oz.} {one 1-oz. packet}] of this product per gal. of water {(or equivalent use dilution)} {(1700 ppm active)} to hard, non-porous surfaces using a sponge, brush, cloth, mop, {by immersion}, {auto scrubber}, {{mechanical spray device,} {{{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray).
3. Treated surfaces must remain wet for 10 minutes. Rinse with potable water after use on surfaces that come in contact with food.
4. [{Wipe dry} {with a clean cloth} {or} {Allow to air dry}].
5. Prepare a fresh solution daily or when visibly dirty.

ULTRASONIC BATH DISINFECTANT DIRECTIONS: Pre-clean visibly soiled areas. Use this product to disinfect hard, non-porous, non-critical objects compatible with ultrasonic cleaning units. Pour a use solution of [{1 oz.} {one 1-oz. packet}] of this product per gal. of water {(or equivalent use dilution)} {(1700 ppm active)} directly into bath chamber. Place objects into unit and operate {according to manufacturers' use directions} for a minimum of 10 minutes. Remove objects and rinse with sterile water. Allow to air dry. Prepare a fresh solution daily or when visibly dirty.

FOR DISINFECTING USE ON HARD, NON-POROUS {SEALED FIBERGLASS} BATH AND THERAPY EQUIPMENT: Drain the water from the unit. Pre-clean visibly soiled surfaces {to remove body oils, dead tissue, soil, and all other buildups}. Prepare a use solution by adding [{1 oz.} {one 1-oz. packet}] of this product per gal. of water {(or equivalent use dilution)} {(1700 ppm active)}. Refill the unit with the use solution to just cover the intake valve. Briefly start the pump to circulate the solution. Turn off pump. Wash down the unit sides, seat of the chair lift, and all related equipment with a clean swab, brush, or sponge. Treated surfaces must remain wet for 10 minutes for disinfection. After the unit has been thoroughly disinfected, drain solution from the unit and rinse surfaces with fresh water. The unit is ready for reuse.

SANITIZING

{NON-FOOD CONTACT SURFACE SANITIZING DIRECTIONS}

NON-FOOD CONTACT SURFACE SANITIZING {AND DEODORIZING}: Pre-clean visibly soiled surfaces. Add [{0.5 oz.} {one 0.5-oz. packet}] of this product per gal. of water {(or equivalent use dilution)} {(850 ppm active)}. Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, {by immersion}, {auto scrubber}, {{mechanical spray device,} {{{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray). Treated surfaces must remain wet for 2 minutes. Prepare a fresh solution daily or when visibly dirty.

GLOVE DIP SANITIZER DIRECTIONS: To reduce cross-contamination on treated surfaces {from} {area to area} in animal areas, dip or soak pre-washed [{plastic} {latex} {or} {other} {synthetic} {rubber}] non-porous gloved hands in a suitable clean container that contains enough freshly made sanitizing solution to cover the gloved hand area. Do not let sanitizing solution come into contact with exposed skin. Gloved hands must remain wet for at least 2 minutes. Prepare sanitizing solution by adding 0.5 oz. of this product per gal. of water {(or equivalent use dilution)}. Prepare a fresh solution daily or when visibly dirty.

GLOVE SPRAY SANITIZER DIRECTIONS: To reduce cross-contamination on treated surfaces {from} {area to area} in animal areas, spray pre-washed [{plastic} {latex} {or} {other} {synthetic} {rubber}] non-porous gloves thoroughly to ensure sanitizing solution covers the exterior surfaces of the gloves prior to [{usage} {wearing}] using a coarse spray device. Do not breathe spray. Do not let sanitizing solution come into contact with exposed skin. After applying solution, allow gloves to remain wet for at least 2 minutes. Let air dry thoroughly before wearing gloves. Prepare sanitizing solution by adding 0.5 oz. of this product per gal. of water {(or equivalent use dilution)}. Prepare a fresh solution daily.

GLOVE DIP/SPRAY SANITIZER DIRECTIONS: To reduce cross-contamination on treated surfaces {from} {area to area} in animal areas, dip, soak, or spray pre-washed [{plastic}, {latex} {or} {other} {synthetic} {rubber}] non-porous gloves thoroughly to ensure sanitizing solution covers the exterior surfaces of the gloves prior to [{usage} {wearing}]. For spray applications, use a coarse spray device. Do not breathe spray. Do not let sanitizing solution come into contact with exposed skin. After applying solution, allow gloves to remain wet for at least 2 minutes. Let air dry thoroughly before wearing gloves. Prepare sanitizing solution by adding 0.5 oz. of this product per gal. of water {(or equivalent use dilution)}. Prepare a fresh solution daily or when visibly dirty.

{[SHOE] [BOOT] [ENTRYWAY]} [BATH] SANITIZER DIRECTIONS: To reduce cross-contamination on treated surfaces {[from] {area to area} {in} {animal areas} {entryways} {and} {the packaging and storage areas of food plants}}, shoe baths containing one inch of freshly made sanitizing solution must be placed at all entrances to buildings, hatcheries, and at all the entrances to the production and packaging rooms. {[Scrape] {or} {brush}} waterproof shoes and place in use solution of 0.5 - 1 oz. of this product per gal. of water {(or equivalent use dilution)} {(850 - 1700 ppm active)} {[or] allow to remain wet} for 2 minutes prior to entering area. Prepare a fresh solution daily or when visibly dirty.

FOR FOOT DIP OF WATERPROOF FOOTWEAR: Use 0.5 - 1 oz. of this product per gal. of water {(or equivalent use dilution)} {(850 - 1700 ppm active)} in foot dip tray. Shoe baths must contain at least 1 inch of freshly made solution and be placed at the entrances to buildings. {[Scrape] {or} {brush}} shoes and {[place in diluted solution] {or} {allow to remain wet}} for 2 minutes before entering building {or in entryways}. Prepare a fresh solution daily or when visibly dirty.

(For food processing or other facilities that have installed entryway sanitizing systems.)

ENTRYWAY SANITIZING SYSTEMS: To reduce cross-contamination on treated surfaces from area to area, set the system to deliver a sanitizing solution of 0.5 - 1 oz. of this product per gal. of water {(or equivalent use dilution)} {(850 - 1700 ppm active)}. The {[spray] {foam}} must cover the entire path of the doorway. Set the system so that a continuous wet blanket of sanitizer solution is delivered to the floor. Do not mix other foam additives with the sanitizing solution.

FOOD PROCESSING PREMISES

RENDERING PLANT DISINFECTION {/VIRUCIDE*} {/FUNGICIDE} DIRECTIONS: To disinfect hard, non-porous equipment, utensils, walls, and floors in poultry and animal rendering plants {including offal rooms, exterior walls, and loading platforms}. Remove all heavy soils prior to application. Saturate surfaces with a solution of 1 - 2 oz. of this product per gal. of water {(or equivalent use dilution)} and scrub to loosen all soils. Surfaces must remain wet for 10 minutes, and then be thoroughly rinsed with potable water before operations are resumed.

FOR USE AS A DISINFECTANT {/CLEANER} IN {[FOOD PROCESSING PLANTS/PREMISES] {TOBACCO PREMISES} {FOOD SERVICE ESTABLISHMENTS} {FOOD STORAGE AREAS AND EQUIPMENT}}:

1. Pre-clean visibly soiled areas.
2. Apply use solution of 1 - 2 oz. of this product per gal. of water {(or equivalent use dilution)} to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, {by immersion}, {auto scrubber}, {{mechanical spray device}, {{{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain wet for 10 minutes.
4. {[Wipe dry] {with a clean cloth} {or} {allow to air dry}.] {Rinsing of floors is not necessary unless they are to be waxed or polished.}
5. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to treat the following surfaces: utensils, glassware, dishes, or interior surfaces of processing equipment.

Note: All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water after treatment.

DISINFECTING POTATO STORAGE AREA AND EQUIPMENT: Remove all potatoes prior to disinfection of potato storage area and equipment. For visibly soiled areas, thoroughly clean surface prior to disinfecting. Apply a use solution of 1.0 - 1.5 oz. of this product per gal. of water {(or equivalent use dilution)} {(1700 - 2550 ppm active)} evenly over surface using a brush, mop, cloth, sponge, {by immersion}, {auto scrubber}, {{mechanical spray device}, {{{hand pump} {coarse}} trigger spray device}. For sprayer applications, spray 6 - 8 inches from surface. Do not breathe spray}. Be sure to wet all surfaces thoroughly. Allow product to remain on surface for 10 minutes. Wipe with clean cloth, sponge, or paper towel. After disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water.

FUNGICIDAL/MOLD/MILDEW

TO KILL FUNGI: Pre-clean visibly soiled surfaces. Prepare use solution by adding 1 oz. of this product per gal. of water {(or equivalent dilution)}. Apply use solution to hard, non-porous, non-food contact surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces {(and let air dry)}.

TO CONTROL MOLD/MILDEW: Pre-clean visibly surfaces. Prepare use solution by adding 1 oz. of this product per gal. of water {(or equivalent use dilution)}. Apply use solution to hard, non-porous surfaces and allow to air dry, which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every 7 days, or more often if new growth appears.

TO CONTROL THE GROWTH OF MOLD AND MILDEW ON LARGE, INFLATABLE, NON-POROUS PLASTIC AND RUBBER STRUCTURES: For use on non-porous plastic and rubber surfaces such as inflatable animals, promotional items, moonwalks, slides, and obstacle course play and exercise equipment. Thoroughly clean surfaces with soap or detergent and rinse with water. Apply a use solution of {[1 oz.] {one 1-oz. packet}} of this product per gal. of water {(or equivalent use dilution)} by sponge, brush, cloth, mop, {{mechanical spray device}, {{{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray}. Do not use equipment until treatment has dried. Repeat treatment every 7 days, or more often if new growth appears.

ANIMAL PREMISES

{ANIMAL PREMISES:}

(Note to Reviewer: *The following statement will be used on all labels with use directions for animal premises except terrariums, small animal cages, and reptile tanks.*)

Prior to use of this product, remove all {{animals} {poultry}} and feeds from [{premises} {areas to be treated}], animal transportation [{vehicles} {trucks} {cars}], and [{enclosures} {coops} {crates} {kennels} {stables}]. Remove all litter, droppings, and manure from floors, walls, and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by {poultry or other} animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} {(1700 ppm active)}. {For use against Infectious Bursal Disease Virus, use a solution of 1.5 oz. of this product per gal. of water.}

Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, {by immersion}, {{mechanical spray device}, {{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray}. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops, and other closed spaces. Do not house {{animals} {poultry} {livestock}} or employ equipment until treatment has set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains, waterers, and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

HATCHERIES: Use to treat hatching, setters, trays, racks, carts, sexing tables, delivery trucks, and other hard, non-porous surfaces. Use 1 oz. of this product per gal. of water {(or equivalent use dilution)}. {For use against Infectious Bursal Disease Virus, use a solution of 1.5 oz. of this product per gal. of water.} Leave all treated surfaces wet for 10 minutes or more. Allow to air dry.

VEHICLES: To [{clean} {and} {disinfect}] hard, non-porous surfaces on vehicles including mats, crates, cabs, and wheels, use 1 oz. of this product per gal. of water {(or equivalent use dilution)}. {For use against Infectious Bursal Disease Virus, use a solution of 1.5 oz. of this product per gal. of water.} Apply use solution to hard, non-porous surfaces on vehicles. Leave treated surfaces wet for 10 minutes. Allow to air dry.

REPTILE TANK CLEANING AND DISINFECTION DIRECTIONS: Remove all reptiles from the [{enclosure} {tank}] prior to cleaning and disinfecting. Remove all litter or droppings from surfaces. Empty all equipment used for feeding or watering reptiles. Thoroughly clean surfaces with soap or detergent and rinse with water. Apply disinfecting and virucidal* solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} {(1700 ppm active)} {to hard, non-porous surfaces of the [{enclosure} {tank}]}. Apply by cloth, mop, brush, sponge, {by immersion}, {{mechanical spray device}, {{hand pump} {coarse}} trigger spray device.} For spray applications, spray 6 - 8 inches from surface. Do not breathe spray}. Allow surfaces to remain wet for 10 minutes. Wipe dry {with a paper towel}. Rinse surfaces that come in contact with food with potable water before reuse. Allow the [{enclosure} {tank}] to ventilate for a minimum of 10 - 15 minutes before replacing the reptiles. Prepare a fresh solution daily or when visibly dirty.

Note: Do not apply this product directly onto the reptile. If this product comes into contact with the reptile's skin, then immediately wash the material off of the animal with lukewarm water. If the reptile ingests this product, contact your veterinarian immediately.

TERRARIUM AND SMALL ANIMAL CAGE AND CAGE FURNITURE DISINFECTION: {Animals frequently defecate on rocks and other hard, non-porous cage furniture items inside your terrarium. This can result in high bacteria and ammonia levels that can lead to possible infection/disease in your animals. When used regularly, this product can eliminate these high bacteria/ammonia levels in your cage and on your cage furniture items.} (Do not use on porous rocks, hot rocks, and driftwood.)

1. Remove all animals.
2. Thoroughly clean surfaces and objects {(caves, cage furniture, feeding and watering dishes, and appliances)} including the substrate in the terrarium or cage with soap or detergent and rinse with water.
3. Saturate all hard, non-porous surfaces {such as floors, walls, and cages} with a disinfecting and virucidal* solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} {(1700 ppm active)} so as to wet thoroughly.
4. Apply by cloth, mop, brush, sponge, {by immersion}, {{mechanical spray device}, {{{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray}. Rub with brush, cloth, or sponge. For smaller surfaces, use a trigger spray bottle to spray surfaces with solution.
5. Allow surfaces to remain wet for a period of 10 minutes.
6. Saturate gravel as above and let stand for 10 minutes. Place in bucket of clean water and swirl for 15 - 30 seconds. Thoroughly air dry before returning to terrarium.
7. Thoroughly scrub all treated surfaces (except gravel) with soap or detergent and rinse with potable water before reuse.
8. Do not return animals to the habitat until it is dry and ventilated.
9. Clean terrarium at least once weekly or more as needed. Change cloth, sponge, or towels frequently to avoid redeposition of soil.
10. Prepare a fresh solution daily or more often if use solution becomes visibly soiled or dirty.

Note: Substrates for desert terrariums (i.e. gravel) must be completely dry before returning to terrarium to avoid high humidity levels. Always replace substrate if a foul odor persists. Do not apply this product directly onto the animal. If this product comes into contact with the animal's skin, then immediately wash the material off of the animal with lukewarm water. If the animal ingests this product, contact your veterinarian immediately.

SANITIZER DIRECTIONS FOR HARD, NON-POROUS NON-FOOD CONTACT SURFACES IN ANIMAL PREMISES

TO SANITIZE HOOF TRIMMING EQUIPMENT: Prior to application, pre-clean hoof trimming equipment before and after use on each animal with detergent and warm water or compatible cleaner to remove soil using a pre-scrape, pre-flush, or when necessary, pre-soak followed by a potable water rinse. To sanitize, add {{0.5 oz.} {one 0.5-oz. packet}} of this product per gal. of water {(or equivalent use dilution)} {(850 ppm active)} and apply to hard, non-porous trimmer surfaces with a sponge, brush, cloth, {by immersion}, {{{hand pump} {coarse}} trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray}. Treated surfaces must remain wet for 2 minutes. Prepare a fresh solution daily or when visibly dirty.

TO SANITIZE ANIMAL GROOMING INSTRUMENTS AND TOOLS: Immerse pre-cleaned grooming instruments and tools {such as combs, brushes, razors, scissors, trimmer and/or clipper blades and manicure and pedicure instruments} in a use-solution of 0.5 oz. of this product per gal. of water {(or equivalent use dilution)} for at least 2 minutes. Rinse thoroughly and dry before use. Prepare a fresh solution daily or when visibly dirty.

Note: Plastic instruments can remain immersed until ready to use. Stainless steel shears and other metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean non-contaminated receptacle. Prolonged soaking will cause damage to metal instruments.

FOGGING

{FOGGING IN FOOD PREMISES}

ALL SURFACES MUST BE CLEANED AND DISINFECTED IN ACCORDANCE WITH LABEL DIRECTIONS PRIOR TO FOGGING.

DIRECTIONS FOR CLEANING IN DAIRIES, BEVERAGE, AND FOOD PROCESSING PLANTS USING FOGGING DEVICES: Prior to fogging, food products and packaging material must be removed from the room or carefully protected. After disinfecting, fog desired areas using 0.5 quart per 1,000 cu. ft. of room area with a solution containing 0.75 oz. of product per gal. of water {(or equivalent use dilution)} {(1250 ppm active)}. Do not breathe spray mist. Wear a minimum of NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter when mixing the use solution and pouring it into the fogging apparatus. Higher level respirators that are NIOSH approved for particulates can also be used. Vacate the area of all personnel during fogging and for a minimum of 2 hours after fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. When fogging is complete, ventilate buildings and other closed spaces. All food contact surfaces must be sanitized with an EPA registered food contact sanitizer solution prior to use. All food contact surfaces must be thoroughly rinsed with potable water prior to sanitizing.

Note: The fog generated is irritating to the eyes, skin, and mucous membranes. Under no circumstances must a room or building be entered by anyone within 2 hours of the actual fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. If the building must be entered, then the individuals entering the building must wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter, goggles, long sleeves, gloves, and long pants. Higher level respirators that are NIOSH approved for particulates can also be used.

{FOGGING IN POULTRY HOUSES}

ALL SURFACES MUST BE CLEANED AND DISINFECTED IN ACCORDANCE WITH LABEL DIRECTIONS PRIOR TO FOGGING.

CLEANING OF HATCHERY ROOMS USING FOGGING DEVICES: Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls, and surfaces of the room to be treated. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water. Close off room so fog is confined to room to be treated. Mix 25 oz. of this product per gal. of water {(or equivalent use dilution)}. Do not breathe spray mist. Wear a minimum of NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter when mixing the use solution and pouring it into the fogging apparatus. Higher level respirators that are NIOSH approved for particulates can also be used. Insert the nozzle of the fogger through a suitable opening into the room. With the fogger set on maximum output, fog for one minute for each 4000 cu. ft. of space in the room. Vacate the area of all personnel during fogging and for a minimum of 2 hours after fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. When fogging is completed ventilate buildings and other closed spaces. Do not house [{livestock} {animals}] or employ equipment until treatment has dried. Thoroughly clean all fogged surfaces with soap or detergent and rinse with water.

CLEANING OF INCUBATORS AND HATCHERS USING FOGGING DEVICES: Only for use on setters and hatchers after poultry/chicks/eggs have been removed. Not for treatment of hatchers which contain chicks/eggs. Mix 6 oz. of this product per gal. of water {(or equivalent use dilution)}. Do not breathe spray mist. Wear a minimum of NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter when mixing the use solution and pouring it into the fogging apparatus. Higher level respirators that are NIOSH approved for particulates can also be used. Fog 3 - 8 oz. of this solution into setters and hatchers immediately after transfer. Repeat daily in setters and every 12 hours in hatchers. Discontinue hatcher treatments at least 24 hours prior to pulling the hatch. Do not allow people to contact or breathe this fog. It is acceptable to fog setters and hatchers with a 1.1 oz. of this product per gal. of water solution {(or equivalent use dilution)} on an hourly or every other hour basis. If this is done, fog for 30 - 90 seconds once per hour or once every 2 hours. Vacate the area of all personnel during fogging and for a minimum of 2 hours after fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. When fogging is complete, ventilate buildings and other closed spaces. Do not house livestock or employ equipment until treatment has dried. Thoroughly scrub all fogged feed racks, mangers, troughs, automatic feeders, fountains, waterers, and other treated equipment with soap or detergent, and rinse with potable water before reuse.

(Note to Reviewer: The following statements must be used with either of the previous two (2) fogging directions for use.)

Note: The fog generated is irritating to the eyes, skin, and mucous membranes. Under no circumstances must a room or building be entered by anyone within 2 hours of the actual fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. If the building must be entered, then the individuals entering the building must wear a minimum of NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter, goggles, gloves, long sleeves, and long pants. Higher level respirators that are NIOSH approved for particulates can also be used.

BARBER/SALON

FOR USE AS A DISINFECTANT{/FUNGICIDE} OF GROOMING CLIPPERS, {HAIR CLIPPERS,} {ELECTRIC SHEARS,} {BARBER/SALON SHEARS} {AND} {OTHER IMPLEMENTS} {,} { {BARBER} {MANICURE} {NAIL} {SALON} INSTRUMENTS AND TOOLS}: Remove hair, dandruff, and dust particles prior to disinfecting the blades. [{Turn the clipper off occasionally during use and spray between the teeth of blades} {While clipper/shear is running, hold in the downward position and spray}] with a use solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)}. Do not spray on the clipper case or drip into clipper housing. Immerse pre-cleaned barber/salon tools such as combs, brushes, {plastic rollers,} razors, {{clipper and/or trimmer} blades}, {tweezers,} manicure/pedicure tools, scissors, and other salon instruments and tools in a use solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} for at least 10 minutes. Rinse thoroughly and dry before use. Prepare a fresh solution daily or when visibly dirty.

Note: Plastic instruments can remain immersed until ready to use. Stainless steel shears and other metal instruments must be removed after 10 minutes, rinsed, dried, and kept in a clean, non-contaminated receptacle. Prolonged soaking will cause damage to metal instruments.

FOR USE AS A DISINFECTANT AND FUNGICIDE ON HARD, NON-POROUS SURFACES IN FOOTBATHS: To remove body oils, dead tissue, soil, and all other buildups or organic matter on surfaces after using the footbath, drain the water and thoroughly clean surfaces with soap or detergent, then rinse with water. Apply a use solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} on surfaces with a brush, cloth, mop, sponge, {{{hand pump} {coarse}} trigger spray device}. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray}. Brush or swab thoroughly and allow solution to stand for 10 minutes. After the unit has been thoroughly disinfected, rinse surfaces with fresh water. The unit is then ready for reuse.

RESTROOM/BATHROOM

NON-ACID TOILET BOWL {AND URINAL} DISINFECTANT {/CLEANING} DIRECTIONS:

Remove visible soil prior to disinfection.

From a Concentrate: Add 1 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet {{brush} {mop}}, cloth, or sponge. Allow solution to stand for 10 minutes and flush.

From a Use Solution: Empty water out of toilet bowl or urinal and apply a use solution prepared by adding 1 oz. of this product per gal. of water {{(or equivalent use dilution)}} {{(1700 ppm active)}} to exposed surfaces, including under the rim with a toilet {{brush} {mop}}, cloth, {or} sponge, {or} {{hand pump} {coarse}} trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

FOR HEAVY DUTY CLEANING OF TOILET BOWLS {AND URINALS}: Pre-clean visibly soiled areas. Empty toilet bowl or urinal and apply a use solution of 1 oz. of this product per gal. of water to exposed surfaces including under the rim with toilet {{brush} {mop}}, cloth, {or} sponge, {or} {mechanical spray device,} {{{hand pump} {coarse}} trigger spray device. For sprayer application, spray 6 - 8 inches from surface. Do not breathe spray. To aid in soil removal, allow to soak. Brush or swab thoroughly and allow solution to stand for 10 minutes and flush.

{DEEP} CLEANING/DISINFECTING {/WATERFREE} {/WATERLESS} URINALS: Pre-clean visibly soiled surfaces. Remove and properly dispose of cartridge according to manufacturer's directions. Deep clean or disinfect the entire urinal by applying a use solution of 1 oz. of this product per gal. of water {{(or equivalent use dilution)}} directly onto surface. {{Brush} {Scrub}} surfaces and let solution stand for 10 minutes. Wipe surface to clean. Change cartridge as needed. The unit is ready for use.

TO CLEAN WATERFREE {/WATERLESS} URINALS: Remove any debris from the urinal. Spray 0.5 - 1 oz. of use solution onto urinal surface. To prepare use solution: Add 1 oz. of this product per gal. of water {{(or equivalent use dilution)}} {{(1700 ppm active)}}. DO NOT spray product directly onto cartridge. Wipe surface to clean. Change cartridge as needed. The unit is ready for use.

TO DISINFECT TUBS, SHOWER STALLS, SINKS, AND FAUCETS: Pre-clean visibly soiled areas. Apply a use solution of 1 oz. of this product per gal. of water {{(or equivalent use dilution)}} on all hard, non-porous surfaces with a brush, cloth, mop, sponge, {{{hand pump} {coarse}} trigger spray device.} For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Allow surface to remain wet for at least 10 minutes. {{Rinse} {Wipe {up excess liquid} {on} {surfaces} {with a paper towel}}} {and} {or} {Allow to air dry}}. Change cloth, sponge, or towels frequently to avoid redeposition of soil. Prepare a fresh solution daily or when visibly dirty.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS, AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS:

1. Pre-clean visibly soiled areas.
2. Apply a use solution of 1 oz. of this product per gal. of water {{(or equivalent use dilution)}} {{(1700 ppm active)}} to hard, non-porous surfaces including floors, walls, and ceilings, making sure not to over spray. To disinfect, surfaces must remain wet for 10 minutes.
3. Scrub using a deck brush or other coarse material as necessary.
4. Rinse surfaces thoroughly and let air dry.
5. Prepare a fresh solution daily or when visibly dirty.

DEODORIZATION/CLEANING

FOR USE AS A {GENERAL} CLEANER {AND/OR DEODORIZER}: Prepare use solution of 0.25 oz. of this product per gal. of water {{(or equivalent use dilution)}} and apply to hard, non-porous surfaces. {{Rinse} {Wipe up excess liquid {with a paper towel}}} {and} {or} {Allow to air dry}}. {For heavy-duty use, {{add} {mix} {apply}}} 1 oz. of this product per gal. of water to clean hard, non-porous surfaces.}

GENERAL DEODORIZATION: To deodorize, apply 0.25 oz. of this product per gal. of water {{(or equivalent use dilution)}} to hard, non-porous surfaces. {{Rinse} {Wipe up excess liquid {with a paper towel}}} {and} {or} {Allow to air dry}}.

FOR DEODORIZING SEPTIC STORAGE TANKS: Pre-clean visibly soiled areas. When tanks are empty, pour 0.25 oz. of this product for every gal. of water in tank on recreational vehicles, campers, and boats to control odors. As tank fills with sewage and the vehicle is moving, this solution will mix and provide an adequate deodorizing solution for this use. This product is to be used on gray and black water tanks only. Dispose of sewage in accordance to federal, state, and local regulations for waste disposal. (Not for use in CA.)

RV HOLDING TANKS/RECREATIONAL VEHICLES: For toilet waste and holding tanks, cover bottom of holding tank with water and add 0.25 oz. of this product per gal. of water to deodorize. If odors return before time to empty, add another 0.25 oz. of this product per gal. of water to the tank. For kitchen waste, add 0.25 oz. of this product per gal. of water to gray water tank as needed to control malodors created by dirty dishwasher. (Not for use in CA.)

AUTOMOTIVE USES: A solution of 0.25 oz. of this product per gal. of water will effectively neutralize {damp} {musty} odors. Spray or apply onto seats, carpets, headliner, and ashtray or into trunk and all vents to eliminate odors from tobacco, food, beverage spills, and musty carpet. For sprayer applications, use a coarse spray device. {{Wipe up excess liquid {with a paper towel}}} {and} {or} {Allow to air dry}}. (Not for use in CA.)

AIR FRESHENER: A solution of 0.25 oz. of this product per gal. of water will effectively neutralize {damp musty} odors caused by mildew in storage areas, basements, closets, bathrooms, and A/C filters. Spray to eliminate odors from tobacco, food, beverage spills, and musty carpet. For sprayer applications, use a coarse spray device. [{Wipe up excess liquid {with a paper towel}} {and} {or} {Allow surface to air dry}]. (Not for use in CA.)

WATERBED CONDITIONER (Not for use in CA): When used as a waterbed conditioner, this product eliminates odor. If bed has not been treated properly, drain bed completely. Add 15 gal. of water, mix vigorously, drain bed again. Fill bed with water and follow dosage directions.

Dosage: To eliminate odor, add 4.25 oz. of this product in a [{waveless/fiber} {free flow}] waterbed of 90 to 180 gal. capacity. Repeat application every 4 to 6 months.

GLASS CLEANING {/DEODORIZING} DIRECTIONS: Use a solution of 0.25 - 0.5 oz. of this product per gal. of water to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device and spray 6 - 8 inches from surface. Do not breathe spray. Rub with sponge or cloth. Change cloth, sponge, or towels frequently to avoid re-deposition of soil.

FOR ODORS CAUSED BY PETS: Use a solution of 0.25 oz. of this product per gal. of water on rugs, floors, walls, tile, cages, crates, litter boxes, mats, floor coverings, or any surface soiled by a pet. Spray to eliminate odors from pets using a coarse spray device. Do not breathe spray. [{Wipe up excess liquid {with a paper towel}} {and} {or} {Allow surface to air dry}]. (Not for use in CA.)

FOR USE AS A CLEANER ON FINISHED FLOORS: To limit gloss reduction, use 0.25 oz. of this product per gal. of water. Apply with a damp mop or auto scrubber. Allow surface to air dry.

CARPET CLEANING

SPECIAL INSTRUCTIONS FOR CLEANING CARPETS: This product can be used to clean carpets in industrial, institutional, commercial {and residential} areas such as {homes,} motel and hotel chains, nursing homes, schools, and hospitals. For use on wet-cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness.

For Portable Extraction Units: Mix 0.25 oz. of this product per gal. of water {(or equivalent use dilution)}.

For Truck Mounted Extraction Machines: Mix 0.25 oz. of this product per gal. of water {(or equivalent use dilution)} and meter at 2 gal. per hour.

For Rotary Floor Machines: Mix 0.25 oz. of this product per gal. of water {(or equivalent use dilution)} and apply at the rate of 300 - 500 sq. ft. per gal.

Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

CARPET [{CLEANING} {/DEODORIZING (Not for use in CA.)}] FOR {HOME,} INSTITUTIONAL, INDUSTRIAL, AND HOSPITAL USE: This product [{cleans} {and} {deodorizes}] the carpet. It can be used in industrial, institutional, commercial {and residential} areas such as {homes,} motels, hotel chains, nursing homes, and hospitals.

Vacuum carpet thoroughly prior to application. Mix 0.25 oz. of this product per gal. of water {(or equivalent use dilution)}. Follow the injection and/or extraction procedures as specified for any conventional steam cleaning equipment you are using. For rotary floor machines, mix 0.25 oz. of this product per gal. of water and spray on carpet at a rate of 300 - 500 sq. ft. per gal.

[[For use] {Use this product}] on washable synthetic fibers. Do not use on wool. Test color fastness of carpet before use. Apply diluted product to a small concealed spot, then rub with a clean white cloth. If color changes or transfers to the cloth, a water-based product must not be used.

After using the product, set carpet pile in one direction with a stiff brush. Place aluminum foil under the legs of furniture while carpet is drying. Over-wetting can cause carpet to shrink. Manufacturer assumes no responsibility for over-wetting misuse.

Note: This product must not be mixed with other cleaning products.

WATER AND SMOKE DAMAGE RESTORATION

SEWER BACKUP & RIVER FLOODING: To use as a deodorizer, dilute 0.25 - 0.5 oz. of this product per gal. of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a [(mechanical spray device) {or} [(hand pump) {coarse}] trigger spray device)] before and after cleaning and extraction. Spray 6 - 8 inches from surface. Do not breathe spray. Use proper ventilation; open windows. (Not for use in CA.)

CARPETS, CARPET CUSHIONS, UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP, AND PANELING: To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 0.25 - 0.5 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a [(mechanical spray device) {or} [(hand pump) {coarse}] trigger spray device)] to fully saturate affected materials. Spray 6 - 8 inches from surface. Do not breathe spray. Roll, brush, or agitate into materials. Follow with a thorough extraction. Dry rapidly and thoroughly. (Not for use in CA.)

[(WATER) {AND} {SMOKE}] DAMAGE RESTORATION: Effective against odor caused by [(smoke) {and} {water}] damage for {home,} institutional, industrial, and hospital use. This product is particularly suitable for use in water damage restoration. Dilute 0.25 - 0.5 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation. (Not for use in CA.)

OTHER USES

DISINFECTION/VIRUCIDE* OF HARD, NON-POROUS SURFACES IN WHIRLPOOL UNITS: After using the whirlpool unit, drain unit. Prepare a use solution of 1 oz. of the product per gal. of water {(or equivalent use dilution)} and refill with use solution to just cover the intake valve {or 2 inches above the highest jet}. Briefly start the pump to circulate the solution. Turn off the pump. Wash down the unit sides, seat of the chair lift and any other related equipment with a clean swab, brush, or sponge. Treated surfaces must remain wet for 10 minutes. After the unit has been thoroughly disinfected, drain the solution from the unit and rinse disinfected surfaces with fresh water. Wipe dry with a clean sponge or cloth or allow to air dry. Repeat for heavy soiled units.

SANITIZATION OF HARD, NON-POROUS SURFACES IN WHIRLPOOL UNITS: To remove body oils, dead tissue, soil, and all other buildups or organic matter on surfaces after using the whirlpool unit, drain and refill with a solution of 0.5 oz. of this product per gal. of water {(or equivalent use dilution)} {(850 ppm active)} to just cover the intake valve {or 2 inches above the highest jet}. Briefly start the pump to circulate the solution. Turn off the pump. Wash down the unit sides, seat of the chair lift, and any other related equipment with a clean swab, brush, or sponge. Treated surfaces must remain wet for 2 minutes. After the unit has been thoroughly sanitized, drain the solution from the unit, and rinse all with fresh water. Repeat for heavy soiled units. Then the unit is ready for reuse.

FOR DISINFECTING BAGLESS VACUUM CLEANERS: Turn off and unplug vacuum cleaner. Remove the hard, non-porous container that houses collected material from the vacuum cleaner. Empty contents into a waste receptacle. Rinse collection container with water and wipe clean to remove any additional collected material. Prepare a use solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} and apply use solution to collection container with a brush, cloth, mop, sponge, [(mechanical spray device,)] [(hand pump) {coarse}] trigger spray device}. For sprayer applications, spray 6 - 8 inches from surface. Do not breathe spray}. Allow surfaces to remain wet for 10 minutes. Wipe up excess liquid with a clean cloth or sponge or allow to air dry. Reattach container to vacuum cleaner.

FOR DISINFECTING NON-POROUS VACUUM CLEANER BRUSHES: Turn off and unplug vacuum cleaner. Remove the non-porous brushes from vacuum cleaner. Prepare a use solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} and submerge brush in use solution so as to wet surfaces thoroughly. Allow surfaces to remain wet for 10 minutes. Wipe up excess liquid with a clean cloth or sponge or allow to air dry. Reattach brushes to vacuum cleaner.

MUSHROOM FARM INDUSTRY USE DIRECTIONS

Site Preparation: Remove gross contamination and debris. This may be accomplished by using a shovel, broom, or vacuum, depending on the area to be disinfected.

Disinfection: Pre-clean visibly soiled areas. Use [(1 oz.) {one 1-oz. packet}] of this product per gal. of water {(or equivalent use dilution)}. Wet all hard, non-porous surfaces thoroughly. Treated surfaces must remain wet for 10 minutes. Let air-dry. Prepare a fresh solution for each use.

For Heavy Duty Cleaning: When heavy duty cleaning is desired, use 1.5 oz. of this product per gal. of water {(or equivalent use dilution)}. Heavily soiled areas will require repeated cleaning before treatment.

DO NOT APPLY TO THE MUSHROOM CROP, COMPOST, OR CASING. Rinse treated surfaces with potable water before they contact the crop, compost, or casing.

WORK AREAS AND BENCHES, POTS, FLATS, FLOWER BUCKETS, AND CUTTING TOOLS: Pre-clean surfaces. [{Spray} {or} {swab}] hard, non-porous working surfaces {or} {Soak cutting edge of tool}] with a solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)} before each work period and again after each plant is completed {to help control transfer of diseases such as *Botrytis*, crown rot, downy mildew, *Erwinia* and root rot†}. Allow surface to remain wet for 10 minutes. To apply solution with a sprayer, use as a coarse spray only and spray 6 - 8 inches from surface. Do not breathe spray. Wipe up excess liquid or allow to air dry. {Dry and oil tools at the end of each workday.} Prepare a fresh solution daily or when visibly dirty. (†Not for use in CA.)

FLORIST USE DIRECTIONS: To clean {and} disinfect {and deodorize} hard, non-porous surfaces, prepare use solution of 1 oz. of this product per gal. of water {(or equivalent use dilution)}. For heavy-duty use, add 1.5 oz. of this product per gal. of water {(or equivalent use dilution)}. Remove all leaves, petals, garbage, and refuse. Pre-clean surfaces using pressurized water where possible. Apply use solution to surfaces, thoroughly wetting as required, with a cloth, mop, brush, sponge, {{mechanical spray device,} {{{hand pump} {coarse}} trigger spray device}. For sprayer applications, spray 6 - 8 inches from surface. Do not breathe spray}. Rub with brush, sponge, mop, or cloth. Treated surfaces must remain wet for 10 minutes. Wipe up excess or allow to air dry. Change cloth, sponge, or towels frequently to avoid re-deposition of soil. Prepare a fresh solution daily or when visibly dirty.

ALTERNATE CONTAINER/DELIVERY SYSTEMS

{AUTOMATED DILUTION SYSTEM} {(DILUTION SYSTEMS TRADE NAME)} {CLOSED LOOP DISPENSING} {BAG-IN-BOX} INSTRUCTIONS:

Remove [{cap} {spray nozzle}] from empty container. Fill empty container with a freshly prepared use solution. Replace [{cap} {spray nozzle}]. Place correct use-dilution label on newly filled container.

(OR)

{Remove cap and} Insert [{cartridge} {container}] into dispenser. {See dispenser instructions for proper placement of [{cartridge} {container}].} [{Press button} {or} {turn knob}] to dispense (*Insert appropriate dilution from dilution list*) of this product into a [{bucket,} {bottle,} {scrubber} or {other} {container}].

(OR)

Turn off water to connect [{unit} {cartridge}]. Attach water source. Rotate control knob to fill a [{bottle} {or} {bucket} {other container}]. Squeeze handle to dispense (*Insert appropriate dilution from dilution list*). {See device instruction manual for more information.}

(OR)

{Remove {insert color} locking rings.} Push {the} control knob [{sideways} {down}] until [{bottle} {bucket}] icon is completely depressed against the dispensing head {for [{low} {high}] flow rate applications such as filling [{a {coarse} trigger spray bottle} {mop buckets}].} {Use hose with quick-connect, supplying potable water - Connect to dispensing head. Squeeze to dispense. Slide holding lock to dispense into a bucket and free hands.}

(OR)

Attach sprayer unit to hose, ensuring the hose faucet is turned off. Secure tightly, Check that the sprayer is in the off position. Turn on water. Turn sprayer to on position to dispense (*insert appropriate dilution from dilution list*). Spray evenly over surface. When finished turn sprayer to off position and then turn water off. Separate mixing of the concentrate or other application equipment is not required.

(OR)

Ensure water source is off. Attach water hose to [{dispensing unit} {sprayer unit}] and attach to container. {See dispenser instructions for proper assembly}. Secure all connections. Ensure that the [{lever} {knob} {dial}] on the [{dispenser} {sprayer}] is in the [{off} {closed}] position. Turn on the water. Turn the [{lever} {knob} {dial}] on the [{dispenser} {sprayer}] to the [{on} {open}] position to [{dispense solution into a} {bucket,} {bottle,} or {other} {container}] {spray onto surfaces}. When finished, turn the [{lever} {knob} {dial}] on the [{dispenser} {sprayer}] to the [{off} {closed}] position and turn the water off.

(OR)

{Twist a (*insert package name*) Cap onto (*insert product name*) spout.} Fit ¼" tubing to the automatic dilution system and attach to (*insert package name*) Cap. {Insert an in-line check valve in the run of the tubing between the automatic dilution system and the (*insert package name*) Cap.} Push tubing over the barbs of the (*insert packing name*) Cap. Secure tubing connections with plastic zip ties. [{Place} {Hang}] (*insert package name*) [{upside down} {on its side}]. See automatic dilution system instructions for detailed directions.

(OR)

This package is designed to be used with dilution control systems only. Open package and connect to [{hose} {system}] to dispense according to directions on the box.

DILUTABLE BAGS OR POUCHES: [{Remove} {Unscrew}] [{cap} {spout} {sprayer}] from [{bag} {pouch}]. Fill [{bag} {pouch}] with (*insert quantity here*) oz. of water. Replace [{cap} {spout} {sprayer}]. Squeeze [{bag} {small section filled with concentrate}] until the seal between water and concentrate is broken. Shake to mix. [{Open} [{cap} {spout}] to dispense in [{bucket} {bottle} or {other} {container}].] {Spray onto surfaces.} {Pull top on cap and squeeze bag to dispense onto surfaces.} Do not refill [{bag} {pouch}].

PRE-MEASURED CARTRIDGES: Fill {appropriate} [{bottle} {container}] with (*insert quantity here*) oz. of water. [{Apply} {Insert} {Twist} {Screw}] cartridge [{onto} {into}] [{bottle} {container}] [{finish} {opening}]. {Remove any tamper evident protection.} [{Lift} {Unscrew} {Open}] cap {from the cartridge}. [{Push} {Press} {Twist}] the [{button} {activator} {dial} {knob}] {to release the concentrate into the diluent}. {Replace cap.} Shake to mix. [{Remove cap} {Flip top} {Pull top} {Peel film}] to open. [{Dispense contents into [{bucket}, {bottle}, or {other} {container}]} {Squeeze bottle to dispense contents onto surfaces}]. Keep cartridges in [{box} {dispenser} {holder}] until ready to use.

{COARSE} TRIGGER SPRAYERS: Fill bottle from dispenser. {Apply to surfaces according to directions above.}

SPRAY USE INSTRUCTIONS:

How to Assemble Extendable Trigger

1. Remove [{cap} {sprayer}] from bottle.
2. Insert end of tube into bottle until new cap meets bottle.
3. Twist cap onto bottle until secure.

How to Spray

1. Adjust nozzle to ON (**Note to Reviewer:** *There will be an ON symbol here*) position as indicated on nozzle.
2. [{To prime sprayer, direct nozzle toward surface to be treated and squeeze trigger several times until liquid is seen through the length of the tube. **Note:** Keeping sprayer head below the level of liquid in bottle will make priming easier.} {When priming, hold sprayer level to the ground. If held at an angle, sprayer will not prime.}]

After Use

1. Turn nozzle to OFF (**Note to Reviewer:** *There will be an OFF symbol here*) position.

(*Spray Cap container language*)

Shake Well. Remove sticker. Open flip cap. Firmly insert red hose tip.

MOP BUCKETS: Fill bucket from dispenser. Set up “Wet Floor” signs. Mop floor surfaces as specified in directions above.

(**Note to Reviewer:** *For pre-measured tear open packet only*)

PACKETS: [{Simply} {Tear} open and] pour contents into X gal. of water. {Keep packets in box until ready to use.}

STOCK SOLUTIONS INSTRUCTIONS:

{For Spray Bottles:}

1. Fill stock [{solution bottle} {mixing container} {insert bottle number}] to indicated line with (X) [{oz.} {gal.}] of water.
2. Pour contents of (X) pack{s} [{of this product} {insert packet number}] into stock [{solution bottle} {mixing container}].
3. Fill {quart} [{hand pump} {coarse}] trigger spray bottle {insert bottle number} with (X) oz. to water line.
4. Add (X) pump stroke {(X) oz.} from stock [{solution bottle} mixing container] to create a (XXX) ppm solution.

Note: Empty and rinse bottles before refilling.

For [{Mop} Buckets] {or} [{Soaking} {Wiping} {Cloth} Containers]:

1. Fill [{mop} bucket {insert bucket number}] {container} to indicated line with {X} [{oz.} {gal.}] of water.
2. Pour contents of (X) pack{s} [{of this product} {insert packet number}] into stock [{solution bottle} {mixing container}].
3. Add (X) pump stroke {(X) oz.} from stock [{solution bottle} {mixing container}].
4. {Soak clean {wiping} cloths between use.}
5. Prepare a fresh solution daily or when visibly dirty {(or if falls below XXX ppm active quat.)} {Use quaternary test strips for testing active level}.

REFILLS

To Refill Concentrate from Large Containers into Smaller Containers: This product may be used to fill and refill clean, properly labeled containers for dilution elsewhere within your facility. Make sure the small container has been cleaned, dried, and properly labeled according to state and local regulations. Also make sure other items (funnels or hand pumps) are properly cleaned and dried. To refill, [{simply pour} {pump product}] from the larger container directly into the smaller one being careful not to spill any product. Keep both containers sealed when not in use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

{PESTICIDE} STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

(Note to Reviewer: One or more of the following paragraphs for Container Handling will be selected, depending on packaging use/type.)

{For residential/household use ONLY}

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash.

{For products with industrial, institutional, commercial use - May choose appropriate non-refillable/refillable statement.}

{For non-refillable containers equal to or less than 5 gal.}

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container {(or equivalent)} promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

{For non-refillable containers greater than 5 gal.}

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container {(or equivalent)} promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

{For non-refillable packets, bag-in-box, and other sealed containers}

(Note to Reviewer: Sealed containers are designed to reduce worker exposure to the concentrate. None of these types of containers can be triple rinsed because they are closed, welded, sealed containers.)

Non-Refillable Container. Do not reuse or refill this container. {Wrap empty container and} Put in trash or offer for recycling.

{Refillable containers}

Refillable Container. Refill this container with this product only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal empty the remaining contents from this container into application equipment or a mix tank. Fill container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wear goggles or face shield and chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

(If container is equal to or greater than 5 gal., the following statement must appear on the label.)

This pesticide is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

(If container is less than 5 gal., use the following as an alternate to the above statement.)

This pesticide is toxic to fish, aquatic invertebrates, oysters, and shrimp.

{SPANISH ADVISORY STATEMENT}

(Note to Reviewer: This statement is optional except when used on labels with agricultural uses.)

{SI USTED NO ENTIENDE LA ETIQUETA, BUSQUE A ALGUIEN PARA QUE SE LA EXPLIQUE A USTED EN DETALLE.
IF YOU DO NOT UNDERSTAND THE LABEL, FIND SOMEONE TO EXPLAIN IT TO YOU IN DETAIL.}

GRAPHICS AND ICONS

(Note to Reviewer: These are representative icons for use sites/application methods listed in the location/surfaces section of this label that may appear on the label with the appropriate directions for use, PPE, or package type.)

{Picture of Bathroom}

{Picture of Toilet}

{Picture of Urinal}

{Picture of Sink}

{Picture of Laboratory
Equipment}

{Picture of Gloved Hand and
Spray Bottle}

{Picture of Carpet Cleaning
Machine}

{Picture of Mop and Bucket}

{Disinfectant Logo}

{Baby Drowning in Bucket
Warning Graphic}

{Picture of Gloved Hand and
Towel}

{Picture of Toilet Brush}

{Recycling Logo}

{Made in USA Logo/Flag}

(Note to Reviewer: The following may be used only if the supplemental registrant has obtained a Kosher/NSF listing. Allowed on back or side panel only.)

{Kosher Logo}

{NSF Logo}

{NSF Listed}

{(Insert 6-Digit NSF Listing Number Here)}

(Note to Reviewer: This is optional packet labeling.)

X OZ. PACKET (OR EQUIVALENT USE DILUTION) LABEL TO BE USED WITH MASTER CONTAINER LABEL

MAQUAT[®] 2420-Citrus

(Note to Reviewer: Marketing claims may be used on the pouch.)

{FOR USE AS {A} {{GENERAL} DISINFECTANT} {NON-FOOD CONTACT SANITIZER} }
NOT FOR RESALE

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride 13.02%
Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
dimethyl benzyl ammonium chloride 8.68%

OTHER INGREDIENTS:..... 78.30%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER {PELIGRO}

SEE {{OUTER CONTAINER} {INSERT}} FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

Mix {each} (insert oz.) packet with (insert volume) of water {to make a (X) ppm active solution.} {Keep packets in box until ready to use.}

(Note to Reviewer: The following text is optional.)

{SI USTED NO ENTIENDE LA ETIQUETA, BUSQUE A ALGUIEN PARA QUE SE LA EXPLIQUE A USTED EN DETALLE.
IF YOU DO NOT UNDERSTAND THE LABEL, FIND SOMEONE TO EXPLAIN IT TO YOU IN DETAIL.}

DISPOSAL: Do not reuse or refill this container. {Wrap empty container and} Put in trash.



MASON CHEMICAL COMPANY
9075 Centre Pointe Dr., Suite 400
West Chester, OH 45069
513-326-0600
Toll Free: 800-70-PILOT

EPA Reg. No. 10324-162 EPA Est. No.

NET CONTENTS: X FL. OZ.