

10324-184

1/7

JUN 8 2010

Ms. Elizabeth Tannehill
Mason Chemical Company
721 W. Algonquin Road
Arlington Heights, IL 60005

Subject: Maquat 86-HMR
EPA Registration No.: 10324-184
Amendment Date: March 5, 2010
EPA Receipt Date: March 10, 2010

Dear Ms. Tannehill,

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

- Revise Storage and Disposal Language

General Comments

A stamped copy of the accepted labeling is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling. Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,



Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosure: Stamped Label
7510P:T.Lantz:6/7/10:10324-184 storage and disposal amend

CONCURRENCES							
SYMBOL	7510P						
SURNAME	T.Lantz						
DATE	6/7/10						



MASON CHEMICAL COMPANY

"The Quaternary Specialists"

721 W. Algonquin Road | Arlington Heights, IL 60005 | 847-290-1621 or 800-362-1855

E.P.A. Reg. No. 10324-184

E.P.A. Est. No. 10324-IL-1

MAQUAT® 86-HMR

Net Contents:

Batch No:

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

For Use to Impart Control of Mold and Mildew on Wood, Wallboard, Concrete, and Masonry (Cinder) Block Construction Materials in Buildings, and on Most Indoor Hard Surfaces as well as Fabrics; Upholstery, Clothing, Curtains, Cushions and Animal Bedding.

Water Damage Restoration. Sewer Backup and Water Damage From Flooding.

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	0.026%
Didecyl Dimethyl Ammonium Chloride	0.013%
Dioctyl Dimethyl Ammonium Chloride	0.013%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.034%

INERT INGREDIENTS:	99.914%
TOTAL	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See left (back) (side) (right) panel (of label) (below) for additional precautionary statements and first aid statements

(Note to Reviewer: This information has been verified per DOT regulations. It is NOT required to be on the label but is being requested by a customer.)

TRANSPORTATION INFORMATION

DOT Hazard Class: Not Regulated

DOT Proper Shipping Name: Not applicable

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 8 2010
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. **10324-184**

MARKETING CLAIMS

This product contains no phosphorous.

This product will not leave a grit or soap scum.

(Eliminates) (and) (prevents) mold (and) (mildew,) (fungi,) (staining,) (and associated staining).

Prevents (future) mold (and mildew) (problems).

Eliminates (and prevents) mold (growth) (problems).

(Controls) (Prevents) (Inhibits) (fungi) (mildew) (mold) (mold and mildew).

(Stops) (Controls) (Prevents) (Inhibits) (the growth of) (fungi,) (mildew,) (mold,) (mold and mildew) (growth) (and their odors) (and their stains) on (hard surfaces) (fabrics) (upholstery) (clothing) (curtains) (cushions) (animal bedding).

Effective against (fungi) (mildew) (mold) (mold and mildew) (mold and mildew stains).

Eliminates mold (musty) odors (stains) (caused by mold and mildew).

Contains no ammonia, bleach, alcohol, acid, or VOCs.

(Suitable) for (use on) most (indoor) surfaces (including fabrics) (upholstery) (clothing) (curtains) (cushions) (animal bedding).

(Hard surface) (Fabric) Fungistat (and) (Hard Surface) Mildewstat.

Odorless (and) colorless.

Mold control

Mason's patented (breakthrough) technology prevents mold (and mildew) growth. (Treated surfaces retain a protective barrier (that (will) prevent(s) the growth of mold and mildew)).

This product dries on surfaces to create an invisible antimicrobial shield that (eliminates mold (and mildew)) (problems,) (inhibits the growth of mold) (and) (fungal spores) (fungi), (prevents new (mold) growth) (and) (eliminates) (gets rid of) (wipes out) (musty) odors. This product contains no (bleach,) (ammonia,) (alcohol,) (acids,) (or) (other) (VOC's) (and is suitable for use on most surfaces.)

Use this product (to (eliminate) (mold problems) (and prevent mold) (problems) (control mold) in (the following (vulnerable) areas) (basements,) (bathrooms,) (closets) (and) (around windows).

For use on (the following) (non-porous) (semi-porous) (porous) (hard) (and fabric) surfaces (wallboard,) (plaster,) (wood,) (metal,) (masonry,) (concrete,) (tile,) (curtains,) (slipcovers,) (upholstery,) (cushions,) (clothing,) (and) (animal bedding).

This product is (specially formulated) (a unique technology) for effective (control) of (most) offensive (stains) (odors) caused by mold and mildew.

Controls (Inhibits) mold and mildew (leaving a fresh clean scent), (leaving rooms clean and fresh smelling).

Helps prevent mold (growth) (in) (on) (surfaces) (places vulnerable to mold), (including:)

- Basements
- Bathrooms
- Vacation homes
- Boat interiors
- Areas under construction

For use in homes, businesses or institutions.

No fumes

Not flammable

Deodorizer

Eliminates (kills) (musty) (foul) (stale) odors (from) (gym) (sports) (hockey) (football) (baseball) (basketball) (athletic) (equipment) (lockers).

This product eliminates odor-causing particles (fungi and mold), (eliminating) (getting rid of) (killing) (reducing) (the) (that) (musty) (stale) (foul) (odor) (smell).

(For) (Use) (on) (in) (gym) (sports) (hockey) (football) (baseball) (basketball) (athletic) (equipment) (lockers).

No mixing required.

Ready to use.

Easy to use.

For use on (fabrics) (upholstery) (clothing) (curtains) (cushions) (animal bedding) (too)

Works on (fabrics) (upholstery) (clothing) (curtains) (cushions) (animal bedding) (too)

No bleach. No ammonia. No mold. No problem.

Break the mold.

Ditch the bleach.

(Also) an effective cleaner and degreaser.

Try it as a cleaner and degreaser.

(Great for) (Try it for) spot cleaning and degreasing (too).

(Eliminates) (removes) (stubborn) (tough) stains and grease (too).

Ideal for (Can be used for):

- Mold prevention in homes, businesses and institutions.
- Pre-treatment of building materials for mold resistance
- (DIY) (Do-it-yourself) mold prevention
- New construction protection
- (Insert one of the surfaces and/or sites listed on this label)

This product is used to protect treated articles from decay, mold or mildew.

This product inhibits bacterial growth on moist surfaces and deodorizes by killing microorganisms that cause offensive odors. (Not for use in California.)

This product inhibits the growth of mold and mildew and their odors when used as directed.

(Cleans,) (Removes) (Eliminates,) (and) (Prevents) mold (and) (mildew,) (fungi,) (staining,) (and associated staining)

(Cleans,) (Remediates) (and Prevents) mold (and mildew) (all-in-one)

Eliminates existing (mold) (problems) and prevents future (mold) (problems)

Get(s) rid of mold

Wipe(s) out mold

Wherever mold takes hold

(Stops) (Cleans and) (Controls) (Prevents) (Inhibits) the growth of (fungi) (mildew) (mold) (mold and mildew) (and their odors) (and their stains) on (hard surfaces) (fabrics) (upholstery) (clothing) (curtains) (cushions) (animal bedding)

Mason's patented (breakthrough) technology encapsulates mold and fungal spores with a microscopic coating that inhibits (and prevents) its growth. (Treated surfaces retain a protective barrier that will prevent the growth of mold and mildew.)

This product dries on surfaces to create an invisible antimicrobial shield that (encapsulates and) inhibits the growth of mold (and) (fungal) (spores) (fungi), prevents new (mold) growth and eliminates (musty) odors. This product contains no (bleach,) (ammonia,) (alcohol,) (acids,) (or) (other) (VOCs) (and is suitable for use on most surfaces.)

Ideal for (Can be used for):

- Mold remediation in homes, businesses and institutions
- Mold prevention following flooding or water damage cleanup
- (DIY) (Do-it-yourself) mold clean-up and prevention
- (Insert one of the surfaces and/or sites listed on this label)

When used as directed, this product will clean and protect treated wood articles from the destructive attack of fungi, mold and mildew. Treatment can be done by brush and/or spray. Wood articles that will be protected by these treatments would include millwork, construction timbers, decking, wood shingles, posts and other articles to be used in above ground applications.

This product maximizes (improves) labor results by effectively controlling odors.

This product is an economical concentrate that can be used with a mop and bucket, trigger sprayers, or sponge.

This product neutralizes musty odors and tough odors from smoke.

This product is specially formulated to effectively eliminate offensive odors cause(d) by mold and mildew.

Eliminates odors caused by bacteria.

This product (formulation) is a one step (ready to use) cleaner that is fungicidal and will inhibit the growth of mold and mildew and their odors when used as directed.

For use as a mold preventative or remediation treatment in areas where mold can or has been a problem.

Maquat® 86-HMR for use in:

- Homes (households), condos, apartments, summer homes
- Vacation homes, farmhouses, mobile homes, RV's, summer cottage, trailers, and vacation homes
- Boat interiors, camper interiors
- Areas under construction
- Basements, cellars, bedrooms, attics, and living rooms
- Closets, den/study, family room, dining room, laundry room, home workshop, garage and other household areas
- Mud rooms, pet areas, playrooms, storage areas, storage buildings, sunrooms, toolsheds, and workshops
- Day care centers, nurseries, kindergartens, and preschools, dormitories, and bathrooms
- EMS & fire facilities.
- Life care retirement communities, home healthcare institutions.

- Retail and wholesale establishments, department stores, shopping malls, gift shops, video stores, bookstores, dressing rooms and laundries, photocopy centers, bicycle shops, auto repair centers and laundries.
- Manufacturing facilities.
- Police stations, courthouses, correctional facilities, jails, prisons, municipal government buildings, penitentiaries, correctional institutions, bus stations, train stations.
- Institutional facilities, laboratories, factories, business and office buildings, restrooms, hotels and motels.
- Public restrooms, public facilities, shower rooms, shower stalls, bathrooms.
- Institutions, schools and colleges, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, exercise facilities, gyms, gymnasiums, warehouses.
- Bathrooms and other household areas.
- Health clubs and spas.
- Recreational facilities, sports arenas, sports complexes.
- Veterinary clinics, animal life science laboratories, animal research centers, animal quarantine areas, animal breeding facilities, kennels, dog/cat animal kennels, breeding and grooming establishments, pet animal quarters, zoos, and other animal care facilities.
- Boats, ships, and barges, cruise lines, shipping terminals.
- Commercial florist and flower shops.

This product may be used on (washable) hard, non-porous surfaces (as a cleaner/deodorizer) such as:

- Bathroom basins, bathroom surfaces, bathroom tiles, bidets, and (under) sink (basins)
- Glass, metal, enamel, stainless steel, glazed porcelain (tile), glazed ceramic (tile), sealed granite, marble (cultured), marble (synthetic), marlite, plastic laminate, vinyl (tile), laminated surfaces, linoleum, parquet, and Plexiglass®, plastic (such as polystyrene or polypropylene), sealed limestone, sealed slate, sealed stone, sealed terra cotta, sealed terrazzo, chrome
- Fabric (surfaces)
- Foundations, steps, plumbing fixtures, finished baseboards, windows, windowsills and floors
- Tables, chairs, desks, bed frames, bed springs, (washable) walls, cabinets, and garbage cans (pails)
- Coils and drain pans of air conditioning, refrigeration equipment.
- Shower (stall) (area), shower doors, shower (curtain) (plastic) (liner), (fiberglass) bathtubs, toilet/urinal exteriors, diaper pails, plastic laundry (basket) hamper, portable toilets and (around) toilet areas
- Cat litter boxes
- Lockers, sports equipment, garage surfaces, recycle bins
- Metal blinds, louvers, mattresses, plastic mattress covers, lamps, mirrors
- No wax floors, resilient flooring

417

- Enameled surfaces, painted woodwork (finished), Formica®, vinyl and plastic upholstery.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(Note to Reviewer: The following label language will appear on ALL labels.)

If you need help in understanding any part of these instructions or have additional questions after reading these instructions, **DO NOT APPLY THIS PRODUCT** until you have received the answers for all your questions.

MOLD & MILDEW

MOLD AND MILDEW CONTROL ON WOOD, WALLBOARD, FABRIC, CONCRETE, AND MASONRY (CINDER) BLOCK AND CONSTRUCTION MATERIALS IN BUILDINGS

This product is used to treat wood, wallboard, fabric, concrete, and masonry (cinder) block building materials to inhibit or prevent the growth of mold (mildew) organisms when the materials are subjected to moist or wet environments. Before applying this product, visible mold growth must be removed, and the conditions favorable to mold growth must be identified and corrected. Keep children, pets, and livestock off treated areas until spray has dried following application.

This product is compatible with, and may be mixed with wood protection products containing borates (such as BORA-CARE® (64405-1)).

DO NOT use on food-contact surfaces, or on the interior of buildings engaged in food processing or food handling.

Occupants including pets and livestock must be removed from the area prior to treatment.

Before applying this product, visible mold growth must be removed and conditions favorable to mold growth must be identified and corrected.

This product may be applied on wood shingles or shake roofs and surfaces such as lumber, concrete, concrete block and steel. Apply this product by low-pressure spray followed by brushing the product into the surfaces. A moderately fine spray, not an aerosol or fog, generally provides the best coverage at practical product concentrations. Apply only to point of runoff.

PREVENTATIVE TREATMENT

To inhibit surface mold and mildew growth on wood, wallboard, fabric, concrete, and masonry (cinder) block construction materials in new or renovated building construction. Apply undiluted solution evenly by airless sprayer, low pressure handwand, or backpack sprayer and brush into surface. Assure uniform coverage of surfaces to be protected and thoroughly wet all treated surfaces completely. Surfaces must be evenly wet without runoff or pooling. (To promote drying) (and to avoid residue marks), (use a clean cloth or paper towel to) Wipe (clean) (off excess wetness). Permit treated surfaces to thoroughly dry before painting or affixing overlayment materials such as siding, wallboard or flooring.

Repeat the application of this product as necessary if mold growth appears, following directions provided below for REMEDIAL TREATMENT. Normally, infrequent application (once a year or longer) will provide effective control. If regrowth occurs, investigate to determine the cause and correct the problem prior to reapplication of this product. Mold may occur in conditions of persistently high humidity, standing water, or hidden water leaks.

REMEDIAL TREATMENT

Strategies to respond to water damage in 24 hours are a key part of avoiding mold contamination. Dry wood and wallboard within 24 hours. This product must be used as part of a comprehensive mold remediation or water damage restoration program, including:

- Periodic monitoring and inspection of conditions favorable to mold growth such as moisture ingress and high relative humidity
- Effecting repairs as necessary to eliminate conditions favorable to mold growth
- Drying of affected areas to below 20% moisture content

Use appropriate clean-up methods described below. Apply undiluted solution evenly by airless sprayer, low-pressure hand wand, or backpack sprayer and brush into surface. Assure uniform coverage of surfaces to be protected and thoroughly wet all treated surfaces completely. (This product must come in direct contact with mold to be effective.) Surfaces must be evenly wet without runoff or pooling. Permit treated surfaces to thoroughly dry before painting or affixing overlayment materials such as siding, wallboard or flooring. Assist in drying process after application by use of fans, dehumidifiers, heater and other methods of ventilation.

Reapply weekly or when growth or odor reappears. Determine and correct the cause of re-growth before reapplication. Reapply this product if surfaces are washed or painted (Reapply weekly on hard surfaces and (monthly) (every 28 days) on fabrics, or whenever (new growth) (mildew) (mold) (regrowth) appears.)

The following associations and internet sites should be consulted for information on standards and guidelines for remedial treatment of mold and mildew:

- IICRC-Institute of Inspection, Cleaning and Restoration Certification (<http://www.iicrc.org/>)
- IAQA-Indoor Air Quality Association (www.iaqa.org)
- EPA-Environmental Protection Agency (www.epa.gov)
- DOH-New York City Department of Health (www.ci.nyc.ny.us/html/doh/html/epi/moldrpt1.html)

Consider potential for remediator exposure and size of contaminated area before using this product.

SMALL AREAS-TOTAL SURFACE AREA AFFECTED LESS THAN 10 SQUARE FEET

Areas of growth less than 10 square feet (area of a single wall panel) can normally be remediated easily. Apply this product to retard the (growth and) spread of fungal spores (and other contaminants) until the area can be thoroughly cleaned and remediated. If ceiling tiles or other easily removable items (of nominal value) are moldy, remove them, seal in a plastic bag and dispose with normal trash. If the surface is not easily replaceable following the directions provided below.

CLEANUP METHODS

WOOD SURFACES

Prior to applying this product, clean the affected area using one of the following or another preferred method.

Method 1: Wet vacuum (in the case of porous materials, some mold spore/fragments will remain in the material but will not grow if the material is completely dried.)

Method 2: Damp-wipe surfaces with plain water or use a wood floor cleaner; scrub as needed.

Method 3: High-efficiency particulate air (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

WALLBOARD (GYPSUM BOARD AND GYPSUM BOARD)

Prior to applying this product, clean the affected area using high-efficiency particulate air (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

OTHER CONSTRUCTION MATERIAL (CONCRETE OR CINDER BLOCK)

Method 1: Wet vacuum (in the case of porous materials, some mold spore/fragments will remain in the material but will not grow if the material is completely dried.)

Method 2: High-efficiency particulate air (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

LARGE-TOTAL SURFACE AREA AFFECTED GREATER THAN 10 SQUARE FEET OR POTENTIAL FOR INCREASED OCCUPANT OR REMEDIATOR EXPOSURE DURING REMEDIATION ESTIMATED TO BE SIGNIFICANT – FOR PROFESSIONAL USE ONLY - Please Refer to Maquat 86-MR (EPA Registration Number: 10324-174) or Maquat 615-MR (EPA Registration Number: 10324-169)

WATER/SMOKE DAMAGE RESTORATION

(Not applicable in California)

It is not advisable to clean and reuse carpet from a heavily infected mold problem. Carpet and padding that is involved in a mold remediation project should be removed and discarded according to federal, state and local laws.

Effective against odor causing bacteria and fungi for home and industrial use. This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, sub floors, drywall, trim, frame lumber, tackless strip and paneling. Saturate affected materials with enough undiluted product to remain wet for at least 10 minutes. Use proper ventilation.

SEWER BACKUP & RIVER FLOODING *(Not for use in California)*: During mitigation procedures, remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a sprayer using a coarse spray tip before and after cleaning and extraction.

CARPETS, CARPET CUSHIONS AND OTHER POROUS MATERIALS SUCH AS SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING *(Not Applicable in California)*: For water damage from a clean water source, extract excess water. Test hidden area for colorfastness. Remove gross filth or heavy soil. Apply directly with a sprayer using a coarse spray tip, to fully saturate affected materials. Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

SPECIAL INSTRUCTIONS FOR CLEANING CARPET AGAINST ODOR CAUSING BACTERIA *(Not Applicable in California)*: This product may be used in industrial, commercial and residential areas such as homes, motels & hotel chains, and schools. For use on wet cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness.

Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

CARPET DEODORIZER AGAINST ODOR-CAUSING BACTERIA FOR HOME AND INDUSTRIAL USE *(Not for use in California)*

This product cleans and deodorizes the carpet by controlling/reducing the growth of odor-causing bacteria. It can be used in industrial, commercial and residential areas such as homes, motels and hotel chains.

Vacuum carpet thoroughly prior to application. Follow the Injection and/or Extraction procedures as specified for any conventional steam cleaning equipment you are using. For rotary floor machines, spray on carpet at a rate of 300-500 sq. ft. per gallon.

For use (Use this product) on washable synthetic fibers. Do not use on wool. Test color fastness of carpet before use. Apply undiluted product to a small concealed spot, then rub with a clean white cloth. If color changes or transfers to cloth, a water-based product should not be used.

After using the product, set carpet pile in one direction with a stiff brush. Place aluminum foil under the legs of furniture while carpet is drying. Over-wetting can cause carpet to shrink. Manufacturer assumes no responsibility for over-wetting misuse.

Note: This product must not be mixed with other cleaning products.

SMOKE DAMAGE RESTORATION *(Not for use in California)*: Effective against odor causing bacteria and fungi for home and industrial use. This product is particularly suitable for use in smoke damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, sub floors, drywall, trim, and frame lumber, tackless strip and paneling. Follow directions as outlined in the Water Damage Restoration section. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

CLEANING and DEODORIZATION

GENERAL CLEANING/DEODORIZATION: To clean and/or deodorize hard non-porous surfaces such as glass, metal, stainless steel, glazed porcelain, glazed ceramic, sealed granite, sealed marble, plastic, slate, and vinyl, apply this product (undiluted solution) with a cloth, mop, sponge or mechanical spray device. When applied with a mechanical spray device, surfaces must be sprayed until thoroughly wetted. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. For deodorization, treated surfaces must remain wet for 10 minutes. Excess material should be wiped up or allowed to air dry. Do not breathe spray.

Note: With spray applications, cover or remove all food products. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For heavily soiled areas, a preliminary cleaning is required.

SANITATION of EXTERIOR HOUSEHOLD SURFACES DIRECTIONS

Preparation of Use Solution: Apply this product to clean hard, non-porous exterior surfaces such as vinyl, plastic, sealed concrete, painted or sealed woodwork, and sealed stucco. Surfaces to be treated include house siding, decks, patios, walkways and driveways.

Application: Apply this product with a mop, cloth, sponge, hand pump trigger sprayer, or with a low-pressure (less than 60 psi) airless sprayer so as to wet all surfaces thoroughly. Treated surfaces must remain wet for 3 minutes. Wearing suitable respiratory protective equipment to control exposure to spray, pressure wash surfaces to thoroughly clean all treated areas using a high-pressure spray. Do not breathe spray. One-half gallon of product will treat 400-600 sq ft of surface. User must wear protective eyewear as well as respiratory protective equipment.

NOTE TO REVIEWER: The title and first statement of this section must appear on every label, followed by the appropriate Storage and Disposal section.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

(FOR USE ON NON-REFILLABLE CONTAINERS WITH HOUSEHOLD/RESIDENTIAL USES)

STORAGE AND DISPOSAL: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Wrap and put in trash or offer for recycling if available.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON NON-REFILLABLE CONTAINERS WITH NO HOUSEHOLD OR RESIDENTIAL USES. USE ON CONTAINERS WITH INSTITUTIONAL/COMMERCIAL/INDUSTRIAL PUBLIC HEALTH USES ONLY)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Triple rinse (or equivalent). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS (For containers less than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON NON-REFILLABLE CONTAINERS WITH INSTITUTIONAL/COMMERCIAL/INDUSTRIAL NON-PUBLIC HEALTH USES ONLY)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS (For containers less than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons): Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store for later use or disposal. Repeat this procedure two more times.

BATCH CODE: (Can be placed on container or label)

(FOR USE ON REFILLABLE CONTAINERS – 5 gallon and 55 gallon containers)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Triple rinse (or equivalent). Refill this container with this product only. Do not reuse this container for any other purpose.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons with Industrial/Commercial Non-public Health Uses): Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons with Industrial/Commercial Public Health Uses): Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times.